

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878 Revision date: 27/02/2023 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : Eni Rotra LSX 75W-90

Product code : 1290 Type of product : Lubricants Formula : 0063-2019 : Trade product Product group

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use, Consumer use

Industrial/Professional use spec : Used in closed systems

Wide dispersive use : Gearbox lubricant

Use of the substance/mixture Function or use category : Lubricants and additives

1.2.2. Uses advised against

Recommended use are listed above; other uses are not recommended unless an assessment has provided that risks are controlled.

1.3. Details of the supplier of the safety data sheet

Eni Sustainable Mobility S.p.A., Viale Giorgio Ribotta 51, 00144 Rom, ITALY, Tel. +39 06 59821, www.eni.com Competent person responsible for the safety data sheet (Reg. EC nr. 1907/2006): SDS.ESM.info@eni.com

Distributed by: Enilive Schmiertechnik GmbH, Paradiesstraße 14, 97080 Würzburg, GERMANY, www.oilproducts.eni.com Department responsible for information: Application Engineering & Product Management (AEPM), Tel. +49 (0)931-900 98-0 e-mail: technik.wuerzburg@enilive.com

1.4. Emergency telephone number

Emergency number : CNIT +39 0382 24444 (24h) (IT + EN)

Poison centre (UK):

National Poisons Information Service Edinburgh (24h)

(+44) 844 892 0111 0870 600 6266 (UK only) (Source: UN-WHO)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [EU-GHS / CLP]

Not classified

Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction. For specific information about the toxicological/ecotoxicological properties and classification of this product, see Sect. 11 and/or Sect. 12.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH208 - Contains Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with

phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched). May produce an

allergic reaction.

EUH210 - Safety data sheet available on request.

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

2.3. Other hazards (not relevant for classification)

Other hazards not contributing to the classification

: This product is combustible, but not classified as Flammable. The creation of flammable vapour mixtures takes place at temperatures which are higher than normal ambient levels. In case of contact with eyes, this product may cause irritation. If the product is handled or used at high temperature, contact with hot product or vapours may cause burns. Any substance, in case of accidents involving pressurized circuits and the like, may be accidentally injected under the skin, even without external damage. In such a case, the victim should be brought to an hospital as soon as possible, to get specialized medical treatment. Do not wait for symptoms to develop. A potential risk may arise from the release of hydrogen sulfide, when the product is stored or handled at high temperature. Hydrogen sulfide may accumulate in the tanks or other confined spaces, with danger to the workers that enter the spaces. In these cases overexposure to hydrogen sulfide may cause irritation to airways, nausea, dizziness, loss of consciousness and death.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Other information

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

| Component | |
|---|--|
| Dec-1-ene, trimers, hydrogenated (157707-86-3) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| Mineral base oil, severely refined (N/A) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| Polysulfides, di-tert-Butyl (68937-96-2) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

| Component | |
|---|---|
| Dec-1-ene, trimers, hydrogenated(157707-86-3) | The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 |
| Mineral base oil, severely refined(N/A) | The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 |
| Polysulfides, di-tert-Butyl(68937-96-2) | The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 |
| Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) | The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 |

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Notes

Composition/ Information on ingredients:

Polyolefins

Mixture of hydrocarbons

Additives

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [EU-GHS / CLP] |
|--|--|-----------|---|
| Dec-1-ene, trimers, hydrogenated | CAS-No.: 157707-86-3 EC-No.: 500-393-3 REACH-no: 01-2119493949- 12-0000 | 50 – 60 | Asp. Tox. 1, H304 |
| Mineral base oil, severely refined (For identification of the substance, see note [*] , see note [**]) | CAS-No.: N/A EC-No.: N/A | 1 - 6 | Asp. Tox. 1, H304 |
| Polysulfides, di-tert-Butyl (Additive) | CAS-No.: 68937-96-2 EC-No.: 273-103-3 REACH-no: 01-2119540515- 43 | 2 - < 4,6 | Skin Sens. 1B, H317 Aquatic Chronic 3, H412 |
| Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) (Additive) | EC-No.: 931-384-6 REACH-no: 01-2119493620- 38 | 1-<2 | Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 2, H411 |

| Specific concentration limits: | | |
|--|--|---|
| Name | Product identifier | Specific concentration limits |
| Polysulfides, di-tert-Butyl (Additive) | CAS-No.: 68937-96-2 EC-No.: 273-103-3 REACH-no: 01-2119540515- 43 | (46 ≤C < 100) Skin Sens. 1B, H317 |
| Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) (Additive) | EC-No.: 931-384-6 REACH-no: 01-2119493620- 38 | (9,39 <c 100)="" 1b,="" h317<br="" sens.="" skin="" ≤="">(50 <c 100)="" 2,="" eye="" h319<="" irrit.="" td="" ≤=""></c></c> |

Notes

: [*] Note: this product may be formulated with one or more of the following severely refined mineral base oils (not classified as hazardous):

CAS 101316-72-7/EC 309-877-7/REACH Reg. # 01-2119489969-06-xxxx; CAS 64742-54-7/EC 265-157-1/REACH Reg. # 01-2119484627-25-xxxx; CAS 64742-01-4/EC 265-101-6/REACH Reg. # 01-2119488707-21-xxxx; CAS 72623-87-1/EC 276-738-4/REACH Reg. # 01-2119474889-13-xxxx; CAS 64742-71-8/EC 265-176-5/REACH Reg. # 01-2119485040-48-xxxx; CAS 64742-65-0/EC 265-169-7/REACH Reg. # 01-2119471299-27-xxxx; CAS 64742-70-7/EC 265-174-4/REACH Reg. # 01-2119487080-42-xxxx.

All these substances have a value < 3 % wt of DMSO extract, according to IP 346 (Nota L - Annex VI Reg (CE) 1272/2008, # 1.1.3)

Note [**]:

substance with occupational exposure limits for some EU countries affecting the category of mineral oils (finely refined mineral base oil mists; see section 8.1)

Full text of H- and EUH-statements: see section 16

27/02/2023 (Revision date) EU - en 3/21

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove to fresh air, keep the casualty warm and at rest. If breathing is difficult, give oxygen

if possible, or assisted ventilation. If necessary, give external cardiac massage and obtain

medical advice. See also section 4.3.

First-aid measures after skin contact : Remove contaminated clothing and shoes. Wash skin with soap and water. If inflammation

or irritation persists, seek medical advice. In case of burns, cool affected part with cold running water for at least 10 min. Cover with gauze or clean cloth. Ask for medical assistance or bring to a hospital. Do not apply salves or other substances, unless by

doctor's advice.

First-aid measures after eye contact : Remove contact lenses, if present and easy to do so. Rinse eyes thoroughly for at least 15

minutes. Keep eyelids well apart. If irritation, blurred vision or swelling occurs and persists, obtain medical advice from a specialist. In case of burns, cool affected part with cold running water for at least 10 min. Cover with gauze or clean cloth. Ask for medical assistance or bring to a hospital. Do not apply salves or other substances, unless by

doctor's advice.

First-aid measures after ingestion : Rinse mouth out with water. Give water to drink if victim completely conscious/alert. Do not

induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Inhalation of fumes or oil mists produced at high temperatures may cause irritation of the respiratory tract. Symptoms of overexposure to vapours include drowsiness, weakness,

headache, dizziness, nausea, vomiting, dimming of vision.

Symptoms/effects after skin contact : Prolonged and repeated skin contact may cause reddening, irritation and dermatitis. May cause sensitization by skin contact. Contact with hot product may cause thermal burns.

Symptoms/effects after eye contact : Contact with eyes may cause temporary reddening and irritation. Contact with hot product

or vapours may cause burns.

Symptoms/effects after ingestion : Accidental ingestion of small quantities of the product may cause nausea, discomfort and

gastric disturbances.

Symptoms/effects upon intravenous administration : No information available.

Chronic symptoms : None to be reported, according to the present classification criteria.

4.3. Indication of any immediate medical attention and special treatment needed

Obtain medical attention if casualty has an altered state of consciousness or if symptoms do not resolve. Seek medical attention in all cases of serious burns. If there is any suspicion of inhalation of H2S (hydrogen sulphide), Rescuers must wear breathing apparatus, belt and safety rope, and follow rescue procedures. Send patient to hospital. Immediately begin artificial respiration if breathing has ceased. Administer oxygen if necessary.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Small-size fires: carbon dioxide, dry chemicals, foam, sand or earth. Large fires: foam or

water fog (mist). These means should be used by trained personnel only. Other extinguishing gases (according to regulations).

Unsuitable extinguishing media extinguishing gases (according to regulations).

Unsuitable extinguishing media : Do not use water jets. They could cause splatt

Do not use water jets. They could cause splattering, and spread the fire. Simultaneous use of foam and water on the same surface is to be avoided as water destroys the foam.

5.2. Special hazards arising from the substance or mixture

Fire hazard : This product is combustible, but not classified as Flammable. The creation of flammable vapour mixtures takes place at temperatures which are higher than normal ambient levels.

Explosion hazard : In case of losses from pressurized circuits, the sprays may form mists. Take into account that in this case the lower explosion limit for mists is about 45 g/m³ of air. Heat may build pressure in tank and containers, rupturing closed vessels, spreading fire and increasing risk of burns and injuries. Vapours are heavier than air, spread along floors and form explosive mixtures with air.

27/02/2023 (Revision date) EU - en 4/21

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Hazardous decomposition products in case of fire

: Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases. Combustion products include sulphur oxides (SO2 and SO3) and Hydrogen sulphide H2S. Oxygenated compounds (aldehydes, etc.). POx. MgOx.

5.3. Advice for firefighters

Firefighting instructions

: Shut off source of product, if possible. Move undamaged containers from immediate hazard area if it can be done safely. Spilled product which is not burning should be covered with sand or foam. Use water sprays to cool containers and surfaces exposed to the flames. If the fire cannot be controlled, evacuate area.

Special protective equipment for firefighters

: Wear personal protection equipment. (see chapter 8). In case of a large fire or in confined or poorly ventilated spaces, wear full fire resistant protective clothing and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. EN 443. EN 469. EN 659.

Other information

: In case of fire, do not discharge residual product, waste materials and runoff water: collect separately and use a proper treatment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Stop or contain leak at the source, if safe to do so. Eliminate all ignition sources if safe to do so (e.g. electricity, sparks, fires, flares). Avoid accidental sprays on hot surfaces or electrical contacts. Avoid direct contact with released material. Keep upwind.

6.1.1. For non-emergency personnel

Protective equipment

Emergency procedures

: See Section 8.

: Keep non-involved personnel away from the area of spillage. Alert emergency personnel. Except in case of small spillages, the feasibility of any actions should always be assessed and advised, if possible, by a trained, competent person in charge of managing the emergency.

6.1.2. For emergency responders

Protective equipment

: Standard EN 469 - Protective clothing for firefighters. Standard - EN 659: Protective gloves for firefighters. Small spillages: normal antistatic working clothes are usually adequate. Large spillages: full body suit of chemically resistant and antistatic material. if necessary heat resistant and insulated. Work helmet. Antistatic non-skid safety shoes or boots. Goggles and /or face shield, if splashes or contact with eyes is possible or anticipated. Respiratory protection: A half or full-face respirator with filter(s) for organic vapours (A) (or A+B when applicable for H2S), or a Self-contained Breathing Apparatus (SCBA) can be used according to the extent of spill and predictable amount of exposure. If the situation cannot be completely assessed, or if an oxygen deficiency is possible, only SCBA's should be used.

Emergency procedures

: If required, notify relevant authorities according to all applicable regulations.

6.2. Environmental precautions

Do not let the product accumulate in confined or underground spaces. Do not let the product flow into sewers or water courses, or in any way contaminate the environment. In case of contamination of environment compartments (soil, subsoil, surface or underground waters), remove contaminated soil when possible, and in any case treat all involved compartments in accordance with local regulations. The site should have a spill plan to ensure that adequate safeguards are in place to minimize the impact of episodic releases.

6.3. Methods and material for containment and cleaning up

For containment

: Contain spilled liquid with sand, earth or other suitable absorbents. Recover free liquid in suitable containers. Clean contaminated area. Dispose of according to local regulations. If in water: Confine the spillage. Remove from surface by skimming or suitable floating absorbents. Collect recovered product and other waste materials in suitable waterproof, oil resistant containers. Recover or dispose of according to local regulations. Do not use solvents or dispersants, unless specifically advised by an expert, and, if required, approved by local authorities.

Methods for cleaning up

: Transfer recovered product and other materials to suitable tanks or containers and store/dispose according to relevant regulations.

27/02/2023 (Revision date) EU - en 5/21

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Other information

: Recommended measures are based on the most likely spillage scenarios for this material; however, local conditions (wind, air/water temperature, wave/current direction and speed) may significantly influence the choice of appropriate actions. Local regulations may also prescribe or limit actions to be taken. For this reason, local experts should be consulted when necessary.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: This material is combustible, but will not ignite readily. Provide adequate ventilation. Use adequate personal protective equipment as needed. Due to the extremely slippery nature of this material, more care than usual must be exercised in material handling practices to keep off all walking surfaces. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid release to the environment. Emptied containers can contain combustible product residues. Do not cut, weld, drill, burn or incinerate empty containers or drums, unless they have been drained and cleaned. Before entering storage tanks and commencing any operation in a confined area (e.g. tunnels), carry out an adequate cleanup, and check the atmosphere for oxygen content, flammability, and the presence of sulphur compounds. The product may release Hydrogen Sulphide: a specific assessment of inhalation risks from the presence of hydrogen sulphide in tank headspaces, confined spaces, product residue, tank waste and waste water, and unintentional releases should be made to help determine controls appropriate to local circumstances. See also Section 16, "Other information".

Hygiene measures

: Ensure that proper housekeeping measures are in place. Avoid contact with skin. Do not breathe fume/ mist/ vapours. Do not ingest. Do not smoke. Do not eat and do not drink during use. Do not clean hands with dirty or oil-soaked rags. Do not re-use clothes, if they are still contaminated. Keep away from food and beverages. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Separate working clothes from town clothes. Launder separately.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in dry, well-ventilated area. Keep away from open flames, hot surfaces and sources of ignition. Do not smoke.

Incompatible products

Strong oxidizing agents.

Storage area

Storage area layout, tank design, equipment and operating procedures must comply with the relevant European, national or local legislation. Storage installations should be designed with adequate bunds so as to prevent ground and water pollution in case of leaks or spills. Cleaning, inspection and maintenance of internal structure of storage tanks must be done only by properly equipped and qualified personnel as defined by national, local or company regulations.

Packages and containers:

: If the product is supplied in containers: Keep containers tightly closed and properly labelled. Keep only in the original container or in a suitable container for this kind of product.

Packaging materials

: For containers, or container linings use materials specifically approved for use with this product. Compatibility should be checked with the manufacturer, according to the specific

use conditions.

7.3. Specific end use(s)

No information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

27/02/2023 (Revision date) FU - en 6/21

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

| Mineral base oil, severely refined (N/A) | | |
|--|--|--|
| Austria - Occupational Exposure Limits | | |
| MAK (OEL TWA) | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| Belgium - Occupational Exposure Limits | | |
| OEL TWA | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| Denmark - Occupational Exposure Limits | | |
| OEL TWA [1] | 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| OEL STEL | 2 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| Hungary - Occupational Exposure Limits | | |
| AK (OEL TWA) | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| Netherlands - Occupational Exposure Limits | | |
| MAC TGG 8h (mg/m³) | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| Spain - Occupational Exposure Limits | | |
| VLA-ED (OEL TWA) [1] | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| VLA-EC (mg/m³) | 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| Sweden - Occupational Exposure Limits | | |
| NGV (OEL TWA) | 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| KTV (OEL STEL) | 3 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| USA - ACGIH - Occupational Exposure Limits | | |
| ACGIH OEL TWA | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| ACGIH OEL STEL | 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |

8.1.2. Recommended monitoring procedures

| Monitoring methods | |
|--------------------|--|
| Monitoring methods | Monitoring procedures should be chosen according to the indications set by national authorities or labour contracts. Refer to relevant legislation and in any case to the good practice of industrial hygiene. |

8.1.3. Air contaminants formed

Applicable OEL and BLV for air contaminants : None known

8.1.4. DNEL and PNEC

| O. T. A. Ditte and Theo | |
|--|-------------------------|
| Eni Rotra LSX 75W-90 | |
| DNEL/DMEL (additional information) | |
| Additional information | Not applicable |
| PNEC (additional information) | |
| dditional information Not applicable | |
| Dec-1-ene, trimers, hydrogenated (157707-86-3) | |
| DNEL/DMEL (Workers) | |
| Acute - local effects, inhalation | 60 mg/m³ (DNEL, 15 min) |
| DNEL/DMEL (General population) | |
| Acute - local effects, inhalation | 50 mg/m³ (DNEL, 15 min) |

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

| PNEC (additional information) Additional information Not derived - Not classified as hazardous for environment Mineral base oil, severely refined (N/A) DNELDMEL (Workers) Long-term - systemic effects, inhalation = 5.4 mg/m²/day (DNEL, Mineral base oil mist, severely refined, DMSO extract <3% m²m) DNELDMEL (General population) Long-term - systemic effects, inhalation = 1.2 mg/m²/day (DNEL, Mineral base oil mist, severely refined, DMSO extract <3% m²m) Polysulfides, di-tert-Butyl (68937-98-2) DNELDMEL (Drevkers) Long-term - systemic effects, dermal 173.75 mg/cm² Long-term - systemic effects, inhalation 3.29 mg/m² DNELDMEL (General population) Long-term - systemic effects, inhalation 0,58 mg/m² Long-term - systemic effects, demal 1,67 mg/kg bodyweight/day Long-term - local effects, demal 1,67 mg/kg bodyweight/day Long-term - systemic effects, demal 1,67 mg/kg bodyweight/day Long-term - systemic effects, demal 0,58 mg/m² PNEC qual (freshwater) 0.24 μg/l PNEC qual (freshwater) 0.24 μg/l PNEC qual (infermition. Ireshwater) 0.024 μg/l PNEC qual (infermition. Ireshwater) 0.024 μg/l PNEC sediment (freshwater) 0.34 mg/kg dwt PNEC (Soll) PNEC sediment (freshwater) 0.94 mg/kg dwt PNEC (Soll) PNEC (Soll) | Dec-1-ene, trimers, hydrogenated (157707-86-3) | | |
|--|--|---|--|
| Minoral base oil, severely refined (N/A) | PNEC (additional information) | | |
| DNELDMEL (Workers) Long-term - systemic effects, inhalation = 5,4 mg/m³/day (DNEL, Mineral base oil mist, severely refined, DMSO extract <3% m/m) DNELDMEL (General poputation) Long-term - local effects, inhalation = 1,2 mg/m³/day (DNEL, Mineral base oil mist, severely refined, DMSO extract <3% m/m) Polysulfides, di-tert-Butryl (69937-96-2) DNELDMEL (Workers) Long-term - systemic effects, dermal 4.87 mg/kg bodywelght/day Long-term - systemic effects, dermal 173,75 mg/cm² Long-term - systemic effects, inhalation 3.29 mg/m² DNELDMEL (General population) Long-term - systemic effects, inhalation 0.58 mg/m² Long-term - systemic effects, dermal 1.67 mg/kg bodywelght/day Long-term - systemic effects, dermal 86.88 mg/cm² PNEC quia (reshwater) 0.24 μg/l PNEC aqua (reshwater) 0.24 μg/l PNEC aqua (intermittent, reshwater) 0.0024 μg/l PNEC aqua (intermittent, reshwater) 0.094 mg/kg dwt PNEC sediment (marine water) 0.58 mg/kg dwc PNEC (Set1) PNEC oral (secondary poisoning) 6.66 mg/kg food PNEC (STP) PNEC water (secondary poisoning) 6.66 mg/kg food PNEC (STP) PNEC water (secondary poisoning) 6.56 mg/kg food PNELDMEL (Workers) Acute - local effects, dermal 160 μg/cm² Long-term - local effects, dermal 160 μg | Additional information | Not derived - Not classified as hazardous for environment | |
| Long-term - systemic effects, inhalation | Mineral base oil, severely refined (N/A) | | |
| DNEL/DMEL (General population) Long-term - local effects, inhalation = 1.2 mg/m²/day (DNEL, Mineral base oil mist, severely refined, DMSO extract <3% m/m) Polysulfides, di-tert-Butyl (68937-96-2) DNEL/DMEL (Workers) Long-term - systemic effects, dermal | DNEL/DMEL (Workers) | | |
| Long-term - local effects, inhalation = 1.2 mg/m²/day (DNEL, Mineral base oil mist, severely refined, DMSO extract <3% m/m) Polysulfides, di-tert-Butyl (68937-96-2) DNEL/DMEL (Workers) Long-term - systemic effects, dermal | Long-term - systemic effects, inhalation | = 5,4 mg/m³/day (DNEL, Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| Polysulfides, di-tert-Butyl (68937-96-2) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 4,67 mg/kg bodyweight/day Long-term - local effects, dermal 173,75 mg/cm² Long-term - systemic effects, inhalation 3,29 mg/m² DNEL/DMEL (General population) Long-term - systemic effects, inhalation 0,58 mg/m² Long-term - systemic effects, inhalation 0,58 mg/m² Long-term - systemic effects, inhalation 0,58 mg/m² Long-term - systemic effects, dermal 1,67 mg/kg bodyweight/day Long-term - systemic effects, dermal 86.88 mg/cm² PNEC (Water) PNEC Quala (freshwater) 0,24 μg/l PNEC quala (freshwater) 0,24 μg/l PNEC aqua (marine water) 0,0024 mg/l PNEC squa (intermittent, freshwater) 0,0024 mg/l PNEC sediment (freshwater) 0,94 mg/kg dwt PNEC soil 18,1 μg/kg dw PNEC (Soil) PNEC (Soil) PNEC (Soil) PNEC osoil 18,1 μg/kg dw PNEC (Gral) PNEC osoil 18,1 μg/kg food PNEC (Gral) PNEC exwage treatment plant 4,51 mg/l Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) DNEL/DMEL (Workers) Acute - local effects, dermal 160 μg/cm² Long-term - systemic effects, dermal 160 μg/cm² Long-term - systemic effects, dermal 160 μg/cm² Long-term - systemic effects, inhalation 4,28 mg/m² DNEL/DMEL (General population) | DNEL/DMEL (General population) | | |
| DNEL/DMEL (Workers) Long-term - systemic effects, dermal 173.75 mg/cm² Long-term - local effects, dermal 173.75 mg/cm² Long-term - systemic effects, inhialation 3.29 mg/m² DNEL/DMEL (General population) Long-term - systemic effects, inhialation 0.58 mg/m² Long-term - systemic effects, cral 0.167 mg/kg bodyweight/day Long-term - systemic effects, dermal 1.57 mg/kg bodyweight/day Long-term - systemic effects, dermal 88.88 mg/cm² PNEC (Water) PNEC qua(freshwater) 0.24 μg/l PNEC qua((freshwater) 0.0024 mg/l PNEC aqua (internitient, freshwater) 0.0024 mg/l PNEC sediment (freshwater) 0.94 mg/kg dwt PNEC sediment (marine water) 0.94 mg/kg dwt PNEC sediment (marine water) 0.94 mg/kg dwt PNEC soil 18.1 μg/kg dw PNEC (Soil) PNEC coral) PNEC coral (secondary poisoning) 6.66 mg/kg food PNEC (Grail) PNEC exwage treatment plant 4.51 mg/l Reaction products of bis(4-methylpentan-2-y/l)dithlophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) DNEL/DMEL (Workers) Acute - local effects, dermal 180 μg/cm² Long-term - systemic effects, dermal 190 μg/cm² | Long-term - local effects, inhalation | = 1,2 mg/m³/day (DNEL, Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| Long-term - systemic effects, dermal Long-term - local effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, inhalation O.58 mg/m² Long-term - systemic effects, dermal B8,88 mg/cm² PNEC (Water) PNEC (Water) PNEC qaua (intermittent, freshwater) O.24 µg/l PNEC aqua (intermittent, freshwater) O.024 µg/l PNEC sediment (freshwater) O.94 mg/kg dwt PNEC sediment (marine water) O.94 mg/kg dwt PNEC sediment (marine water) O.94 mg/kg dwt PNEC (Soil) PNEC (Soil) PNEC (Soil) PNEC (Oral) PNEC (Oral) PNEC (StP) PNEC sewage treatment plant 4,51 mg/l Reaction products of bis(4-methylpentan-2-yl)dithlophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) DNEL/DMEL (Workers) Acute - local effects, dermal Long-term - systemic effects, inhalation A28 mg/m² DNEL/DMEL (General population) | Polysulfides, di-tert-Butyl (68937-96-2) | | |
| Long-term - local effects, dermal 173,75 mg/cm² Long-term - systemic effects, inhalation 3,29 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, coral 0,167 mg/kg bodyweight/day Long-term - systemic effects, inhalation 0,58 mg/m³ Long-term - systemic effects, inhalation 0,58 mg/m³ Long-term - systemic effects, dermal 1,67 mg/kg bodyweight/day Long-term - systemic effects, dermal 1,67 mg/kg bodyweight/day Long-term - systemic effects, dermal 8,88 mg/cm² PNEC water) PNEC aqua (freshwater) 0,24 μg/l PNEC aqua (intermittent, freshwater) 0,024 μg/l PNEC sediment (freshwater) 0,044 mg/kg dwt PNEC sediment (freshwater) 0,944 mg/kg dwt PNEC sediment (marine water) 0,944 mg/kg dwt PNEC sediment (marine water) 0,944 mg/kg dwt PNEC (Soli) PNEC oral (secondary poisoning) 6,666 mg/kg food PNEC (STP) PNEC swage treatment plant 4,51 mg/l Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 160 μg/cm² Long-term - systemic effects, dermal 160 μg/cm² Long-term - systemic effects, dermal 160 μg/cm² Long-term - systemic effects, inhalation 4,28 mg/m² DNEL/DMEL (General population) | DNEL/DMEL (Workers) | | |
| Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, inhalation Long-term - systemic effects, inhalation Long-term - systemic effects, dermal Long-term - systemic effects, dermal Long-term - local effects, dermal Long-term - local effects, dermal PNEC (Water) PNEC (Water) PNEC aqua (intermittent, freshwater) PNEC aqua (intermittent, freshwater) PNEC (sediment) PNEC sediment (freshwater) PNEC sediment (freshwater) PNEC sediment (freshwater) PNEC soil 18,1 µg/kg dwt PNEC (soil) PNEC (soil) PNEC soil 18,1 µg/kg dw PNEC (oral) PNEC oral (secondary poisoning) 6,66 mg/kg food PNEC (STP) PNEC sewage treatment plant 4,51 mg/l Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and aminos, C12-14-alkyl (branched) DNEL/DMEL (Workers) Acute - local effects, dermal Long-term - systemic effects, dermal Long-term - systemic effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population) | Long-term - systemic effects, dermal | 4,67 mg/kg bodyweight/day | |
| DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, inhalation 0,58 mg/m² Long-term - systemic effects, dermal 1,67 mg/kg bodyweight/day Long-term - systemic effects, dermal 1,67 mg/kg bodyweight/day Long-term - local effects, dermal 86,88 mg/cm² PNEC (Water) PNEC aqua (freshwater) PNEC aqua (freshwater) PNEC aqua (intermittent, freshwater) PNEC aqua (intermittent, freshwater) PNEC (Sediment) PNEC sediment (freshwater) PNEC sediment (freshwater) PNEC sediment (marine water) PNEC sediment (marine water) PNEC (Soil) PNEC (Soil) PNEC (Oral) PNEC (Oral) PNEC (STP) PNEC (STP) PNEC sewage treatment plant 4,51 mg/l Reaction products of bis(4-methylpentan-2-yt)dithiophosphoric acid with phosphorus oxide, propylene oxide and aminos, c12-14-alkyt (branched) DNEL/DMEL (Workers) Acute - local effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population) | Long-term - local effects, dermal | 173,75 mg/cm² | |
| Long-term - systemic effects, oral Long-term - systemic effects, inhalation O,58 mg/m³ Long-term - systemic effects, dermal Long-term - systemic effects, dermal Long-term - local effects, dermal Long-term - local effects, dermal 86.88 mg/cm² PNEC (Water) PNEC aqua (freshwater) PNEC aqua (marine water) PNEC aqua (intermittent, freshwater) PNEC aqua (intermittent, freshwater) PNEC (Sediment) PNEC sediment (freshwater) PNEC sediment (marine water) PNEC sediment (marine water) PNEC sediment (marine water) PNEC sediment (marine water) PNEC (Soil) PNEC (Soil) PNEC (Oral) PNEC (Oral) PNEC (STP) PNEC avage treatment plant 4,51 mg/l Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) DNEL/DMEL (Workers) Acute - local effects, dermal Long-term - systemic effects, inhalation A,28 mg/m³ DNEL/DMEL (General population) | Long-term - systemic effects, inhalation | 3,29 mg/m³ | |
| Long-term - systemic effects, inhalation | DNEL/DMEL (General population) | | |
| Long-term - systemic effects, dermal Long-term - local effects, dermal Long-term - local effects, dermal B6,88 mg/cm² PNEC (Water) PNEC aqua (freshwater) PNEC aqua (marine water) PNEC aqua (marine water) PNEC aqua (intermittent, freshwater) PNEC aqua (intermittent, freshwater) PNEC sediment) PNEC sediment (freshwater) PNEC sediment (freshwater) PNEC sediment (marine water) PNEC sediment (marine water) PNEC soil PNEC soil 18,1 μg/kg dw PNEC (Oral) PNEC oral (secondary poisoning) PNEC oral (secondary poisoning) PNEC sewage treatment plant 4,51 mg/l Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) DNEL/DMEL (Workers) Acute - local effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population) | Long-term - systemic effects,oral | 0,167 mg/kg bodyweight/day | |
| Long-term - local effects, dermal 86,88 mg/cm² PNEC aqua (freshwater) 0.24 µg/l PNEC aqua (marine water) 0.0024 µg/l PNEC aqua (intermittent, freshwater) 0.0024 mg/l PNEC (Sediment) 0.094 mg/kg dwt PNEC sediment (freshwater) 0.94 mg/kg dwt PNEC sediment (marine water) 0.094 mg/kg dwt PNEC sediment (marine water) 18.1 µg/kg dw PNEC (Soil) 18.1 µg/kg dw PNEC (Oral) PNEC oral (secondary poisoning) 6.66 mg/kg food PNEC (STP) PNEC sewage treatment plant 4.51 mg/l Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) DNEL/DMEL (Workers) Acute - local effects, dermal 160 µg/cm² Long-term - systemic effects, dermal 150 µg/cm² Long-term - systemic effects, inhalation 4.28 mg/m³ DNEL/DMEL (General population) | Long-term - systemic effects, inhalation | 0,58 mg/m³ | |
| PNEC (Water) PNEC aqua (freshwater) 0.24 µg/l PNEC aqua (marine water) 0.0024 µg/l PNEC aqua (intermittent, freshwater) 0.0024 µg/l PNEC (Sediment) PNEC (Sediment) PNEC sediment (freshwater) 0.94 mg/kg dwt PNEC sediment (marine water) 0.094 mg/kg dwt PNEC sediment (marine water) 18.1 µg/kg dw PNEC (Soil) PNEC soil 18.1 µg/kg dw PNEC (Oral) PNEC oral (secondary poisoning) 6.66 mg/kg food PNEC (STP) PNEC sewage treatment plant 4.51 mg/l Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) DNEL/DMEL (Workers) Acute - local effects, dermal 160 µg/cm² Long-term - systemic effects, dermal 160 µg/cm² Long-term - systemic effects, inhalation 4.28 mg/m³ DNEL/DMEL (General population) | Long-term - systemic effects, dermal | 1,67 mg/kg bodyweight/day | |
| PNEC aqua (freshwater) PNEC aqua (marine water) 0.024 µg/l PNEC aqua (intermittent, freshwater) 0.0024 mg/l PNEC (Sediment) PNEC (Sediment (freshwater) PNEC sediment (freshwater) 0.94 mg/kg dwt PNEC sediment (marine water) 0.094 mg/kg dwt PNEC sediment (marine water) PNEC soil 18.1 µg/kg dw PNEC (Oral) PNEC oral (secondary poisoning) 6.66 mg/kg food PNEC (STP) PNEC sewage treatment plant 4.51 mg/l Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) DNEL/DMEL (Workers) Acute - local effects, dermal Long-term - systemic effects, dermal Long-term - local effects, dermal 160 µg/cm² Long-term - local effects, inhalation 4.28 mg/m³ DNEL/DMEL (General population) | Long-term - local effects, dermal | 86,88 mg/cm² | |
| PNEC aqua (marine water) 0,024 µg/l PNEC aqua (intermittent, freshwater) 0,0024 mg/l PNEC (Sediment) PNEC (Sediment (freshwater) 0,94 mg/kg dwt PNEC sediment (marine water) 0,094 mg/kg dwt PNEC sediment (marine water) 18,1 µg/kg dw PNEC (Soil) PNEC soil 18,1 µg/kg dw PNEC (Oral) PNEC oral (secondary poisoning) 6,66 mg/kg food PNEC (STP) PNEC sewage treatment plant 4,51 mg/l Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) DNEL/DMEL (Workers) Acute - local effects, dermal 160 µg/cm² Long-term - systemic effects, dermal 160 µg/cm² Long-term - systemic effects, dermal 160 µg/cm² Long-term - systemic effects, inhalation 4,28 mg/m² DNEL/DMEL (General population) | PNEC (Water) | | |
| PNEC sediment (freshwater) PNEC sediment (freshwater) PNEC sediment (freshwater) PNEC sediment (marine water) PNEC sediment (marine water) PNEC sediment (marine water) PNEC soil PNEC soil PNEC soil PNEC (Oral) PNEC oral (secondary poisoning) PNEC sewage treatment plant 4,51 mg/l Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) DNEL/DMEL (Workers) Acute - local effects, dermal Long-term - systemic effects, dermal Long-term - local effects, inhalation DNEL/DMEL (General population) | PNEC aqua (freshwater) | 0,24 µg/l | |
| PNEC (Sediment) PNEC sediment (freshwater) PNEC sediment (marine water) PNEC sediment (marine water) PNEC (Soil) PNEC soil 18,1 µg/kg dw PNEC (Oral) PNEC (Oral) PNEC oral (secondary poisoning) 6,66 mg/kg food PNEC (STP) PNEC sewage treatment plant 4,51 mg/l Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) DNEL/DMEL (Workers) Acute - local effects, dermal Long-term - systemic effects, dermal Long-term - local effects, dermal Long-term - local effects, inhalation 4,28 mg/m³ DNEL/DMEL (General population) | PNEC aqua (marine water) | 0,024 μg/l | |
| PNEC sediment (freshwater) PNEC sediment (marine water) 0,094 mg/kg dwt PNEC (Soil) PNEC soil 18,1 µg/kg dw PNEC (Oral) PNEC oral (secondary poisoning) 6,66 mg/kg food PNEC (STP) PNEC sewage treatment plant 4,51 mg/l Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) DNEL/DMEL (Workers) Acute - local effects, dermal Long-term - systemic effects, dermal Long-term - local effects, inhalation 4,28 mg/m³ DNEL/DMEL (General population) | PNEC aqua (intermittent, freshwater) | 0,0024 mg/l | |
| PNEC (Soil) PNEC (Soil) PNEC (Soil) PNEC (Oral) PNEC (Oral) PNEC oral (secondary poisoning) PNEC (STP) PNEC sewage treatment plant 4,51 mg/l Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) DNEL/DMEL (Workers) Acute - local effects, dermal Long-term - systemic effects, dermal Long-term - local effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population) | PNEC (Sediment) | | |
| PNEC (Soil) PNEC (Soil) PNEC (Oral) PNEC oral (secondary poisoning) 6,66 mg/kg food PNEC (STP) PNEC sewage treatment plant 4,51 mg/l Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) DNEL/DMEL (Workers) Acute - local effects, dermal Long-term - systemic effects, dermal 160 µg/cm² Long-term - local effects, dermal 160 µg/cm² Long-term - systemic effects, inhalation 4,28 mg/m³ DNEL/DMEL (General population) | PNEC sediment (freshwater) | 0,94 mg/kg dwt | |
| PNEC soil 18,1 µg/kg dw PNEC (Oral) PNEC oral (secondary poisoning) 6,66 mg/kg food PNEC (STP) PNEC sewage treatment plant 4,51 mg/l Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) DNEL/DMEL (Workers) Acute - local effects, dermal 160 µg/cm² Long-term - systemic effects, dermal 160 µg/cm² Long-term - local effects, dermal 160 µg/cm² Long-term - systemic effects, inhalation 4,28 mg/m³ DNEL/DMEL (General population) | PNEC sediment (marine water) | 0,094 mg/kg dwt | |
| PNEC (Oral) PNEC oral (secondary poisoning) 6,66 mg/kg food PNEC (STP) PNEC sewage treatment plant 4,51 mg/l Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) DNEL/DMEL (Workers) Acute - local effects, dermal 160 µg/cm² Long-term - systemic effects, dermal 12,5 mg/kg bodyweight/day Long-term - local effects, dermal 160 µg/cm² Long-term - systemic effects, inhalation 4,28 mg/m³ DNEL/DMEL (General population) | PNEC (Soil) | | |
| PNEC oral (secondary poisoning) 6,66 mg/kg food PNEC (STP) PNEC sewage treatment plant 4,51 mg/l Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) DNEL/DMEL (Workers) Acute - local effects, dermal Long-term - systemic effects, dermal 160 μg/cm² Long-term - local effects, dermal 160 μg/cm² Long-term - systemic effects, inhalation 4,28 mg/m³ DNEL/DMEL (General population) | PNEC soil | 18,1 µg/kg dw | |
| PNEC (STP) PNEC sewage treatment plant 4,51 mg/l Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) DNEL/DMEL (Workers) Acute - local effects, dermal Long-term - systemic effects, dermal 160 µg/cm² Long-term - local effects, dermal 160 µg/cm² Long-term - systemic effects, inhalation 4,28 mg/m³ DNEL/DMEL (General population) | PNEC (Oral) | | |
| PNEC sewage treatment plant 4,51 mg/l Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) DNEL/DMEL (Workers) Acute - local effects, dermal Long-term - systemic effects, dermal Long-term - local effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population) | PNEC oral (secondary poisoning) | 6,66 mg/kg food | |
| Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) DNEL/DMEL (Workers) Acute - local effects, dermal | PNEC (STP) | | |
| amines, C12-14-alkyl (branched) DNEL/DMEL (Workers) Acute - local effects, dermal 160 µg/cm² Long-term - systemic effects, dermal 12,5 mg/kg bodyweight/day Long-term - local effects, dermal 160 µg/cm² Long-term - systemic effects, inhalation 4,28 mg/m³ DNEL/DMEL (General population) | PNEC sewage treatment plant | 4,51 mg/l | |
| Acute - local effects, dermal 160 μg/cm² Long-term - systemic effects, dermal 12,5 mg/kg bodyweight/day Long-term - local effects, dermal 160 μg/cm² Long-term - systemic effects, inhalation 4,28 mg/m³ DNEL/DMEL (General population) | | | |
| Long-term - systemic effects, dermal Long-term - local effects, dermal Long-term - systemic effects, inhalation 4,28 mg/m³ DNEL/DMEL (General population) | DNEL/DMEL (Workers) | | |
| Long-term - local effects, dermal Long-term - systemic effects, inhalation 4,28 mg/m³ DNEL/DMEL (General population) | Acute - local effects, dermal | 160 µg/cm² | |
| Long-term - systemic effects, inhalation 4,28 mg/m³ DNEL/DMEL (General population) | Long-term - systemic effects, dermal | 12,5 mg/kg bodyweight/day | |
| DNEL/DMEL (General population) | Long-term - local effects, dermal | 160 µg/cm² | |
| | Long-term - systemic effects, inhalation | 4,28 mg/m³ | |
| Acute - local effects, dermal 160 μg/cm² | DNEL/DMEL (General population) | | |
| | Acute - local effects, dermal | 160 µg/cm² | |

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

| Reaction products of bis(4-methylpental amines, C12-14-alkyl (branched) | n-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and |
|---|--|
| Long-term - systemic effects,oral | 0,25 mg/kg bodyweight/day |
| Long-term - systemic effects, inhalation | 1,09 mg/m³ |
| Long-term - systemic effects, dermal | 6,25 mg/kg bodyweight/day |
| Long-term - local effects, dermal | 160 μg/cm² |
| PNEC (Water) | |
| PNEC aqua (freshwater) | 2,4 µg/l |
| PNEC aqua (marine water) | 0,24 μg/l |
| PNEC aqua (intermittent, freshwater) | 150 μg/l |
| PNEC aqua (intermittent, marine water) | 15 μg/l |
| PNEC (Sediment) | |
| PNEC sediment (freshwater) | 12,9 µg/kg dw |
| PNEC sediment (marine water) | 1,29 μg/kg dw |
| PNEC (Soil) | |
| PNEC soil | 1,17 μg/kg dw |
| PNEC (Oral) | |
| PNEC oral (secondary poisoning) | 10 mg/kg food |
| PNEC (STP) | |
| PNEC sewage treatment plant | 24,33 mg/l |
| Note | : The Derived No Effect Level (DNEL) is an estimated safe level of exposure that is derived from toxicity data in accord with specific guidance within the European REACH regulation. The DNEL may differ from an Occupational Exposure Limit (OEL) for the same chemical. OELs may be recommended by an individual company, a governmental regulatory body or an expert organization, such as the Scientific Committee for Occupational Exposure Limits (SCOEL) or the American Conference of Governmental Industrial Hygienists (ACGIH). OELs are considered to be safe exposure levels for a typical worker in an occupational setting for an 8-hour work shift, 40 hour work week, as a time weighted average (TWA) or a 15 minute short-term exposure limit (STEL). While also considered to be protective of |

8.1.5. Control banding

Control banding : None known

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Before entering storage tanks and commencing any operation in a confined area (e.g. tunnels), check the atmosphere for oxygen content, presence of hydrogen sulphide (H2S) and SOx, and flammability. See also Section 16, "Other information".

health, OELs are derived by a process different from that of REACH.

8.2.2. Personal protection equipment

Personal protective equipment (for industrial or professional use):

Gloves. Protective clothing. Safety glasses. Safety shoes or boots. High gas/vapour concentration: gas mask with filter for organic vapours (A) or organic vapours/H2S (A+B).

Personal protective equipment symbol(s):











27/02/2023 (Revision date) EU - en 9/21

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

8.2.2.1. Eye and face protection

Eye protection:

When there is a risk of contact with the eyes, use safety goggles or other means of protection (face shield). If necessary, refer to national standards or to the EN 166 standard.

8.2.2.2. Skin protection

Skin and body protection:

Long-sleeved overalls. If necessary, refer to the EN 340 and related standards, for definition of characteristics and performance according to the risk rating of the area. Antistatic non-skid safety shoes or boots, chemical resistant, if necessary heat resistant and insulated.

Hand protection:

protective gloves. Adequate materials: nitrile (NBR) or PVC with a protection index > 5 (permeation time > 240 mins). Use gloves respecting all the conditions and within the limits set by the manufacturer. Replace gloves immediately in case of cuts, holes or other signs of damages or degradation. If necessary, refer to the EN 374 standard. Personal hygiene is a key element for an effective hand care. Gloves must be worn only with clean hands. After wearing gloves, hands must be carefully washed and dried.

8.2.2.3. Respiratory protection

Respiratory protection:

Independently from other possible actions (technical modifications, operating procedures, and other means to limit the exposure of workers), personal protection equipment can be used according to necessity. Open or well ventilated spaces: if the product is handled without adequate containment: use full or half-face masks with adequate filter for organic vapours. (EN 136/140/145). Combined gas/dust mask with filter type: EN 14387. Closed or confined areas (e.g. tank interiors): the use of protection measures for airways (masks or self-contained breathing apparatus), must be assessed according to the specific activity, as well as level and duration of predicted exposure. (EN 136/140/145). Approved respiratory protection equipment shall be used in spaces where hydrogen sulphide may accumulate: full face mask with cartridge/filter type "B" (grey for inorganic vapours including H2S) or self-contained breathing apparatus (SCBA). (EN 136/140/145)

8.2.2.4. Thermal hazards

Thermal hazard protection:

If contact with hot product is possible or anticipated, gloves should be heat-resistant and thermally insulated.

8.2.3. Environmental exposure controls

Environmental exposure controls:

Do not discharge the product into the environment. Do not apply industrial sludge to natural soils. Sludge should be incinerated, contained or reclaimed. Prevent discharge of undissolved substance to or recover from onsite wastewater. Storage areas/installations should be designed with adequate bunds so as to prevent ground and water pollution in case of leaks or spills.

Consumer exposure controls:

Wear protective gloves. Ensure adequate ventilation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liauid Colour Yellow-brown. Appearance : Liquid. bright & clear. Odour · characteristic Odour threshold : Not determined : Not determined Melting point Freezing point Not determined : -48 °C (ASTM D 97) Softening point

Boiling point : 336 – 529 °C (CAS 157707-86-3)

Flammability (solid, gas)

Explosive properties

Cxidising properties

Explosive limits

Explosive limits

Explosive limits

Cower explosion limit

Upper explosion limit

Flash point

Explosive limits

Not determined

Not determined

200 °C (ASTM D 92)

Auto-ignition temperature : 324 – 362 °C (CAS 157707-86-3)

Decomposition temperature : Not determined pH : Not determined

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Viscosity, kinematic : 103 mm²/s (40°C, ASTM D445)

Viscosity, dynamic : Not determined

Solubility : Water: Immiscible and insoluble
Log Kow : Not applicable for mixtures
Log Pow : Not applicable for mixtures

Vapour pressure : 0,1 hPa (20 °C) (Mineral oil, ASTM D 5191) (CONCAWE, 2010)

Vapour pressure at 50°C : Not determined

Density : 850 kg/m³ (15°C) (ASTM D 4052)

Relative density : Not determined Relative vapour density at 20°C : Not determined Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Explosion limits : ≥ 45 g/m³ (Aerosol)

9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1) : Negligible.

SECTION 10: Stability and reactivity

10.1. Reactivity

This mixture does not offer any further hazard for reactivity, except what is reported in the following paragraphs.

10.2. Chemical stability

Stable product, according to its intrinsic properties.

10.3. Possibility of hazardous reactions

None (in normal conditions of storage and handling). Contact with strong oxidizers (peroxides, chromates, etc.) may cause a fire hazard. Sensitivity to heat, friction or shock cannot be assessed in advance.

10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

Strong oxidants.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition may produce: Carbon dioxide, Carbon monoxide. In exceptional cases (i.e prolonged storage in tanks contaminated with water, and presence of anaerobic sulfate-reducing microbial colonies), the product may undergo a degradation and generate small amounts of sulfur compounds, including H2S.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

Additional information : (according to composition)

Dec-1-ene, trimers, hydrogenated (157707-86-3)

LD50 oral rat > 2000 mg/kg (OECD 401-423)

Mineral base oil, severely refined (N/A)

LD50 oral rat ≥ 5000 mg/kg bodyweight (OECD 401)

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

| Polysulfides, di-tert-Butyl (68937-96-2) LD50 oral rat 2000 mg/kg bodyweight Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and aminines, C12-14-alkyl (branched) LD50 oral rat 2000 mg/kg bodyweight Sikn corrosion/iritation 3 Not classified (Based on available data, the classification criteria are not met) pH: Not determined classification information with a splicable Not applicable Not applicable Not applicable Not applicable Not applicable Not observerly refined (N/A) PH Not applicable Not classified (Based on available data, the classification criteria are not met) pH: Not determined classification information (according to composition) Minoral base oil, severely refined (N/A) PH Not applicable Not classified (Based on available data, the classification criteria are not met) pH: Not determined classification information (according to composition) Minoral base oil, severely refined (N/A) PH Not applicable Respiratory or skin sensitisation (according to composition) Minoral base oil, severely refined (N/A) PH Not classified (Based on available data, the classification criteria are not met) (according to composition) May cause an allergic skin reaction. Simm cell mutagenicity (additional information (according to composition) All the mineral base oils contained in this product have a value < 3 % wit of DMSO extract, according to PAS (Nota L - Annex VI Reg (CE) 1272/2008, # 1.1.3) No carrioogenic effect Not classified (Based on available data, the classification criteria are not met) (according to pAS (Nota L - Annex VI Reg (CE) 1272/2008, # 1.1.3) No carrioogenic effect Not classified (Based on available data, the classification criteria are not met) (according to passed on available data, the classification criteria are not met) (according to composition) Not classified (Based on available data, the classification criteria are not met) (according to composition) Not classified (Based on available data, the cla | Mineral base oil, severely refined (N/A) | |
|--|---|---|
| LD50 oral rat LD50 dermal rat 2000 mg/kg bodyweight Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) LD50 oral rat 2000 mg/kg bodyweight 2000 mg/kg bodyweight Animai: rat, 2000 mg/kg bodyweight Animai: rat, 2000 mg/kg bodyweight Animai: rat, 2000 mg/kg bodyweight Animai: rat | LD50 dermal rat | ≥ 5000 mg/kg bodyweight (OECD 402) |
| LD50 dermal rat 2000 mg/kg bodyweight Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) LD50 oral rat 2000 mg/kg bodyweight Not classified (Based on available data, the classification criteria are not met) pht. Not determined (according to composition) Mineral base oil, severely refined (N/A) PH Not apsilicable Not apsilicable Not apsilicable Not apsilicable Not apsilicable Not appilicable Not classified (Based on available data, the classification criteria are not met) pht. Not determined (according to composition) Mineral base oil, severely refined (N/A) PH Not applicable Not classified (Based on available data, the classification criteria are not met) pht. Not despirately or skin sensitisation (according to composition) May cause an allergic skin reaction. Not classified (Based on available data, the classification criteria are not met) (according to composition) May cause an allergic skin reaction. Not classified (Based on available data, the classification criteria are not met) (according to composition) May cause an allergic skin reaction. Not classified (Based on available data, the classification criteria are not met) (according to composition) Not classified (Based on available data, the classification criteria are not met) (according to in P346 (Nota L - Annex VI Reg (CE) 1272/2008, # 1.1.3) No carainogenic effect Not classified (Based on available data, the classification criteria are not met) (according to composition) Mineral base oil, severely refined (N/A) LOAEL (aral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline- CECD Guideline 407 (Repeated Dose 28-Day Toxicity (Viral)) NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline- CECD Guideline 407 (Repeated Dose 28-Day Toxicity (Viral)) NOAEL (oral, rat, 90 days) 150 mg/kg bodyweight Animal: ra | Polysulfides, di-tert-Butyl (68937-96-2) | |
| Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) 2000 mg/kg bodyweight | LD50 oral rat | 2000 mg/kg bodyweight |
| 2000 mg/kg bodyweight | LD50 dermal rat | 2000 mg/kg bodyweight |
| Rich corrosion/irritation PH Not determined (dictional information (exactoring to composition) Mineral base oil, severoly refined (N/A) PH Not applicable (Based on available data, the classification criteria are not met) pH: Not determined (according to composition) Mineral base oil, severoly refined (N/A) PH Not applicable (Based on available data, the classification criteria are not met) pH: Not determined (according to composition) Mineral base oil, severoly refined (N/A) PH Not applicable (according to composition) Mineral base oil, severoly refined (N/A) PH Not applicable (according to composition) Mineral base oil, severoly refined (N/A) PH Not classified (Based on available data, the classification criteria are not met) (according to composition) May cause an allergic skin reaction. Serm cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) (according to composition) All the mineral base oils contained in this product have a value < 3 % wt of DMSO extract, according to PB 346 (Nota L Annex VI Reg (CE) 1272/2008, # 1.1.3) No carainogenic effect (Nota L Annex VI Reg (CE) 1272/2008, # 1.1.3) No carainogenic effect (according to composition) XIO classified (Based on available data, the classification criteria are not met) (according to composition) XIO classified (Based on available data, the classification criteria are not met) (according to composition) XIO criteria are not met) (according to composition) XIO criteria are not met) | Reaction products of bis(4-methylpentan-2-y amines, C12-14-alkyl (branched) | d)dithiophosphoric acid with phosphorus oxide, propylene oxide and |
| widditional information composition) Mineral base oil, severely refined (N/A) PH Not applicable Perious eye damage/irritation Service of the Composition of the Cassification criteria are not met) PH Physical Desermined (Seconding to composition) Mineral base oil, severely refined (N/A) PH Not applicable Respiratory or skin sensitisation (seconding to composition) Mineral base oil, severely refined (N/A) PH Not applicable Respiratory or skin sensitisation (seconding to composition) May cause an allergic skin reaction. Not classified (Based on available data, the classification criteria are not met) Germ cell mutagenicity (seconding to composition) May cause an allergic skin reaction. Not classified (Based on available data, the classification criteria are not met) (according to composition) All the mineral base oils contained in this product have a value < 3 % wt of DMSO extract, according to P346 (Nota L - Annex VI Reg (CE) 1272/2008, # 1.1.3) No carcinogenic effect Not classified (Based on available data, the classification criteria are not met) (according to composition) All the mineral base oils contained in this product have a value < 3 % wt of DMSO extract, according to P346 (Nota L - Annex VI Reg (CE) 1272/2008, # 1.1.3) No carcinogenic effect Not classified (Based on available data, the classification criteria are not met) (according to composition) Tot-repeated exposure (according to composition) Mineral base oil, severely refined (N/A) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day (OECD TG 408) Polysulfides, di-tert-Butyl (68937-96-2) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: EU Method B.7 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose 28-Day Oral Toxic | LD50 oral rat | ≈ 2000 mg/kg bodyweight |
| Minoral base oil, severely refined (N/A) pH Not applicable Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met) pht: Not determined | | pH: Not determined |
| Not applicable Provision seye damage/irritation Provision seyer defined (N/A) Provision septiments (N/A) Provision septiments (N/A) Provision sensitisation Additional information Provision sensitisation Provision sensitisation Additional information Provision sensitisation Provision sensitisation sensitisation Provision sensitisation sensitisation sensitis are not met) Provision sensitis sensi | | (according to composition) |
| Serious eye damage/irritation In Not classified (Based on available data, the classification criteria are not met) pH: Not determined (according to composition) Mineral base oil, severely refined (N/A) PH Not applicable Respiratory or skin sensitisation Individual information (according to composition) May ecuse an allergic skin reaction. Not classified (Based on available data, the classification criteria are not met) (according to composition) May ecuse an allergic skin reaction. Serm cell mutagenicity (according to composition) And the mineral base oil, severely refined (N/A) In the mineral base oil severely refined (R) Reproductive toxicity (according to composition) All the mineral base oils contained in this product have a value < 3 % wt of DMSO extract, according to IP 346 (Nota L - Annex VI Reg (CE) 1272/2008, # 1.1.3) No carcinogenic effect Reproductive toxicity (Nota according to composition) Reproductive toxicity (according to composition) STOT-repeated exposure (according to composition) STOT-repeated exposure (according to composition) STOT-repeated exposure (according to composition) Mineral base oil, severely refined (N/A) LOAEL (oral, rat, 90 days) (125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral)) NOAEC (inhalation,rat, vapour, 90 days) (150 mg/kg bodyweight Animal: rat, Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral)) NOAEC (inhalation,rat, vapour, 90 days) (150 mg/kg bodyweight Animal: rat, Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral)) NOAEC (inhalation,rat, vapour, 90 days) (150 mg/kg bodyweight Animal: rat, Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral)) NOAEC (oral, rat, 90 days) (150 mg/kg bodyweight Animal: rat, Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral)) | pH | Not applicable |
| Mineral base oil, severely refined (N/A) PH Not applicable Respiratory or skin sensitisation Additional information Rem cell mutagenicity Additional information Reproductive toxicity Additional information Reproductive toxicity Reproduc | <u>'</u> | Not classified (Based on available data, the classification criteria are not met) |
| Respiratory or skin sensitisation criteria are not met) Respiratory or skin sensitisation Respiratory or skin sensitisation respiratory Respiratory Respiratory or skin sensitisation respiratory Respir | Additional information : | (according to composition) |
| Respiratory or skin sensitisation idditional information idditional informat | Mineral base oil, severely refined (N/A) | |
| deditional information : (according to composition) May cause an allergic skin reaction. Berm cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) caccording to composition) : (according to composition) Additional information : (according to composition) All the mineral base oils contained in this product have a value < 3 % wt of DMSO extract, according to composition) All the mineral base oils contained in this product have a value < 3 % wt of DMSO extract, according to lor 346 (Nota L - Annex VI Reg (CE) 1272/2008, #1.1.3) No carcinogenic effect Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met) deditional information : (according to composition) STOT-single exposure : Not classified (Based on available data, the classification criteria are not met) deditional information : (according to composition) STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met) deditional information : (according to composition) STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met) deditional information : (according to composition) Mineral base oil, severely refined (N/A) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day (OECD TG 408) Polysulfides, di-tert-Butyl (68937-96-2) LOAEL (oral, rat, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral)) NOAEC (inhalation,rat, vapour, 90 days) 100 mg/kg bodyweight Animal: rat, Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral)) NOAEC (inhalation,rat, vapour, 90 days) 150 mg/kg bodyweight Animal: rat 150 mg/kg bodyweight Animal: rat 150 mg/kg bodyweight Animal: rat | рН | Not applicable |
| Additional information : (according to composition) Increase the composition of the interest of the composition of the classification criteria are not met) Increase the composition of the classification criteria are not met) Increase the composition of the interest of the composition of the classification criteria are not met) Increase the composition of the classification criteria are not met) Increase th | Respiratory or skin sensitisation : Additional information : | (according to composition) |
| Additional information (according to composition) All the mineral base oils contained in this product have a value < 3 % wt of DMSO extract, according to IP 346 (Nota L - Annex VI Reg (CE) 1272/2008, # 1.1.3) No carcinogenic effect Reproductive toxicity (according to IP 346 (Nota L - Annex VI Reg (CE) 1272/2008, # 1.1.3) No carcinogenic effect (according to composition) (according to composition) (according to composition) STOT-single exposure (according to composition) STOT-repeated exposure (according to composition) STOT-single exposure (according to composition) Mineral base oil, severely refined (N/A) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day (OECD TG 408) Polysulfides, di-tert-Butyl (68937-96-2) LOAEL (oral, rat, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral)) NOAEL (oral, rat, 90 days) 100 mg/kg bodyweight Animal: rat, Guideline: DECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral)) NOAEC (inhalation,rat, vapour, 90 days) 196 ppm Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) NOAEL (oral, rat, 90 days) 150 mg/kg bodyweight Animal: rat | Germ cell mutagenicity : Additional information : | Not classified (Based on available data, the classification criteria are not met) (according to composition) |
| Additional information : (according to composition) ETOT-single exposure : Not classified (Based on available data, the classification criteria are not met) Additional information : (according to composition) ETOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met) Additional information : (according to composition) Mineral base oil, severely refined (N/A) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day (OECD TG 408) Polysulfides, di-tert-Butyl (68937-96-2) LOAEL (oral, rat, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral)) NOAEL (oral, rat, 90 days) 100 mg/kg bodyweight Animal: rat, Guideline: DECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral)) NOAEC (inhalation,rat, vapour, 90 days) 196 ppm Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) NOAEL (oral, rat, 90 days) 150 mg/kg bodyweight Animal: rat | Carcinogenicity : Additional information : | (according to composition) All the mineral base oils contained in this product have a value < 3 % wt of DMSO extract, according to IP 346 (Nota L - Annex VI Reg (CE) 1272/2008, # 1.1.3) |
| STOT-single exposure : Not classified (Based on available data, the classification criteria are not met) Additional information : (according to composition) STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met) Additional information : (according to composition) Mineral base oil, severely refined (N/A) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day (OECD TG 408) Polysulfides, di-tert-Butyl (68937-96-2) LOAEL (oral, rat, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral)) NOAEL (oral, rat, 90 days) 100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral)) NOAEC (inhalation, rat, vapour, 90 days) 196 ppm Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) NOAEL (oral, rat, 90 days) 150 mg/kg bodyweight Animal: rat | Reproductive toxicity : | |
| Additional information : (according to composition) ETOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met) Additional information : (according to composition) Mineral base oil, severely refined (N/A) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day (OECD TG 408) Polysulfides, di-tert-Butyl (68937-96-2) LOAEL (oral, rat, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral)) NOAEL (oral, rat, 90 days) 100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral)) NOAEC (inhalation,rat, vapour, 90 days) 196 ppm Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) NOAEL (oral, rat, 90 days) 150 mg/kg bodyweight Animal: rat | | , , , |
| Additional information : (according to composition) Mineral base oil, severely refined (N/A) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day (OECD TG 408) Polysulfides, di-tert-Butyl (68937-96-2) LOAEL (oral, rat, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral)) NOAEL (oral, rat, 90 days) 100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral)) NOAEC (inhalation,rat, vapour, 90 days) 196 ppm Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) NOAEL (oral, rat, 90 days) 150 mg/kg bodyweight Animal: rat | Additional information : | |
| Mineral base oil, severely refined (N/A) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day (OECD TG 408) Polysulfides, di-tert-Butyl (68937-96-2) LOAEL (oral, rat, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral)) NOAEL (oral, rat, 90 days) 100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral)) NOAEC (inhalation,rat, vapour, 90 days) 196 ppm Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) NOAEL (oral, rat, 90 days) 150 mg/kg bodyweight Animal: rat | · | , |
| LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day (OECD TG 408) Polysulfides, di-tert-Butyl (68937-96-2) LOAEL (oral, rat, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral)) NOAEL (oral, rat, 90 days) 100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral)) NOAEC (inhalation,rat, vapour, 90 days) 196 ppm Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) NOAEL (oral, rat, 90 days) 150 mg/kg bodyweight Animal: rat | | (according to composition) |
| DAEL (oral, rat, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral)) NOAEL (oral, rat, 90 days) 100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral)) NOAEC (inhalation,rat, vapour, 90 days) 196 ppm Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) NOAEL (oral, rat, 90 days) 150 mg/kg bodyweight Animal: rat | LOAEL (oral, rat, 90 days) | 125 mg/kg bodyweight/day (OECD TG 408) |
| Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral)) NOAEL (oral, rat, 90 days) 100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral)) NOAEC (inhalation,rat, vapour, 90 days) 196 ppm Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) NOAEL (oral, rat, 90 days) 150 mg/kg bodyweight Animal: rat | Polysulfides, di-tert-Butyl (68937-96-2) | |
| Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral)) NOAEC (inhalation,rat, vapour, 90 days) 196 ppm Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) NOAEL (oral, rat, 90 days) 150 mg/kg bodyweight Animal: rat | LOAEL (oral, rat, 90 days) | Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 |
| Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) NOAEL (oral, rat, 90 days) 150 mg/kg bodyweight Animal: rat | NOAEL (oral, rat, 90 days) | Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 |
| amines, C12-14-alkyl (branched) NOAEL (oral, rat, 90 days) 150 mg/kg bodyweight Animal: rat | NOAEC (inhalation,rat, vapour, 90 days) | 196 ppm |
| | Reaction products of bis(4-methylpentan-2-y amines, C12-14-alkyl (branched) | d)dithiophosphoric acid with phosphorus oxide, propylene oxide and |
| NOAEL (subacute, oral, animal/male, 28 days) 150 mg/kg bodyweight | NOAEL (oral, rat, 90 days) | 150 mg/kg bodyweight Animal: rat |
| | NOAEL (subacute, oral, animal/male, 28 days) | 150 mg/kg bodyweight |

27/02/2023 (Revision date) EU - en 12/21

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

Additional information : (according to composition)

| Additional information . | (according to composition) |
|--|-----------------------------|
| Eni Rotra LSX 75W-90 | |
| Viscosity, kinematic | 103 mm²/s (40°C, ASTM D445) |
| Dec-1-ene, trimers, hydrogenated (157707-86-3) | |
| Viscosity, kinematic | 17,4 mm²/s (40°C) |
| Mineral base oil, severely refined (N/A) | |
| Viscosity, kinematic | > 21 mm²/s |
| Hydrocarbon | Yes |

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

11.2.2. Other information

Potential adverse human health effects and symptoms

: Prolonged and repeated skin contact may cause reddening, irritation and dermatitis, May cause sensitization by skin contact, Contact with eyes may cause temporary reddening and irritation, Avoid all eye and skin contact and do not breathe vapour and mist

Other information : None

SECTION 12: Ecological information

| 12.1. Toxicity | |
|-------------------|--|
| Ecology - general | : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. An uncontrolled release to the environment may nevertheless produce a contamination of different environmental compartments (air, soil, underground, surface water bodies, aquifers). Handle according to general working hygiene practices to avoid pollution and release into the environment. |
| Ecology - air | : This product has a low vapour pressure, and in normal conditions at ambient temperature the concentration in the air is negligible. A significant concentration may build up only in case of sprays and mists. In these cases overexposure to mists (e.g. through prolonged |

use in confined insufficiently ventilated spaces) may cause irritation to airways, nausea and dizziness.

Ecology - water

: This product is not soluble in water. It floats on water and forms a film on the surface. The damage to aquatic organisms is of mechanical kind (immobilization and entrapment)

Hazardous to the aquatic environment, short-term : Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term : Not classified (Based on available data, the classification criteria are not met)

| (chronic) | | | |
|---|--|--|--|
| Eni Rotra LSX 75W-90 | | | |
| EC50 Daphnia 1 > 100 mg/l (OECD 211) | | | |
| NOEC chronic algae 100 mg/l (21d) | | | |
| Dec-1-ene, trimers, hydrogenated (157707-86-3) | | | |
| LC50 fish 1 ≥ 1000 mg/l (96h, Oncorhynchus mykiss) | | | |
| EC50 Daphnia 1 ≥ 1000 mg/l (48 h) | | | |
| EC50 72h - Algae [1] > 1000 mg/l | | | |
| ErC50 (algae) ≥ 1000 mg/l (72 h, Scenedesmus capricornutum) | | | |

27/02/2023 (Revision date) EU - en 13/21

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

| Dec-1-ene, trimers, hydrogenated (157707-86-3) | | |
|---|--|--|
| NOEC (chronic) | 125 mg/l (21 d, Daphnia magna) | |
| NOEC chronic crustacea | 125 mg/l (21d, NOELR WAF) | |
| Mineral base oil, severely refined (N/A) | | |
| LC50 fish 1 | > 100 mg/l (LL 50) | |
| EC50 Daphnia 1 | > 10000 mg/l WAF, 48 h (OECD 202) | |
| Polysulfides, di-tert-Butyl (68937-96-2) | | |
| LC50 fish 1 | 88 µg/l | |
| EC50 Daphnia 1 | 63 mg/l | |
| EC50 72h - Algae [1] | 0,838 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) | |
| Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) | | |
| LC50 fish 1 | 24 mg/l (Rainbow Trout) | |
| LC50 fish 2 | 8,5 mg/l (Fathead Minnow) | |
| EC50 Daphnia 1 | 91,4 mg/l | |
| EC50 96h - Algae [1] | 6,4 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) | |
| EC50 96h - Algae [2] | 15 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) | |
| NOEC (acute) | 1,7 – 3,3 | |
| NOEC chronic fish | 3,2 mg/l (Rainbow Trout - 4d) | |
| NOEC chronic crustacea | 0,12 mg/l (Daphnia magna - 21 d) | |

12.2. Persistence and degradability

| Eni Rotra LSX 75W-90 | | | |
|---|--|--|--|
| Persistence and degradability | The most significant constituents of the product should be considered as "inherently biodegradable", but not "readily biodegradable", and they may be moderately persistent, particularly in anaerobic conditions. | | |
| Dec-1-ene, trimers, hydrogenated (157707-86- | 3) | | |
| Persistence and degradability Inherently biodegradable. | | | |
| Mineral base oil, severely refined (N/A) | | | |
| Persistence and degradability The most significant constituents of the product should be considered as "inherently biodegradable", but not "readily biodegradable", and they may be moderately persistent, particularly in anaerobic conditions. | | | |
| Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) | | | |
| Biodegradation | 3,6 – 7,4 % (28d - OECD 301 B) | | |

12.3. Bioaccumulative potential

| Eni Rotra LSX 75W-90 | |
|----------------------|-----------------------------|
| Log Pow | Not applicable for mixtures |

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

| Eni Rotra LSX 75W-90 | | | | |
|---|-----------------------------|--|--|--|
| Log Kow | Not applicable for mixtures | | | |
| Bioaccumulative potential | Not established. | | | |
| Dec-1-ene, trimers, hydrogenated (157707-86-3) | | | | |
| Log Pow > 10 | | | | |
| Polysulfides, di-tert-Butyl (68937-96-2) | | | | |
| Log Kow 6 | | | | |
| Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) | | | | |
| Log Kow | 5,14 (25°C) | | | |

12.4. Mobility in soil

| Eni Rotra LSX 75W-90 | |
|----------------------|--------------------|
| Ecology - soil | No data available. |

12.5. Results of PBT and vPvB assessment

Eni Rotra LSX 75W-90

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Component

| Component | |
|---|--|
| Dec-1-ene, trimers, hydrogenated (157707-86-3) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| Mineral base oil, severely refined (N/A) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII This substance does not meet the criteria for classification as PBT or vPvB. The product should be considered prudentially as "Persistent" in the environment, according to the REACH Annex XIII criteria (point 1.1) |
| Polysulfides, di-tert-Butyl (68937-96-2) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII This substance does not meet the criteria for classification as PBT or vPvB. The product should be considered prudentially as "Persistent" in the environment, according to the REACH Annex XIII criteria (point 1.1) |
| Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII This substance does not meet the criteria for classification as PBT or vPvB. The product should be considered prudentially as "Persistent" in the environment, according to the REACH Annex XIII criteria (point 1.1) |

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: Endocrine disrupting properties (Article 57(f) — environment): The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

12.7. Other adverse effects

Other adverse effects : None.

27/02/2023 (Revision date) EU - en 15/21

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Additional information : No other effects known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)

Waste treatment methods

: Disposal must be done according to official regulations.

: Do not dispose of the product, either new or used, by dumping on the ground, or

discharging into sewers, tunnels, lakes or water courses. Deliver to a qualified official

collector. Dispose of empty containers and wastes safely.

Sewage disposal recommendations

Product/Packaging disposal recommendations

Dispose of in a safe manner in accordance with local/national regulations. Do not apply

industrial sludge to natural soils. Sludge should be incinerated, contained or reclaimed. : European Waste Catalogue code(s) (Decision 2001/118/CE): 13 02 05* (mineral-based

non-chlorinated engine, gear and lubricating oils). This EWC code is only a general indication, and takes into account the original composition of the product and its intended use. The user has the responsibility of choosing the right EWC code, considering the actual

use of the product, alterations and contaminations.

Ecology - waste materials The product as it is does not contain halogenated substances.

EURAL code (EWC) 13 02 05* - Mineral-based non-chlorinated engine, gear and lubricating oils

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID | |
|----------------------------------|---------------|---------------|---------------|---------------|--|
| 14.1. UN number or ID number | | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated | |
| 14.2. UN proper shipping name | | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated | |
| 14.3. Transport hazard class(es) | | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated | |
| 14.4. Packing group | | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated | |
| 14.5. Environmental hazards | | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated | |
| None. | 1 | | | | |

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

14.7. Maritime transport in bulk according to IMO instruments

IBC code : Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Other information, restriction and prohibition regulations

: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). (et sequens). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (et sequens). Directives 89/391/CEE, 89/654/CEE, 89/655/CEE, 89/656/CEE, 90/269/CEE, 90/270/CEE, 90/394/CEE, 90/679/CEE, 93/88/CEE, 95/63/CE, 97/42/CE, 98/24/CE, 99/38/CE, 99/92/CE, 2001/45/CE, 2003/10/CE, 2003/18/CE (Health and safety on the workplace). Directive 2012/18/CE (Control of major-accident hazards involving dangerous substances). Directive 2004/42/CE (Limitation of emissions of Volatile Organic Compounds). Directive 98/24/EC (protection of the health and safety of workers from the risks related to chemical agents at work). Directive 92/85/CE (measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding). Substances Depleting the Ozone layer (1005/2009) - Annex I Substances (ODP). POP (2019/1021) - Persistent Organic Pollutants. Regulation EU (649/2012) -Export and Import of hazardous chemicals (PIC). Commission Delegated Regulation (EU) 2017/2100. Commission Regulation (EU) 2018/605.

REACH Annex XVII (Restriction List)

| EU restriction list (REACH Annex XVII) | | |
|--|--|---|
| Reference code | Applicable on | Entry title or description |
| 3(b) | Dec-1-ene, trimers, hydrogenated; Mineral base oil, severely refined; Polysulfides, di-tert-Butyl; Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10 |
| 3(c) | Polysulfides, di-tert-Butyl; Reaction products of bis(4-methylpentan-2- yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1 |

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

No ingredients are included in the REACH Candidate list (> 0,1 % m/m).

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

National adoption of EU Directives concerning health and safety on the workplace.

National adoption of EU Directives concerning control of major-accident hazards involving dangerous substances (2012/18/CE).

Relevant national laws on prevention of water pollution.

Relevant national laws on protection of the health of pregnant workers (National adoption of Dir. 92/85/EEC).

National adoption of Directive 2008/98/CE concerning disposal of used oils.

Finland

Finnish National Regulations : Occupational Safety and Health Act No. 738/2002.

France

| Maladies professionelles | (F) |
|--------------------------|---|
| Code | Description |
| RG 36 | Diseases caused by oils and fats of mineral or synthetic origin |

Germany

| Employment restrictions : | Employment prohibitions or restrictions on the protection | of young people at work according |
|---------------------------|---|-----------------------------------|
|---------------------------|---|-----------------------------------|

to § 22 JArbSchG in the case of formation of hazardous substances have to be observed. National Rules and Recommendations

TRGS 400: Hazard assessment for activities involving Hazardous Substances. TRGS 401: Risks resulting from skin contact - identification, assessment, measures.

TRGS 402: Identification and Assessment of the Risks from Activities involving Hazardous

Substances: Inhalation Exposure. TRGS 500: Protective measures.

TRGS 555: Working instruction and information for workers.

TRGS 800: Fire protection measures. TRGS 900: Occupational Exposure Limits

TRGS 907: List of sensitizing substances and activities with sensitizing substances.

VbF class (D) : Not applicable.

WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1). Water hazard class (WGK) (D)

Classification is carried out on the basis of the Ordinance on facilities for handling WGK remark substances that are hazardous to water (Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV)) of 18 April 2017 (BGBI 2017, Teil I, Nr. 22, Seite

905).

Storage class (LGK, TRGS 510) LGK 10 - Combustible liquids.

Hazardous Incident Ordinance (12. BImSchV) Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

Saneringsinspanningen : C - Minimize discharge

SZW-lijst van kankerverwekkende stoffen Polysulfides, di-tert-Butyl is listed SZW-lijst van mutagene stoffen Polysulfides, di-tert-Butyl is listed SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling : None of the components are listed

Norway

Norwegian National Regulations : Working Environment Act (LOV-2005-06-17 NO. 62).

People under the age of 18 may not work with this product at all.

27/02/2023 (Revision date) FU - en 18/21

: None of the components are listed

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Sweden

Swedish National Regulations : This product is in compliance with Ordinance 1998:944.

Work Environment Act (1977: 1160).

Chemical Hazards in the Working Environment (AFS 2011:19).

15.2. Chemical safety assessment

For this mixture a chemical safety assessment has been not carried out

A chemical safety assessment has been carried out for the following components of this mixture::

Dec-1-ene, trimers, hydrogenated

Polysulfides, di-tert-Butyl

Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)

SECTION 16: Other information

| Indication of changes | | | | |
|-----------------------------------|--------------|--|--|--|
| Section Changed item Change Notes | | | | |
| | First issue. | | | |

| Abbreviations a | and acronyms: |
|-----------------|--|
| ADDIOTICUIO II | Complete text of the H phrases quoted in this Safety Data Sheet. These phrases are reported here for information |
| | only, and MAY NOT correspond to the classification of the product. |
| | N/D = not available |
| | N/A = not applicable |
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| CAS-No. | Chemical Abstract Service number |
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC50 | Effective concentration for 50 percent of test population (median effective concentration) |
| EC-No. | European Community number |
| ED | Endocrine disrupting properties |
| IARC | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Lethal concentration for 50 percent of test population (median lethal concentration) |
| LD50 | Lethal dose for 50 percent of test population (median lethal dose) |
| LOAEL | Lowest Observed Adverse Effect Level |
| NOAEC | No-Observed Adverse Effect Concentration |
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| OECD | Organisation for Economic Co-operation and Development |

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

| Abbreviations and acronyms: | | |
|-----------------------------|--|--|
| OEL | Occupational Exposure Limit | |
| PBT | Persistent Bioaccumulative Toxic | |
| PNEC | Predicted No-Effect Concentration | |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals, Regulation (EC) No 1907/2006 | |
| RID | Regulation concerning the International Carriage of Dangerous Goods by Railways | |
| SDS | Safety Data Sheet | |
| STP | Sewage treatment plant | |
| VOC | Volatile Organic Compounds | |
| vPvB | Very Persistent and Very Bioaccumulative | |
| WGK | Water Hazard Class | |

Data sources

Training advice

Other information

- : This Safety Data Sheet is based on the real characteristics of the components and their combination, taking into account the information provided by the suppliers.
- : Provide adequate training to professional operators for the use of PPEs, according to the information contained in this Safety Data Sheet.
 - Do not use the product for any purposes that have not been advised by the manufacturer. In exceptional cases (i.e prolonged storage in tanks contaminated with water, and presence of anaerobic sulfate-reducing microbial colonies), the product may undergo a degradation and generate small amounts of sulfur compounds, including H2S. This situation is especially relevant in all those circumstances which require to enter a confined space, with direct exposure to the vapours. If this possibility is suspected, a specific assessment of inhalation risks from the presence of H2S in confined spaces must be made, to help determine prevention measures and controls (i.e. PPE) appropriate to local circumstances, and adequate emergency procedures. If there is any suspicion of inhalation of H2S (hydrogen sulphide), Rescuers must wear breathing apparatus, belt and safety rope, and follow rescue procedures. Send patient to hospital. Immediately begin artificial respiration if breathing has ceased. Administer oxygen if necessary. This situation is especially relevant for those operations which involve direct exposure to the vapours in the interior of tanks or other confined spaces. Therefore, it is very important to follow the above mentioned precautionary measures also with used oils.

| Full text of H- and EUH-statements: | | |
|-------------------------------------|---|--|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 | |
| Aquatic Chronic 2 | Hazardous to the aquatic environment – Chronic Hazard, Category 2 | |
| Aquatic Chronic 3 | Hazardous to the aquatic environment – Chronic Hazard, Category 3 | |
| Asp. Tox. 1 | Aspiration hazard, Category 1 | |
| EUH208 | Contains Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched). May produce an allergic reaction. | |
| EUH210 | Safety data sheet available on request. | |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 | |
| H302 | Harmful if swallowed. | |
| H304 | May be fatal if swallowed and enters airways. | |
| H317 | May cause an allergic skin reaction. | |
| H319 | Causes serious eye irritation. | |
| H411 | Toxic to aquatic life with long lasting effects. | |
| H412 | Harmful to aquatic life with long lasting effects. | |
| Skin Sens. 1B | Skin sensitisation, category 1B | |

27/02/2023 (Revision date) EU - en 20/21

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.