

Safety Data Sheet

Revision date:	20.3.2024
Version:	4.0
Replaces version:	3.0
Language:	en-DE
Date of print:	5.4.2024

Page:

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Eni Arnica P 46

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Hydraulic oil

1.3 Details of the supplier of the safety data sheet

Company name:	Enilive Schmiertechnik GmbH	
Street/POB-No.:	Paradiesstraße 14	
Postal Code, city:	97080 Würzburg	
	Germany	
E-mail:	info.wuerzburg@enilive.com	
Telephone:	+49 (0)931-90098-0	
Telefax:	+49 (0)931-98442	
Department responsible for information:		
	Application Engineering & Product Management (AEPM)	
	Telephone: +49 (0)931-90098-0	
	E-mail: technik.wuerzburg@enilive.com	

1.4 Emergency telephone number

GIZ-Nord, Göttingen Telephone: +49 (0)551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

2.2 Label elements

Labelling (CLP)

Hazard statements: not applicable

Precautionary statements: not applicable

Special labelling

EUH210 Safety data sheet available on request.



Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date:	20.3.2024
Version:	4.0
Replaces version	n: 3.0
Language:	en-DE
Date of print:	5.4.2024

Page:

2 of 10

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

With exposure to water, product will release hydrogen sulfide.

Information about hydrogen sulfide: Extremely flammable gas. Fatal if inhaled. Very toxic to aquatic life.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% (w/w) or higher. The product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: A mixture of hydrocarbons, acrylic resin and additives.

Hazardous ingredients:

Identifiers	Designation Classification	Content
REACH 01-2119487077-29-xxxx EC No. 265-158-7 CAS 64742-55-8	Distillates (petroleum), hydrotreated light paraffinic Asp. Tox. 1; H304.	< 2 %
REACH 01-2119490822-33-xxxx EC No. 204-884-0 CAS 128-39-2	2,6-di-tert-butylphenol Skin Irrit. 2; H315. Aquatic Acute 1; H400. Aquatic Chronic 1; H410.	< 0,25 %

Full text of H- and EUH-statements: see section 16.

Additional information: The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.

SECTION 4: First aid measures

4.1 Description of first aid measures

In case of inhalation:	Remove person to fresh air and keep comfortable for breathing. In the event of discomfort seek medical treatment.
Following skin contact:	Remove residues with soap and water. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.
After eye contact:	Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an opthalmologist.
After swallowing:	Rinse mouth. Never give anything by mouth to an unconscious person. Seek medical attention.



Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date:20.3.2024Version:4.0Replaces version:3.0Language:en-DEDate of print:5.4.2024

Page:

3 of 10

4.2 Most important symptoms and effects, both acute and delayed

In case of inhalation: Irritation to respiratory tract, nausea, dizziness. In case of ingestion: Irritation, nausea, discomfort, gastrointestinal irritation. After contact with skin: The hot material can cause burns.

After eye contact: Direct contact with eyes may cause temporary irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Injection through the skin is a major medical emergency due to contact with a high pressure product.

In case of inhalation (hydrogen sulfide): Take to a hospital immediately.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Water spray jet, foam, extinguishing powder, carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Full water jet.

5.2 Special hazards arising from the substance or mixture

Combustible.

May form dangerous gases and vapours in case of fire.

Furthermore, there may develop: Metallic oxides, nitrogen oxides (NOx), sulphur oxides, hydrogen sulfide, phosphorus oxides, aldehydes, carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information: Cool endangered containers with water jetspray. Do not allow water used to extinguish fire to enter drains, ground or waterways. Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe mist/vapours/spray. Provide adequate ventilation. Avoid contact with skin and eyes. Take off contaminated clothing and wash it before reuse. Wear appropriate protective equipment. Keep unprotected people away.

6.2 Environmental precautions

Do not allow to penetrate into soil, waterbodies or drains. If necessary notify appropriate authorities.



Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date:	20.3.2024
Version:	4.0
Replaces version	n: 3.0
Language:	en-DE
Date of print:	5.4.2024

Page:

4 of 10

6.3 Methods and material for containment and cleaning up

Larger quantities to be stemmed and pumped into tanks. Stop leak if safe to do so. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal. Treat the recovered material as prescribed in the section on waste disposal. Never return spills in original containers for re-use.

Additional information: Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

charging.

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Avoid oil mist formation. Do not breathe mist/vapours/spray.
Avoid contact with skin and eyes. Take off contaminated clothing and wash it before reuse. Wear appropriate protective equipment. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.
Precautions against fire and explosion:
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
When handling larger quantities, take precautionary measures against electrostatic

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storeroor	ns and containers:
	Keep container tightly closed and in a well-ventilated place.
	Keep container dry. Keep only in the original container.
	Protect from heat and direct sunlight. Protect from moisture contamination.
	Store containers in upright position.
Hints on joint storage:	Keep away from food, drink and animal feedingstuffs. Do not store together with: Strong oxidizing agents.
Storage class:	10 = Combustible liquids, unless storage class 3

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.



Material number 7551

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date:20.3.2024Version:4.0Replaces version:3.0Language:en-DEDate of print:5.4.2024

Page:

5 of 10

DNEL/DMEL:	Information about Distillates (petroleum), hydrotreated light paraffinic: DNEL Workers, long-term, systemic, inhalative: 2,73 mg/m ³ DNEL Workers, long-term, local, inhalative: 5,58 mg/m ³ DNEL Workers, long-term, systemic, dermal: 0,97 mg/kg bw/d DNEL Consumer, long-term, systemic, oral: 0,74 mg/kg bw/d
	Information about 2,6-di-tert-butylphenol: DNEL Workers, long-term, systemic, inhalative: 70,61 mg/m ³ DNEL Workers, long-term, systemic, dermal: 11,25 mg/kg bw/d DNEL Consumer, long-term, systemic, inhalative: 20,9 mg/m ³ DNEL Consumer, long-term, systemic, dermal: 6,75 mg/kg bw/d DNEL Consumer, long-term, systemic, oral: 6,75 mg/kg bw/d
PNEC:	Information about 2,6-di-tert-butylphenol: PNEC water (freshwater): 0,001 mg/L PNEC water (freshwater) intermittent release: 0,004 mg/L PNEC sewage treatment plant: 10 mg/L PNEC sediment (freshwater): 0,317 mg/kg dw PNEC sediment (marine water): 0,032 mg/kg dw PNEC soil: 0,697 mg/kg dw PNEC oral: 60 mg/kg Food

8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area. Avoid generation of vapours/aerosols.

Personal protection equipment

Occupational exposure controls

Respiratory protection:	In case of inadequate ventilation wear respiratory protection. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.
Hand protection:	Protective gloves according to DIN EN 374. Glove material: Nitrile rubber, PVC Breakthrough time: ≥ 240 min. Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
Eye protection:	Tightly sealed goggles according to DIN EN ISO 16321-1:2022.
Body protection:	Wear suitable protective clothing.
General protection and hygiene measures: Avoid oil mist formation. Do not breathe mist/vapours/spray.	

Avoid contact with skin and eyes. Take off contaminated clothing and wash it before reuse. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	liquid
Colour:	blue



Material number 7551

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date:	20.3.2024
Version:	4.0
Replaces versio	n: 3.0
Language:	en-DE
Date of print:	5.4.2024

Page:

6 of 10

Odour:	Petroleum (weak)
Odour threshold:	Not determined
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	Not determined
Flammability:	Not determined
Upper/lower flammability or explosive limits:	No data available
Flash point/flash point range:	approx. 224 °C
Decomposition temperature:	No data available
pH:	Not applicable
Viscosity, kinematic:	at 40 °C: 46 mm²/s (ASTM D 445)
Solubility:	Not determined
Water solubility:	Insoluble
Partition coefficient: n-octanol/water:	Not applicable
Vapour pressure:	Not determined
Density:	at 15 °C: 0,877 g/mL
Vapour density:	Not determined
Particle characteristics:	Not applicable
9.2 Other information	
Explosive properties:	Explosion limits: ≥ 45 g/m³ (aerosol) Product is not explosive.
Oxidizing characteristics:	Product has no oxidizing effect.

Auto-ignition temperature: Evaporation rate: Additional information: Not determined Negligible (Butyl acetate = 1) Solidification point: -39 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

With exposure to water, product will release hydrogen sulfide.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents. Risk of fire!

10.4 Conditions to avoid

Keep away from heat sources, sparks and open flames. Protect from direct sunlight. Protect from moisture contamination.

10.5 Incompatible materials

Strong oxidizing agents.

Material number 7551

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date:	20.3.2024
Version:	4.0
Replaces version	n: 3.0
Language:	en-DE
Date of print:	5.4.2024

Page:

7 of 10

10.6 Hazardous decomposition products

Hydrogen sulfide. Thermal decomposition: No data available

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects:

enilive

Acute toxicity (oral): Lack of data.

Acute toxicity (dermal): Lack of data.

Acute toxicity (inhalative): Lack of data.

Skin corrosion/irritation: Lack of data.

Serious eye damage/irritation: Lack of data.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Lack of data.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data.

Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

11.2 Information on other hazards

Endocrine disrupting properties:

None.

Symptoms

In case of inhalation: Irritation to respiratory tract, nausea, dizziness. In case of ingestion: Irritation, nausea, discomfort, gastrointestinal irritation. After contact with skin: The hot material can cause burns. After eye contact: Direct contact with eyes may cause temporary irritation.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:	Information about 2,6-di-tert-butylphenol: Fish toxicity: LC50 Pimephales promelas (fathead minnow): 1,4 mg/L/96h Daphnia toxicity: EC50 Daphnia magna (Big water flea): 0,45 mg/L/48h Algae toxicity:
	EC50 Pseudokirchneriella subcapitata (green algae): 1,4 mg/L/72h
Water Hazard Class:	1 = slightly hazardous to water (Self-classification (mixture).)



Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878 $\,$

Revision date:20.3.2024Version:4.0Replaces version:3.0Language:en-DEDate of print:5.4.2024

Page:

8 of 10

12.2 Persistence and degradability

Further details: No data available

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

Not applicable

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

The product does not contain any substances classified as PBT or vPvB.

12.6 Endocrine disrupting properties

None.

12.7 Other adverse effects

General information: Do not allow to penetrate into soil, waterbodies or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number:	13 02 05* = Mineral-based non-chlorinated engine, gear and lubricating oils * = Evidence for disposal must be provided.
	Dispose of waste according to applicable legislation. Do not allow to enter into ground-water, surface water or drains.

Package

Recommendation:	15 01 02 Plastic packaging 15 01 04 Metallic packaging
	Empty carefully and completely, if possible. Dispose of waste according to applicable legislation. Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID, ADN, IMDG, IATA-DGR: not applicable

14.2 UN proper shipping name

ADR/RID, ADN, IMDG, IATA-DGR: Not restricted



Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date:20.3.2024Version:4.0Replaces version:3.0Language:en-DEDate of print:5.4.2024

Page:

9 of 10

14.3 Transport hazard class(es)

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.5 Environmental hazards

Dangerous for the environment:

Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG:

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Germany

Storage class: 10 = Combustible liquids, unless storage class 3

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)

Technical guidance air: 5.2.5

Further regulations, limitations and legal requirements:

The product is not subject to the Chemicals Prohibition Ordinance (ChemVerbotsV).

National regulations - EC member states

Labelling of packaging with <= 125mL content

Hazard statements: EUH210 Safety data sheet available on request.

Precautionary statements: not applicable

Further regulations, limitations and legal requirements:

Use restriction according to REACH annex XVII, no.: 75

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.



Material number 7551

Revision date: 20.3.2024 Version: 4.0 Replaces version: 3.0 . Language: en-DE Date of print: 5.4.2024

Page:

Safety Data Sheet according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

10 of 10

SECTION 16: Other information		
Wording of the H-phrase	es under paragraph 2 and 3:	
	H304 = May be fatal if swallowed and enters airways.	
	H315 = Causes skin irritation.	
	H400 = Very toxic to aquatic life.	
	H410 = Very toxic to aquatic life with long lasting effects.	
	• • •	
	EUH210 = Safety data sheet available on request.	
Reason of change:	Changes in section 1: Details of the supplier of the safety data sheet	
	General revision	
Date of first version:	16.12.2020	
Department issuing data		
	see section 1: Department responsible for information	
Abbreviations and acror	nyms:	
	ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
	ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road	
	Aquatic Acute: Hazardous to the aquatic environment - acute	
	Aquatic Chronic: Hazardous to the aquatic environment - chronic	
	AS/NZS: Australian Standards/New Zealand Standards	
	Asp. Tox.: Aspiration toxicity	
	CAS: Chemical Abstracts Service	
	CFR: Code of Federal Regulations	
	CLP: Classification, Labelling and Packaging	
	DMEL: Derived minimal effect level	
	DNEL: Derived no-effect level	
	EC: European Community	
	EC50: Effective Concentration 50%	
	EN: European Standard	
	EQ: Excepted quantities	
	EU: European Union	
	IATA: International Air Transport Association IATA-DGR: International Air Transport Association – Dangerous Goods Regulations	
	IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk	
	IMDG Code: International Maritime Dangerous Goods Code	
	LC50: Median lethal concentration	
	MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships	
	OSHA: Occupational Safety and Health Administration	
	PBT: Persistent, bioaccumulative and toxic	
	PNEC: Predicted no-effect concentration	
	PVC: Polyvinyl chloride	
	REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals	
	RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail	

vPvB: Very persistent and very bioaccumulative The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

> Most recent product information is available at: http://sumdat.net/nkp9h6wx



Skin Irrit.: Skin irritation

TRGS: Technical Rules for Hazardous Substances