

#### Eni GR MU EP 0 Material number 886

aterial number 886

#### Safety Data Sheet

| Revision date:   | 20.3.2024 |
|------------------|-----------|
| Version:         | 12.0      |
| Replaces version | : 11.1    |
| Language:        | en-DE     |
| Date of print:   | 5.4.2024  |
|                  |           |

Page:

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

1 of 11

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name: Eni GR MU EP 0

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use:

Lubricants, greases, release products (fat)

#### 1.3 Details of the supplier of the safety data sheet

| Company name:                           | Enilive Schmiertechnik GmbH                         |  |
|---|---|--|
| Street/POB-No.:                         | Paradiesstraße 14                                   |  |
| Postal Code, city:                      | 97080 Würzburg                                      |  |
|   | Germany   |  |
| E-mail:                                 | info.wuerzburg@enilive.com                          |  |
| Telephone:                              | +49 (0)931-90098-0                                  |  |
| Telefax:                                | +49 (0)931-98442                                    |  |
| Department responsible for information: |   |  |
|   | Application Engineering & Product Management (AEPM) |  |
|   | Telephone: +49 (0)931-90098-0                       |  |
|   | E-mail: technik.wuerzburg@enilive.com               |  |

#### **1.4 Emergency telephone number**

GIZ-Nord, Göttingen Telephone: +49 (0)551-19240

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to EC regulation 1272/2008 (CLP)

Aquatic Chronic 3; H412 Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

| Labelling (CLP)           |        |   |
|---------------------------|--------|---|
| Hazard statements:        | H412   | Harmful to aquatic life with long lasting effects.                            |
| Precautionary statements: |        |   |
|                           | P273   | Avoid release to the environment.   |
|                           | P501   | Dispose of contents/container to hazardous or special waste collection point. |
| Special labelling         |        |   |
| opoolal laboling          | EUH208 | Contains Naphthenic acids, zinc salts. May produce an allergic reaction.      |



#### Eni GR MU EP 0 Material number 886

Material number 886

### Safety Data Sheet

Revision date:20.3.2024Version:12.0Replaces version:11.1Language:en-DEDate of print:5.4.2024

Page:

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878  $\,$ 

2 of 11

#### 2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

| CAS No.  | Designation                        | PBT/vPvB | ED Human | ED Environment |
|----------|------------------------------------|----------|----------|----------------|
| 128-37-0 | 3,5-Di-tert-butyl-4-hydroxytoluene |          | List II  |                |

### **SECTION 3: Composition/information on ingredients**

3.1 Substances: not applicable

#### 3.2 Mixtures

Chemical characterisation: Mixture of the substances listed below with non-hazardous additions:

Hazardous ingredients:

| Identifiers   | Designation<br>Classification  | Content |
|---|--|---------|
| REACH 01-2119555270-46-xxxx<br>EC No. 204-881-4<br>CAS 128-37-0 | 3,5-Di-tert-butyl-4-hydroxytoluene<br>Aquatic Acute 1; H400. Aquatic Chronic 1; H410.                | < 1 %   |
| EC No. 234-409-2<br>CAS 12001-85-3                              | Naphthenic acids, zinc salts<br>Eye Irrit. 2; H319. Skin Sens. 1B; H317.<br>Aquatic Chronic 2; H411. | < 1 %   |

Full text of H- and EUH-statements: see section 16.

Additional information: Contains mineral oil. The maximum workplace exposure limits are, where necessary, listed in section 8.

The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

| General information:    | If medical advice is needed, have product container or label at hand. Remove victim out of<br>the danger area. Do not leave affected person unattended.<br>Take off contaminated clothing and wash it before reuse. If unconscious place in recovery<br>position and seek medical advice.<br>Put victim at rest, cover with a blanket and keep warm. In the event of cardiac arrest<br>immediately perform cardiopulmonary resuscitation. |
|-------------------------|---|
| In case of inhalation:  | If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical treatment in case of troubles.   |
| Following skin contact: | Immediately clean with water and soap followed by thorough rinsing. In case of skin reactions, consult a physician.   |
| After eye contact:      | Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Subsequently consult an ophthalmologist.  |



#### **Safety Data Sheet**

Revision date:20.3.2024Version:12.0Replaces version:11.1Language:en-DEDate of print:5.4.2024

Page:

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

3 of 11

After swallowing:

Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Seek medical treatment in case of troubles. Observe risk of aspiration if vomiting occurs.

#### 4.2 Most important symptoms and effects, both acute and delayed

May cause allergic reactions in already sensitized persons. respiratory complaints, headache, discomfort, dizziness.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Symptoms can occur only after several hours.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media:

extinguishing powder, sand, foam, carbon dioxide

Extinguishing media which must not be used for safety reasons:

Water

#### 5.2 Special hazards arising from the substance or mixture

May form dangerous gases and vapours in case of fire. Furthermore, there may develop: nitrogen oxides, phosphorus oxides, Carbon monoxide and carbon dioxide.

#### 5.3 Advice for firefighters

Special protective equipment for firefighters:

- Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.
- Additional information: Do not inhale explosion and combustion gases. Cool exposed containers with water spray, but avoid contact of the substance with water. Move undamaged containers from immediate hazard area if it can be done safely.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe mist/vapours/spray. Avoid contact with the substance. If possible, eliminate leakage. Provide adequate ventilation. Wear appropriate protective equipment. Keep unprotected people away. Take off contaminated clothing and wash it before reuse. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains. If necessary notify appropriate authorities.

#### Eni GR MU EP 0 Material number 886

enilive

#### **Safety Data Sheet**

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

| Revision date:   | 20.3.2024 |
|------------------|-----------|
| Version:         | 12.0      |
| Replaces versior | n: 11.1   |
| Language:        | en-DE     |
| Date of print:   | 5.4.2024  |
|                  |           |

Page:

4 of 11

#### 6.3 Methods and material for containment and cleaning up

Wipe up with absorbent material (eg. cloth, fleece). Make sure spills can be contained, e.g. in sump pallets or kerbed areas. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Never return spills in original containers for re-use. Clean contaminated articles and floor according to the environmental legislation. Retain contaminated washing water and dispose it.

Additional information: Special danger of slipping by leaking/spilling product.

#### **6.4 Reference to other sections**

Refer additionally to section 8 and 13.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Do not breathe mist/vapours/spray. Wear appropriate protective equipment.

Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse. Do not get in eyes, on skin, or on clothing.

Have eye wash bottle or eye rinse ready at work place. When handling large quantities, supply emergency spray.

Precautions against fire and explosion:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

When handling larger quantities, take precautionary measures against electrostatic charging.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

|                         | Keep container tightly closed and in a well-ventilated place.                                   |
|-------------------------|---|
|                         | Keep container dry. Keep only in the original container.  |
|                         | Protect from heat and direct sunlight. Protect from frost.                                      |
|                         | Store containers in upright position.   |
|                         | Recommended storage temperature: 0-40 °C.   |
|                         | Maximum storage period (time): 6 months.  |
| Hints on joint storage: | keep away from oxidizing agents, acids.<br>Keep away from food, drink and animal feedingstuffs. |
| Storage class:          | 10 = Combustible liquids, unless storage class 3  |

#### 7.3 Specific end use(s)

No information available.



Material number 886

### Safety Data Sheet

Revision date:20.3.2024Version:12.0Replaces version:11.1Language:en-DEDate of print:5.4.2024

Page:

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

5 of 11

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Occupational exposure limit values:

| CAS No.  | Designation                            | Туре                       | Limit value  |
|----------|--|----------------------------|--|
| 128-37-0 | 3,5-Di-tert-butyl-<br>4-hydroxytoluene | Germany: TRGS 900 Kurzzeit | 40 mg/m³<br>(Aerosol and vapour, inhalable fraction) |
|          |  | Germany: TRGS 900 Langzeit | 10 mg/m³<br>(Aerosol and vapour, inhalable fraction) |

| DNEL/DMEL: | Information about 3,5-Di-tert-butyl-4-hydroxytoluene:<br>DNEL workers, long-term, systemic, inhalative: 1,76 mg/m <sup>3</sup><br>DNEL workers, long-term, systemic, dermal: 0,5 mg/kg bw/d<br>Information about Naphthenic acids, zinc salts:<br>DNEL workers, long-term, systemic, inhalative: 1,18 mg/m <sup>3</sup><br>DNEL workers, long-term, systemic, dermal: 3,3 mg/kg bw/d |
|------------|--|
| PNEC:      | Information about 3,5-Di-tert-butyl-4-hydroxytoluene:<br>PNEC water (freshwater): 0,199 µg/L<br>PNEC water (marine water): 0,02 µg/L<br>PNEC sediment (freshwater): 0,458 mg/kg<br>PNEC sediment (marine water): 0,046 mg/kg<br>PNEC sewage treatment plant: 0,017 mg/L<br>PNEC soil: 0,054 mg/kg  |

#### 8.2 Exposure controls

Provide for good ventilation or exhaust system or work with completely self-contained equipment.

#### **Personal protection equipment**

#### **Occupational exposure controls**

| Respiratory protection:    | In case of inadequate ventilation wear respiratory protection.<br>The filter class must be suitable for the maximum contaminant concentration<br>(gas/vapour/aerosol/particulates) that may arise when handling the product. If the<br>concentration is exceeded, self-contained breathing apparatus must be used.  |
|----------------------------|---|
| Hand protection:           | Protective gloves according to BS EN 374.<br>Glove material: nitrile rubber.<br>Layer thickness: 0,12 mm. penetration time: > 240 min.<br>Observe glove manufacturer's instructions concerning penetrability and breakthrough time.<br>Unsuitable material: Butyl caoutchouc (butyl rubber), Chloroprene rubber, natural rubber.                              |
| Eye protection:            | Tightly sealed goggles according to BS EN ISO 16321-1:2022.   |
| Body protection:           | Wear suitable protective clothing.  |
| General protection and hyg | giene measures:   |
|                            | Do not breathe mist/vapours/spray. Take off contaminated clothing and wash it before<br>reuse. Do not get in eyes, on skin, or on clothing.<br>Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.<br>Have eye wash bottle or eye rinse ready at work place. When handling large quantities,<br>supply emergency spray. |



Material number 886

### Safety Data Sheet

Revision date:20.3.2024Version:12.0Replaces version:11.1Language:en-DEDate of print:5.4.2024

Page:

6 of 11

#### **Environmental exposure controls**

Refer to "6.2 Environmental precautions".

### **SECTION 9: Physical and chemical properties**

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU)

#### 9.1 Information on basic physical and chemical properties

2020/878

| Physical state at 20 °C and 101.3 kPa         | liquid<br>Form: Pasty  |
|---|--|
| Colour:                                       | Beige  |
| Odour:  | Characteristic   |
| Odour threshold:                              | No data available  |
| Melting point/freezing point:                 | > 170 °C   |
| Initial boiling point and boiling range:      | > 250 °C   |
| Flammability:                                 | No data available  |
| Upper/lower flammability or explosive limits: | No data available  |
| Flash point/flash point range:                | 200 °C   |
| Decomposition temperature:                    | No data available  |
| pH:   | No data available  |
| Viscosity, kinematic:                         | No data available  |
| Solubility:                                   | No data available  |
| Partition coefficient: n-octanol/water:       | 5,1 log K(o/w) (3,5-Di-tert-butyl-4-hydroxytoluene)<br>Based on the n-octanol/water partition coefficient accumulation in organisms<br>is possible.<br>at 20 °C: 0,8 log K(o/w) (Naphthenic acids, zinc salts)<br>Based on the n-octanol/water partition coefficient accumulation in organisms<br>is not expected. |
| Vapour pressure:<br>Density:                  | No data available<br>at 20 °C: 0,93 - 1,00 g/mL  |
| Vapour density:                               | No data available  |
| Particle characteristics:                     | Not applicable   |
| 9.2 Other information                         |  |
| Explosive properties:                         | No data available  |
| Oxidizing characteristics:                    | No data available  |
| Auto-ignition temperature:                    | No data available  |
| Evaporation rate:                             | No data available  |
| Additional information:                       | No data available  |

### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

Refer to subsection "Possibility of hazardous reactions".

#### **10.2 Chemical stability**

Stable under recommended storage conditions.



naterial number 660

#### Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

| Revision date:   | 20.3.2024 |
|------------------|-----------|
| Version:         | 12.0      |
| Replaces version | n: 11.1   |
| Language:        | en-DE     |
| Date of print:   | 5.4.2024  |
|                  |           |

Page:

7 of 11

#### 10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

#### **10.4 Conditions to avoid**

Keep away from heat sources, sparks and open flames. Protect from direct sunlight. Protect from moisture contamination. Protect from frost.

#### **10.5 Incompatible materials**

Oxidizing agents, acids

#### **10.6 Hazardous decomposition products**

No hazardous decomposition products when regulations for storage and handling are observed. No data available

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects:

Thermal decomposition:

The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met. May be harmful if inhaled.

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Based on available data, the classification criteria are not met. Contains Naphthenic acids, zinc salts. May produce an allergic reaction.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.



Material number 886

2020/878

#### **Safety Data Sheet**

Revision date:20.3.2024Version:12.0Replaces version:11.1Language:en-DEDate of print:5.4.2024

Page:

8 of 11

#### 11.2 Information on other hazards

Endocrine disrupting properties:

 Other information:
 This product contains a substance that has endocrine disrupting properties with respect to humans.

 Other information:
 Information about 3,5-Di-tert-butyl-4-hydroxytoluene:

 LD50, Rat, oral: > 6.000 mg/kg
 LD50, Rat, dermal: > 2.000 mg/kg

 Information about Naphthenic acids, zinc salts:
 LD50, Rat, oral: > 2.000 mg/kg

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU)

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Aquatic toxicity:

Water Hazard Class:

Harmful to aquatic life with long lasting effects. Information about 2,6-di-tert-Butyl-p-cresol: Fish toxicity: LC50: 0,199 mg/L/96h (QSAR) NOEC Oryzias latipes (Ricefish): 0,053 mg/L/30d Daphnia toxicity: EC50 Daphnia magna (Big water flea): 0,48 mg/L/48h NOEC Daphnia magna (Big water flea): 0,15 mg/L/48h Algae toxicity: EC50: 0,758 mg/L/96h (QSAR) Information about Naphthenic acids, zinc salts: Fish toxicity: LL50 Cyprinus carpio (Common Carp): > 100 mg/L/96h Daphnia toxicity: EL50 Daphnia magna (Big water flea): 35 mg/L/48h Algae toxicity: EC50 Selenastrum capricornutum (green algae): 4 mg/L/72h 1 = slightly hazardous to water

#### 12.2 Persistence and degradability

Further details: No data available

#### 12.3 Bioaccumulative potential

|                      | Information about Naphthenic acids, zinc salts:  |
|----------------------|--|
|                      | Bioconcentration factor (BCF): 69,5  |
| Partition coefficien |  |
|                      | 5,1 log K(o/w) (3,5-Di-tert-butyl-4-hydroxytoluene)  |
|                      | Based on the n-octanol/water partition coefficient accumulation in organisms is possible.<br>at 20 °C: 0,8 log K(o/w) (Naphthenic acids, zinc salts) |
|                      | Based on the n-octanol/water partition coefficient accumulation in organisms is not expected.  |
|                      |  |

#### 12.4 Mobility in soil

No data available



Material number 886

### Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

| Revision date:   | 20.3.2024 |
|------------------|-----------|
| Version:         | 12.0      |
| Replaces version | n: 11.1   |
| Language:        | en-DE     |
| Date of print:   | 5.4.2024  |
|                  |           |

Page:

9 of 11

#### 12.5 Results of PBT and vPvB assessment

#### No data available

#### **12.6 Endocrine disrupting properties**

No data available

#### 12.7 Other adverse effects

General information: Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### **SECTION 13: Disposal considerations**

#### **13.1 Waste treatment methods**

#### Product

| Waste key number:<br>Recommendation: | 12 01 12* = spent waxes and fats<br>* = Evidence for disposal must be provided.<br>Dispose of waste according to applicable legislation. Do not allow to enter into<br>ground-water, surface water or drains. |
|--------------------------------------|---|
| Package                              |   |
| Waste key number:                    | 15 01 10* = packaging containing residues of or contaminated by dangerous substances<br>* = Evidence for disposal must be provided.   |
| Recommendation:                      | Dispose of waste according to applicable legislation. Handle contaminated packages in the same way as the substance itself. Non-contaminated packages may be recycled.  |

### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADR/RID, IMDG, IATA-DGR:

not applicable ADN: ID 9006

#### 14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR:

ADN:

Not restricted ID 9006, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

#### 14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR:

ADN: not applicable Class 9, Code: M12

#### 14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable



Material number 886

#### **Safety Data Sheet**

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

| Revision date:   | 20.3.2024 |
|------------------|-----------|
| Version:         | 12.0      |
| Replaces version | n: 11.1   |
| Language:        | en-DE     |
| Date of print:   | 5.4.2024  |
|                  |           |

Page:

10 of 11

#### 14.5 Environmental hazards

Dangerous for the environment:

Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG:

#### 14.6 Special precautions for user

#### Inland waterway craft (ADN)

| Hazard label:        | -  |
|----------------------|----|
| Transport permitted: | Т  |
| Equipment necessary: | PP |

#### 14.7 Maritime transport in bulk according to IMO instruments

No data available

### **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**National regulations - Germany** 

Storage class: 10 = Combustible liquids, unless storage class 3 Water Hazard Class: 1 = slightly hazardous to water Technical guidance air: 5.2.5 Information on working limitations: Observe employment restrictions for young people. Further regulations, limitations and legal requirements: The product is not subject to the Chemicals Prohibition Ordinance (ChemVerbotsV). National regulations - EC member states Labelling of packaging with <= 125mL content Hazard statements: H412 Harmful to aquatic life with long lasting effects. EUH208 Contains Naphthenic acids, zinc salts. May produce an allergic reaction.

Precautionary statements: not applicable Further regulations, limitations and legal requirements:

Use restriction according to REACH annex XVII, no.: 3, 75

#### **15.2 Chemical Safety Assessment**

For this mixture a chemical safety assessment is not required.



Material number 886

Revision date: 20.3.2024 Version: 12.0 Replaces version: 11.1 . Language: en-DE Date of print: 5.4.2024

11 of 11

Safety Data Sheet according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page:

### **SECTION 16: Other information**

| Wording of the H-phrases   | <ul> <li>H317 = May cause an allergic skin reaction.</li> <li>H319 = Causes serious eye irritation.</li> <li>H400 = Very toxic to aquatic life.</li> <li>H410 = Very toxic to aquatic life with long lasting effects.</li> <li>H411 = Toxic to aquatic life with long lasting effects.</li> <li>H412 = Harmful to aquatic life with long lasting effects.</li> <li>EUH208 = Contains Naphthenic acids, zinc salts. May produce an allergic reaction.</li> </ul>   |
|----------------------------|---|
| Reason of change:          | Changes in section 1: Details of the supplier of the safety data sheet<br>General revision  |
| Date of first version:     | 22.6.2022   |
| Department issuing data sl | heet:   |
|                            | see section 1: Department responsible for information   |
| Abbreviations and acronyn  |   |
| Abbreviations and acronyn  | ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways<br>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road<br>Aquatic Acute: Hazardous to the aquatic environment - acute<br>Aquatic Chronic: Hazardous to the aquatic environment - chronic<br>AS/NZS: Australian Standards/New Zealand Standards<br>BCF: Bioconcentration Factor<br>CAS: Chemical Abstracts Service<br>CFR: Code of Federal Regulations<br>CLP: Classification, Labelling and Packaging<br>DMEL: Derived minimal effect level<br>DNEL: Derived minimal effect level<br>ECS0: Effective Concentration 50%<br>ELS0: Effective Loading rate 50%<br>EN: European Standard<br>EQ: Excepted quantities<br>EU: European Union<br>Eye Irrit: Eye irritation<br>IATA: International Air Transport Association – Dangerous Goods Regulations<br>IBC Code: International Air Transport Association and Equipment of Ships carrying Dangerous Chemicals in Bulk<br>IMDG Code: International Aritime Dangerous Goods Code<br>LC50: Median lethal concentration |
|                            | LD50: Lethal dose 50%<br>MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships<br>NOEC: No Observed Effect Concentration<br>OSHA: Occupational Safety and Health Administration<br>PBT: Persistent, bioaccumulative and toxic<br>PNEC: Predicted no-effect concentration<br>QSAR: Quantitative Structure-Activity Relationship<br>REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals<br>RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail<br>Skin Sens.: Skin sensitisation<br>TRGS: Technical Rules for Hazardous Substances<br>vPvB: Very persistent and very bioaccumulative  |

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.



Most recent product information is available at: http://sumdat.net/zdt4gzp5