



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

## Eni metalCut MMS 001

Material number 721

Revision date: 31.8.2023

Version: 11.2

Replaces version: 11.1

Language: en-DE

Date of print: 24.10.2023

Page: 1 of 9

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: Eni metalCut MMS 001

UFI: GN10-S0X4-G009-D374

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Metalworking fluid.

### 1.3 Details of the supplier of the safety data sheet

Company name: Eni Schmiertechnik GmbH

Street/POB-No.: Paradiesstraße 14

Postal Code, city: 97080 Würzburg

Germany

WWW: [www.enischmiertechnik.de](http://www.enischmiertechnik.de)

E-mail: [info.wuerzburg@eni.com](mailto:info.wuerzburg@eni.com)

Telephone: +49 (0)931-90098-0

Telefax: +49 (0)931-98442

Department responsible for information:

Application Engineering & Product Management (AEPM)

Telephone: +49 (0)931-90098-0

E-mail: [technik.wuerzburg@eni.com](mailto:technik.wuerzburg@eni.com)

### 1.4 Emergency telephone number

GIZ-Nord, Göttingen

Telephone: +49 (0)551-19240

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to EC regulation 1272/2008 (CLP)

Asp. Tox. 1; H304 May be fatal if swallowed and enters airways.

(EUH066) Repeated exposure may cause skin dryness or cracking.

### 2.2 Label elements

#### Labelling (CLP)



Signal word: **Danger**

Hazard statements: H304  
EUH066

May be fatal if swallowed and enters airways.

Repeated exposure may cause skin dryness or cracking.

Precautionary statements: P101  
P102

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

P301+P310  
P331

IF SWALLOWED: Immediately call a POISON CENTER/doctor.

Do NOT induce vomiting.

P405

Store locked up.

P501

Dispose of contents/container to hazardous or special waste collection point.



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

## Eni metalCut MMS 001

Material number 721

Revision date: 31.8.2023

Version: 11.2

Replaces version: 11.1

Language: en-DE

Date of print: 24.10.2023

Page: 2 of 9

### Special labelling

Text for labelling: EUH208 Contains Polysulfides, di-tert-dodecyl. May produce an allergic reaction.  
Contains Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics.

### 2.3 Other hazards

Special danger of slipping by leaking/spilling product.  
Endocrine disrupting properties, Results of PBT and vPvB assessment:  
The product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

### 3.2 Mixtures

Chemical characterisation: mixture based on highly refined mineral oils and corrosion protection additives and volatile hydrocarbons.

Hazardous ingredients:

Identifiers	Designation Classification	Content
REACH 01-2119457273-39-xxxx list no. 918-481-9	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics Asp. Tox. 1; H304. (EUH066).	50 - 100 %
REACH 01-2119540516-41-xxxx EC No. 270-335-7 CAS 68425-15-0	Polysulfides, di-tert-dodecyl Skin Sens. 1B; H317.	0,1 - 1 %

Full text of H- and EUH-statements: see section 16.

Additional information: The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General information: In all cases of doubt, or when symptoms persist, seek medical advice.  
If medical advice is needed, have product container or label at hand.  
Take off contaminated clothing and wash it before reuse.

In case of inhalation: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical attention if problems persist.

Following skin contact: Immediately clean with water and soap followed by thorough rinsing. In case of skin reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart.  
Remove contact lenses, if present and easy to do. Continue rinsing.  
In case of eye irritation consult an ophthalmologist.

After swallowing: Immediately get medical attention.  
Rinse mouth immediately and drink plenty of water.  
Never give anything by mouth to an unconscious person. Do not induce vomiting.  
Observe risk of aspiration if vomiting occurs.

### 4.2 Most important symptoms and effects, both acute and delayed

May be fatal if swallowed and enters airways.  
May cause allergic reactions in already sensitized persons.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

## Eni metalCut MMS 001

Material number 721

Revision date: 31.8.2023

Version: 11.2

Replaces version: 11.1

Language: en-DE

Date of print: 24.10.2023

Page: 3 of 9

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media: Water spray jet, extinguishing powder, foam and Carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Full water jet.

### 5.2 Special hazards arising from the substance or mixture

In case of heating above flashpoint, formation of ignitable vapour-air-mixtures possible.

May form dangerous gases and vapours in case of fire. Furthermore, there may develop:

carbon monoxide and carbon dioxide

### 5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information:

Use fine water spray to cool endangered containers.

Do not allow water used to extinguish fire to enter drains, ground or waterways.

Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe mist/vapours/spray. Avoid contact with the substance.

If possible, eliminate leakage. Provide adequate ventilation.

Wear appropriate protective equipment. Keep unprotected people away.

Take off contaminated clothing and wash it before reuse.

### 6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.

If necessary notify appropriate authorities.

### 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal.

Additional information:

Special danger of slipping by leaking/spilling product.

### 6.4 Reference to other sections

Refer additionally to section 8 and 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advices on safe handling:

Provide adequate ventilation, and local exhaust as needed. Do not breathe mist/vapours/spray.

Do not get in eyes, on skin, or on clothing.

Wear appropriate protective equipment. Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling.

Take off contaminated clothing and wash it before reuse. Work place should be equipped with a shower and an eye rinsing apparatus.

Precautions against fire and explosion:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Take precautionary measures against static discharge.



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

## Eni metalCut MMS 001

Material number 721

Revision date: 31.8.2023

Version: 11.2

Replaces version: 11.1

Language: en-DE

Date of print: 24.10.2023

Page: 4 of 9

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place.  
Keep container dry. Keep only in the original container.  
Protect from heat and direct sunlight.  
Store containers in upright position.  
Do not heat above flash point.

Hints on joint storage:

Keep away from strong acids, strong bases and oxidizers. Keep away from food, drink and animal feedingstuffs.

Storage class:

10 = Combustible liquids, unless storage class 3

### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
68425-15-0	Polysulfides, di-tert-dodecyl	Germany: TRGS 900 Kurzzeit	20 mg/m <sup>3</sup> (respirable fraction)
		Germany: TRGS 900 Langzeit	5 mg/m <sup>3</sup> (respirable fraction)

### 8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

### Personal protection equipment

#### Occupational exposure controls

Respiratory protection: The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.

Hand protection: Protective gloves according to DIN EN 374.  
Glove material: NBR nitrile rubber.  
Layer thickness:  $\geq 0,38$  mm; Breakthrough time:  $\geq 480$  min.  
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to DIN EN ISO 16321-1:2022.

Body protection: Wear suitable protective clothing.

General protection and hygiene measures:

Do not breathe mist/vapours/spray.  
Do not get in eyes, on skin, or on clothing.  
Take off contaminated clothing and wash it before reuse.  
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.  
Work place should be equipped with a shower and an eye rinsing apparatus.

### Environmental exposure controls

Refer to "6.2 Environmental precautions".

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa: liquid  
Colour: yellow  
Odour: characteristic  
Odour threshold: No data available



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

## Eni metalCut MMS 001

Material number 721

Revision date: 31.8.2023

Version: 11.2

Replaces version: 11.1

Language: en-DE

Date of print: 24.10.2023

Page: 5 of 9

Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flammability:	No data available
Upper/lower flammability or explosive limits:	No data available
Flash point/flash point range:	76 °C
Decomposition temperature:	No data available
pH:	No data available
Viscosity, kinematic:	at 40 °C: 1,75 mm <sup>2</sup> /s
Water solubility:	Product is not soluble in water.
Partition coefficient: n-octanol/water:	No data available
Vapour pressure:	No data available
Density:	at 15 °C: 0,8 g/mL
Vapour density:	No data available
Particle characteristics:	Not applicable

### 9.2 Other information

Explosive properties:	No data available
Oxidizing characteristics:	No data available
Auto-ignition temperature:	No data available
Evaporation rate:	No data available
Additional information:	No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4 Conditions to avoid

Protect from frost, heat and sunlight.

### 10.5 Incompatible materials

Oxidising substances, strong acids and strong bases.

### 10.6 Hazardous decomposition products

	No hazardous decomposition products when regulations for storage and handling are observed.
Thermal decomposition:	No data available



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

## Eni metalCut MMS 001

Material number 721

Revision date: 31.8.2023

Version: 11.2

Replaces version: 11.1

Language: en-DE

Date of print: 24.10.2023

Page: 6 of 9

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Based on available data, the classification criteria are not met. Contains Polysulfides, di-tert-dodecyl. May produce an allergic reaction.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Asp. Tox. 1; H304 = May be fatal if swallowed and enters airways.

### 11.2 Information on other hazards

Endocrine disrupting properties: No data available

Other information: Information about Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics: LD50 Rat, oral: > 5.000 mg/kg

### Symptoms

In case of ingestion: pneumonia, Headache.

## SECTION 12: Ecological information

### 12.1 Toxicity

Aquatic toxicity: Information about Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics:  
Fish toxicity: LC50: > 1.001 mg/L/96h, (OECD 203).  
Daphnia pulex (water flea): EC50: > 1.000 mg/L/48h, (OECD 202).  
Algae toxicity: EC50 > 1.000 mg/L/72h, (OECD 201).

Water Hazard Class: 1 = slightly hazardous to water

### 12.2 Persistence and degradability

Analytical method: "28 d, OECD 301F"

Further details: Part of the components is biodegradable.

### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

No data available

### 12.4 Mobility in soil

No data available



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

## Eni metalCut MMS 001

Material number 721

Revision date: 31.8.2023

Version: 11.2

Replaces version: 11.1

Language: en-DE

Date of print: 24.10.2023

Page: 7 of 9

### 12.5 Results of PBT and vPvB assessment

The product does not contain any substances classified as PBT or vPvB.

### 12.6 Endocrine disrupting properties

No data available

### 12.7 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste key number: 07 06 04\* = Other organic solvents, washing liquids and mother liquors.  
\* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.

#### Package

Recommendation: Dispose of waste according to applicable legislation. Handle contaminated packages in the same way as the substance itself. Non-contaminated packages may be recycled.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR/RID, IMDG, IATA-DGR: not applicable  
ADN: ID 9003

### 14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR: Not restricted  
ADN: ID 9003, SUBSTANCES WITH A FLASH-POINT ABOVE 60 °C AND NOT MORE THAN 100 °C

### 14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR: not applicable  
ADN: Class 9, Code: M12

### 14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:  
not applicable

### 14.5 Environmental hazards

Dangerous for the environment: Substance/mixture is not environmentally hazardous  
according to the criteria of the UN model regulations.

Marine pollutant - IMDG: no

### 14.6 Special precautions for user

#### Inland waterway craft (ADN)

Hazard label: -  
Transport permitted: T  
Equipment necessary: PP

### 14.7 Maritime transport in bulk according to IMO instruments

No data available



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

## Eni metalCut MMS 001

Material number 721

Revision date: 31.8.2023

Version: 11.2

Replaces version: 11.1

Language: en-DE

Date of print: 24.10.2023

Page: 8 of 9

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### National regulations - Germany

Storage class: 10 = Combustible liquids, unless storage class 3

Water Hazard Class: 1 = slightly hazardous to water

Information on working limitations:

Observe employment restrictions for young people.

Observe employment restrictions for expectant or nursing mothers.

Further regulations, limitations and legal requirements:

The product is not subject to the Chemicals Prohibition Ordinance (ChemVerbotsV).

##### National regulations - EC member states

##### Labelling of packaging with <= 125mL content



Signal word:

**Danger**

Hazard statements:

H304

May be fatal if swallowed and enters airways.

EUH066

Repeated exposure may cause skin dryness or cracking.

EUH208

Contains Polysulfides, di-tert-dodecyl. May produce an allergic reaction.

Precautionary statements:

P101

If medical advice is needed, have product container or label at hand.

P102

Keep out of reach of children.

P301+P310

IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331

Do NOT induce vomiting.

P405

Store locked up.

P501

Dispose of contents/container to hazardous or special waste collection point.

Further regulations, limitations and legal requirements:

Use restriction according to REACH annex XVII, no.: 3.

#### 15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

### SECTION 16: Other information

Wording of the H-phrases under paragraph 2 and 3:

H304 = May be fatal if swallowed and enters airways.

H317 = May cause an allergic skin reaction.

EUH066 = Repeated exposure may cause skin dryness or cracking.

EUH208 = Contains Polysulfides, di-tert-dodecyl. May produce an allergic reaction.

Reason of change:

Changes in section 14: ADN

Date of first version:

15.3.2022

Department issuing data sheet: see section 1: Department responsible for information





# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

## Eni metalCut MMS 001

Material number 721

Revision date: 31.8.2023

Version: 11.2

Replaces version: 11.1

Language: en-DE

Date of print: 24.10.2023

Page: 9 of 9

Abbreviations and acronyms:

- ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- AS/NZS: Australian Standards/New Zealand Standards
- Asp. Tox.: Aspiration toxicity
- CAS: Chemical Abstracts Service
- CFR: Code of Federal Regulations
- CLP: Classification, Labelling and Packaging
- DMEL: Derived minimal effect level
- DNEL: Derived no-effect level
- EC: European Community
- EC50: Effective Concentration 50%
- EN: European Standard
- EQ: Excepted quantities
- EU: European Union
- IATA: International Air Transport Association
- IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
- IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
- IMDG Code: International Maritime Dangerous Goods Code
- LC50: Median lethal concentration
- LD50: Lethal dose 50%
- MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
- OECD: Organisation for Economic Co-operation and Development
- OSHA: Occupational Safety and Health Administration
- PBT: Persistent, bioaccumulative and toxic
- PNEC: Predicted no-effect concentration
- REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
- RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
- Skin Sens.: Skin sensitisation
- TRGS: Technical Rules for Hazardous Substances
- vPvB: Very persistent and very bioaccumulative

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at:  
<http://sumdat.net/uh3cwycn>

