

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Eni metalCut 10 TB

Material number 799

Revision date: 5/17/2022 Version: 4.0 Language: en-DE Date of print: 11/16/2022

Page: 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Eni metalCut 10 TB

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Metalworking fluid.

1.3 Details of the supplier of the safety data sheet

Company name: Eni Schmiertechnik GmbH

Street/POB-No.: Paradiesstaße 14
Postal Code, city: DE-97080 Würzburg
WWW: www.enischmiertechnik.de
E-mail: info.wuerzburg@eni.com
Telephone: +49 (0)931-90098-0
Telefax: +49 (0)931-98442

Department responsible for information:

Application Engineering & Product Management (AEPM)

Telephone: +49 (0)931-90098-0 E-mail: technik.wuerzburg@eni.com

1.4 Emergency telephone number

GIZ-Nord, Göttingen

Telephone: +49 (0)551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

2.2 Label elements

Labelling (CLP)

Hazard statements: not applicable
Precautionary statements: not applicable

Special labelling

EUH210 Safety data sheet available on request.

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

printed by Eni Schmiertechnik GmbH



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Eni metalCut 10 TB

Material number 799 Page: 2 of 10

5/17/2022

Revision date:

Date of print: 11/16/2022

Language:

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: A mixture of base oils and additives.

Hazardous ingredients:

Ingredient	Designation	Content	Classification
REACH 01-2119480375-34-xxxx EC No. 265-156-6	Distillates (petroleum), hydrotreated light naphthenic	< 25 %	Asp. Tox. 1; H304.
CAS 64742-53-6	nydrotreated light haphtherlic		

Full text of H- and FUH-statements: see section 16

Additional information: The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Take off contaminated clothing and wash it before reuse. If unconscious place in recovery

position and seek medical advice.

When in doubt or if symptoms are observed, get medical advice.

In case of inhalation: Remove casualty to fresh air and keep warm and at rest. In case of respiratory tract

irritation, consult a physician.

If breathing becomes irregular or ceases, apply rescue breathing or artificial respiration

immediately, where required supply oxygen.

In case of respiratory tract irritation, consult a physician.

Following skin contact: After contact with skin, wash immediately with soap and plenty of water. Take off

contaminated clothing and wash it before reuse. In case of skin irritation, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids

apart. Remove contact lenses, if present and easy to do. Continue rinsing.

In case of eye irritation consult an ophthalmologist.

After swallowing: Rinse mouth. Do not induce vomiting. Danger of aspiration! Never give anything by mouth

to an unconscious person.

Immediately get medical attention.

4.2 Most important symptoms and effects, both acute and delayed

The inhalation of dust/mist or aerosols causes irritation of the respiratory tract.

4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Foam, extinguishing powder, atomized water, water mist, carbon dioxide.

Co-ordinate fire-fighting measures to the fire surroundings.



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Eni metalCut 10 TB

Material number 799

Page: 3 of 10

Date of print: 11/16/2022

5/17/2022

Revision date:

Version:

Language:

Extinguishing media which must not be used for safety reasons:

Full water jet

5.2 Special hazards arising from the substance or mixture

Combustible.

May form dangerous gases and vapours in case of fire.

Furthermore, there may develop: smoke, Nitrogen oxides (NOx), carbon monoxide and carbon dioxide

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information: Cool exposed containers with water spray, but avoid contact of the substance with water.

Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or

surface water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe gas/fumes/vapour/spray. Wear appropriate protective equipment. Provide adequate ventilation. Remove all sources of ignition. Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse. Do not get in eyes, on skin, or on clothing.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Clear spills immediately.

Wipe up with absorbent material (eg. cloth, fleece). Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal.

Prevent spread over a wide area (e.g. by containment or oil barriers). Make sure spills can be contained, e.g. in sump pallets or kerbed areas. cover drains. Never return spills in original containers for re-use.

Clean contaminated articles and floor according to the environmental legislation.

Additional information: Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Revision date: Language: Date of print: 11/16/2022

5/17/2022

Eni metalCut 10 TB

Material number 799 Page: 4 of 10

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Put lids on containers

immediately after use. Do not breathe gas/fumes/vapour/spray.

Wear appropriate protective equipment.

Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse. Do not get in eyes, on skin, or on clothina.

Precautions against fire and explosion:

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. When handling larger quantities, take precautionary measures against electrostatic

charging.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed in a cool, well-ventilated place.

Store only in original container.

Make sure spills can be contained, e.g. in sump pallets or kerbed areas. Protect from exposure to heat, direct sunlight, and cold. Protect from moisture

contamination.

Recommended storage temperature: 5- 40 °C.

storage stability: 24 months.

Hints on joint storage: Do not store together with: strong oxidizing agents.

Keep away from food, drink and animal feedingstuffs.

Storage class: 10 = Combustible liquids, unless storage class 3

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

Personal protection equipment

Occupational exposure controls

Respiratory protection: In case of inadequate ventilation wear respiratory protection.

> The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.

Use filter type A/P2 according to EN 14387.



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Revision date: 5/17/2022 Version: 4.0 Language: en-DE Date of print: 11/16/2022

Eni metalCut 10 TB

Material number 799 Page: 5 of 10

Hand protection: Protective gloves according to EN 374.

During full contact:

Glove material: Nitrile rubber, chloroprene rubber, polychloroprene, polyvinyl alcohol.

Breakthrough time: > 480 min. Layer thickness: 0.7 mm During splash contact:

Glove material: nitrile rubber, chloroprene rubber, polychloroprene, polyvinyl alcohol.

Breakthrough time: > 30 min Layer thickness: 0.4 mm

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to EN 166.

Body protection: Wear suitable protective clothing.

General protection and hygiene measures:

Do not breathe gas/fumes/vapour/spray.

Take off contaminated clothing and wash it before reuse. Do not get in eyes, on skin, or

on clothing

Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa liquid

Colour: light yellow

Odour: characteristic

Odour threshold: No data available

Melting point/freezing point: <=-15 °C initial boiling point and boiling range: >200 °C Flammability: not applicable

Upper/lower flammability or explosive limits: LEL (Lower Explosion Limit): 0.60 Vol-%

UEL (Upper Explosive Limit): 6.50 Vol-%

Flash point/flash point range: > 140 °C (DIN EN ISO 2592)

Decomposition temperature: No data available pH: not applicable

Viscosity, kinematic: at 40 °C: 22 mm²/s (DIN EN ISO 3104)

Water solubility: at 20 °C: insoluble not applicable

Partition coefficient: n-octanol/water: not applicable not applicable

Vapour pressure: No data available

Density: at 15 °C: ca. 0.91 g/mL (DIN EN ISO 12185)

Vapour density: No data available
Particle characteristics: Not applicable

9.2 Other information

Explosive properties: Product is not explosive.

Oxidizing characteristics: Not oxidising

printed by Eni Schmiertechnik GmbH



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

 Revision date:
 5/17/2022

 Version:
 4.0

 Language:
 en-DE

 Date of print:
 11/16/2022

Eni metalCut 10 TB

Material number 799 Page: 6 of 10

Auto-ignition temperature: > 240 °C

Evaporation rate: No data available
Additional information: No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to subsection "Possilbility of hazardous reactions".

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Keep away from heat sources, sparks and open flames. Protect from direct sunlight.

10.5 Incompatible materials

Strong oxidizing agents.

10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are

observed.

Thermal decomposition: No data available



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Eni metalCut 10 TB

Material number 799 Page: 7 of 10

5/17/2022

Revision date:

Date of print: 11/16/2022

Version:

Language:

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects:

The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties:

No data available

Other information: Information about Distillates (petroleum), hydrotreated light naphthenic:

LD50 Rat, oral: >5,000 mg/kg bw (OECD 401) LD50 Rabbit, dermal: 2,000 mg/kg bw (OECD 402) LC50 Rat, inhalative (aerosol): >5.0 mg/L/4h (OECD 403)

Symptoms

After contact with skin: Has degreasing effect on the skin.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Information about Distillates (petroleum), hydrotreated light naphthenic:

Fish toxicity:

LL50: > 100 mg/L/96h (OECD 203)

NOEL: >= 100 mg/L/96h

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)

printed by Eni Schmiertechnik GmbH



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Eni metalCut 10 TB

Material number 799 Page: 8 of 10

Revision date:

Date of print: 11/16/2022

Language:

5/17/2022

12.2 Persistence and degradability

Further details: Due to its low solubility in water the product is almost completely mechanically separated

in biological sewage plants.

Part of the components is biodegradable.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

not applicable not applicable

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

General information: Damage can be caused through mechanical influence of the product (eg. sticking).

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 12 01 07* = mineral-based machining oils free of halogens (except emulsions and

solutions)

* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.

Package

Recommendation: Dispose of waste according to applicable legislation. Handle contaminated packages in

the same way as the substance itself. Containers will enclose product residues and

vapours after being emptied. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.2 UN proper shipping name

ADR/RID, ADN, IMDG, IATA-DGR:

Not restricted

printed by Eni Schmiertechnik GmbH



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Eni metalCut 10 TB

Material number 799 Page: 9 of 10

Revision date:

Date of print: 11/16/2022

Language:

5/17/2022

14.3 Transport hazard class(es)

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.5 Environmental hazards

Dangerous for the environment:

Substance/mixture is not environmentally hazardous according to the criteria of the UN

model regulations.

Marine pollutant - IMDG: no

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Germany

Storage class: 10 = Combustible liquids, unless storage class 3

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)

Further regulations, limitations and legal requirements:

The product is not subject to the Chemicals Prohibition Ordinance (ChemVerbotsV).

National regulations - EC member states

Further regulations, limitations and legal requirements:

No data available

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Further information

Wording of the H-phrases under paragraph 2 and 3:

H304 = May be fatal if swallowed and enters airways. EUH210 = Safety data sheet available on request.

printed by Eni Schmiertechnik GmbH



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Revision date: Version: Language: Date of print: 11/16/2022

5/17/2022

Eni metalCut 10 TB

Material number 799 Page: 10 of 10

Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by **Inland Waterways**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

AS/NZS: Australian Standards/New Zealand Standards

CAS: Chemical Abstracts Service CFR: Code of Federal Regulations

CLP: Classification, Labelling and Packaging

DMEL: Derived minimal effect level DNEL: Derived no-effect level EC: European Community EN: European Standard EQ: Excepted quantities EU: European Union

IATA: International Air Transport Association

IATA-DGR: International Air Transport Association – Dangerous Goods Regulations IBC Code: International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IMDG Code: International Maritime Dangerous Goods Code

LC50: Median lethal concentration

LD50: Lethal dose 50% LEL: Lower Explosion Limit

MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution

NOEL: No Observed Effect Level

OECD: Organisation for Economic Co-operation and Development

OSHA: Occupational Safety and Health Administration

PBT: Persistent, bioaccumulative and toxic PNEC: Predicted no-effect concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail

TRGS: Technical Rules for Hazardous Substances vPvB: Very persistent and very bioaccumulative

Reason of change: General revision Date of first version: 5/17/2022 Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

> Most recent product information is available at: http://sumdat.net/nziiafed

printed by Eni Schmiertechnik GmbH