

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni metalGrind S 10 CBN Material number 961 

 Revision date:
 29.12.2023

 Version:
 5.3

 Replaces version:
 5.2

 Language:
 en-DE

 Date of print:
 2.1.2024

 Page:
 1 of 10

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1 Product identifier**

Trade name: Eni metalGrind S 10 CBN

UEL

C550-J07E-100K-H33S

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Lubricants, greases, release products

### 1.3 Details of the supplier of the safety data sheet

Company name:	Eni Schmiertechnik GmbH
Street/POB-No .:	Paradiesstraße 14
Postal Code, city:	97080 Würzburg
	Germany
WWW:	www.enischmiertechnik.de
E-mail:	info.wuerzburg@eni.com
Telephone:	+49 (0)931-90098-0
Telefax:	+49 (0)931-98442
Department responsible for in	formation:
	Application Engineering & Product Management (AEPM)
	Telephone: +49 (0)931-90098-0

E-mail: technik.wuerzburg@eni.com

### 1.4 Emergency telephone number

GIZ-Nord, Göttingen Telephone: +49 (0)551-19240

# **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification according to EC regulation 1272/2008 (CLP)

Asp. Tox. 1; H304May be fatal if swallowed and enters airways.Aquatic Chronic 3; H412Harmful to aquatic life with long lasting effects.

### 2.2 Label elements

Labelling (CLP)



Signal word:

Hazard statements:

Danger

H412

May be fatal if swallowed and enters airways. Harmful to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni metalGrind S 10 CBN Material number 961

Precautionary statements:	P101 P102	If medical advice is needed, have product container or label at hand. Keep out of reach of children.
	P273	Avoid release to the environment.
	P301+P310 P331	IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting.
	P405	Store locked up.
	P501	Dispose of contents/container to hazardous or special waste collection point.
Special labelling		

### Special labelling

Text for labelling:

Distillates (petroleum), hydrotreated light paraffinic

### 2.3 Other hazards

### Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

The product contains no components classified as PBT or as vPvB at concentrations of 0.1% or higher.

CAS No.	Designation	PBT/vPvB	ED Human	ED Environment
128-37-0	2,6-di-tert-Butyl-p-cresol		List II	

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances: not applicable

### 3.2 Mixtures

Chemical characterisation: Mixture of the substances listed below with non-hazardous additions

Hazardous ingredients:

Identifiers	Designation Classification	Content
REACH 01-2119487077-29-xxxx EC No. 265-158-7 CAS 64742-55-8	Distillates (petroleum), hydrotreated light paraffinic Asp. Tox. 1; H304.	75 - 90 %
REACH 01-2119519251-50-xxxx list no. 700-990-0 CAS -	Reaction mass of p-t-butylphenyldiphenyl phosphate and bis(p-t-butylphenyl)phenyl phosphate and triphenyl phosphate Aquatic Chronic 3; H412.	< 5 %
REACH 01-2119555270-46-xxxx EC No. 204-881-4 CAS 128-37-0	2,6-di-tert-Butyl-p-cresol Aquatic Acute 1; H400. Aquatic Chronic 1; H410.	< 1 %

Full text of H- and EUH-statements: see section 16.

Additional information: The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.

# **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General information:	In all cases of doubt, or when symptoms persist, seek medical advice. If medical advice is needed, have product container or label at hand. Take off contaminated clothing and wash it before reuse.
In case of inhalation:	Remove casualty to fresh air and keep warm and at rest. In case of respiratory tract irritation, consult a physician.
Following skin contact:	Immediately clean with water and soap followed by thorough rinsing. In case of skin reactions, consult a physician.



according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni metalGrind S 10 CBN Material number 961

After eye contact:

Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

After swallowing: Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Caution if victim vomits: Risk of aspiration! Keep airway open. Immediately get medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

May be fatal if swallowed and enters airways.

### 4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms. Aspiration hazard: in case of swallowing or vomiting danger of penetration into the lungs.

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media: Sand, extinguishing powder, foam and carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Excess water, full water jet, atomized water

### 5.2 Special hazards arising from the substance or mixture

May form dangerous gases and vapours in case of fire.

Furthermore, there may develop: Nitrogen oxides (NOx), carbon monoxide and carbon dioxide.

### 5.3 Advice for firefighters

Special protective equipment for firefighters:

Additional information

Wear a self-contained breathing apparatus and chemical protective clothing.

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. Cool endangered containers with water jetspray. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

# **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear appropriate protective equipment. Provide adequate ventilation. Use a breathing protection against vapours/aerosol. Avoid contact with skin, eyes and clothes. Vapours can form explosive mixtures with air. Remove all sources of ignition. Keep unprotected people away.

Stop leak if safe to do so.

### 6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains. If necessary notify appropriate authorities.

### 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal. Ventilate affected area. Clean contaminated objects and areas thoroughly observing environmental regulations.

Additional information: Special danger of slipping by leaking/spilling product.

### 6.4 Reference to other sections

Refer additionally to section 8 and 13.



according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni metalGrind S 10 CBN Material number 961 Revision date:29.12.2023Version:5.3Replaces version:5.2Language:en-DEDate of print:2.1.2024Page:4 of 10



# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

	-		
Advices on safe handling:	Provide adequate ventilation, and local exhaust as needed. Put lids on containers immediately after use. Wear appropriate protective equipment. Avoid breathing mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse. Have eye wash bottle or eye rinse ready at work place. Use only antistatically equipped (spark-free) tools.		
Precautions against fire and e	xplosion:		
	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge.		
7.2 Conditions for safe storage, including any incompatibilities			
Requirements for storerooms	and containers:		
	Store container tightly closed in a dry and cool place. Keep only in the original container. Protect from frost, heat and sunlight. Storage temperature: 5 - 40 °C Storage stability: Average shelf life of 24 months.		
Hints on joint storage:	Do not store together with acids or oxidizing agents. Keep away from food, drink and animal feedingstuffs.		
Storage class:	10 = Combustible liquids, unless storage class 3		
7.2 One office and a			

### 7.3 Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Occupational exposure	limit values:
-----------------------	---------------

CAS No.	Designation	Туре	Limit value
128-37-0	2,6-di-tert-Butyl-p-cresol	Germany: TRGS 900 Kurzzeit	40 mg/m³
		2	(Aerosol and vapour, inhalable fraction)
		Germany: TRGS 900 Langzeit	10 mg/m <sup>3</sup>
		-	(Aerosol and vapour, inhalable fraction)


DNEL/DMEL:	Information about Reaction mass of p-t-butylphenyldiphenyl phosphate and bis(p-t-butylphenyl)phenyl phosphate and triphenyl phosphate: DNEL, long-term, workers, inhalative, systemic: 7,58 mg m <sup>3</sup> DNEL, long-term, workers, dermal, systemic: 10,75 mg/kg DNEL, long-term, consumer, inhalative, systemic: 1,87 mg m <sup>3</sup> DNEL, long-term, consumer, dermal, systemic: 5,375 mg/kg DNEL, long-term, consumer, oral, systemic: 5,375 mg/kg
	Information about 2,6-di-tert-Butyl-p-cresol: DNEL, long-term, workers, inhalative, systemic: 1,76 mg m <sup>3</sup> DNEL, long-term, workers, dermal, systemic: 0,5 mg/kg DNEL, long-term, consumer, oral, systemic: 0,25 mg/kg DNEL, long-term, consumer, inhalative, systemic: 0,435 mg m <sup>3</sup> DNEL, long-term, consumer, dermal, systemic: 0,25 mg/kg



according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878



# Eni metalGrind S 10 CBN



Material number 961

#### PNEC:

Information about Reaction mass of p-t-butylphenyldiphenyl phosphate and bis(p-t-butylphenyl)phenyl phosphate and triphenyl phosphate: PNEC, water (freshwater): 0,004 mg/L PNEC, water (marine water): 0 mg/L PNEC, sediment (freshwater): 3,12 mg/kg PNEC, sediment (marine water): 0,312 mg/kg/dw PNEC, soil: 0,246 mg/kg/dw PNEC, oral,: 23,89 mg/kg Food

Information about 2,6-di-tert-Butyl-p-cresol: PNEC, water (freshwater): 0,000199 mg/L PNEC, water (marine water): 0,00002 mg/L PNEC STP: 0,017 mg/L PNEC, sediment (freshwater): 0,458 mg/kg PNEC, sediment (marine water): 0,046 mg/kg/dw

### 8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

### Personal protection equipment

#### **Occupational exposure controls**

Respiratory protection:	Respiratory protection must be worn whenever the WEL levels have been exceeded. Use filter type A/P3 according to EN 14387. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.
Hand protection:	Protective gloves according to DIN EN 374. Qualified glove material: NBR nitrile rubber Layer thickness: >= 0,12 mm Breakthrough time: 240 min Unsuitable glove material: Butyl caoutchouc (butyl rubber), natural rubber (Caoutchouc), chloroprene rubber Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
Eye protection:	Tightly sealed goggles according to DIN EN ISO 16321-1:2022
Body protection:	Wear suitable protective clothing.
General protection and hygier	ne measures:
	Avoid breathing mist/vapours/spray. Do not get in eyes, on skin, or on clothing.
	Take off contaminated clothing and wash it before reuse.
	Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.
	Have eye wash bottle or eye rinse ready at work place.

### **Environmental exposure controls**

Refer to "6.2 Environmental precautions".

# **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	liquid
Colour:	yellow
Odour:	characteristic
Odour threshold:	No data available
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flammability:	This material is combustible, but will not ignite readily.
Upper/lower flammability or explosive limits:	No data available



according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

### Eni metalGrind S 10 CBN Material number 961

Revision date:	29.12.2023
Version:	5.3
Replaces version	on: 5.2
Language:	en-DE
Date of print:	2.1.2024
Damai	6 of 10
Page:	6 01 10

Flash point/flash point range:	176 °C
Decomposition temperature:	No data available
pH:	No data available
Viscosity, kinematic:	at 40 °C: 10,5 mm²/s
Solubility:	No data available
Partition coefficient: n-octanol/water:	<ul> <li>5,1 log K(o/w) (2,6-di-tert-Butyl-p-cresol)</li> <li>Based on the n-octanol/water partition coefficient accumulation in organisms is possible.</li> <li>4,68 log K(o/w) (Reaction mass of p-t-butylphenyldiphenyl phosphate and bis(p-t-butylphenyl)phenyl phosphate and triphenyl phosphate)</li> <li>Based on the n-octanol/water partition coefficient accumulation in organisms is possible.</li> </ul>
Vapour pressure: Density:	No data available at 20 °C: 0,86 g/mL
Vapour density:	No data available
Particle characteristics:	Not applicable
9.2 Other information	
Explosive properties:	No data available
Oxidizing characteristics:	No data available
Auto-ignition temperature:	No data available
Evaporation rate:	No data available
Additional information:	No data available

# SECTION 10: Stability and reactivity

### 10.1 Reactivity

Refer to subsection "Possilbility of hazardous reactions".

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4 Conditions to avoid

Protect from frost, heat and sunlight.

### 10.5 Incompatible materials

Acids and oxidizing agents.

### 10.6 Hazardous decomposition products

Thermal decomposition:

No hazardous decomposition products when regulations for storage and handling are observed. No data available

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni metalGrind S 10 CBN Material number 961

# **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects:

The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met. Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Asp. Tox. 1; H304 = May be fatal if swallowed and enters airways.

### 11.2 Information on other hazards

Endocrine disrupting properties: This product contains a substance that has endocrine disrupting properties with respect to humans.

#### Symptoms

Respiratory complaints, headache, discomfort, dizziness. Symptoms can occur only after several hours.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

 Aquatic toxicity:
 Harmful to aquatic life with long lasting effects.

 Information about 2,6-di-tert-Butyl-p-cresol:
 Fish toxicity:

 LC50, Danio rerio (zebrafish): > 0,57 mg/L/96h
 Daphnia toxicity:

 EC50 Daphnia magna (Big water flea): 0,48 mg/L/48h
 Algae toxicity:

 EC50 Pseudokirchneriella subcapitata (green algae): 0,758 mg/L/96h

 Water Hazard Class:
 1 = slightly hazardous to water (Self-classification (mixture).)

### 12.2 Persistence and degradability

Further details:Information about Reaction mass of p-t-butylphenyldiphenyl phosphate and<br/>bis(p-t-butylphenyl)phenyl phosphate and triphenyl phosphate:<br/>Part of the components is biodegradable. 61 %/28 d (OECD 301 D).





# Eni metalGrind S 10 CBN

Revision date:29.12.2023Version:5.3Replaces version:5.2Language:en-DEDate of print:2.1.2024Page:8 of 10



Material number 961

### 12.3 Bioaccumulative potential

Bioconcentration factor (BCF): Information about Reaction mass of p-t-butylphenyldiphenyl phosphate and bis(p-t-butylphenyl)phenyl phosphate and triphenyl phosphate: BCF: 1.850

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

The product contains no components classified as PBT or as vPvB at concentrations of 0.1% or higher.

### 12.6 Endocrine disrupting properties

None

### 12.7 Other adverse effects

General information:

Damage can be caused through mechanical influence of the product (eg. sticking). Do not allow uncontrolled discharge of product into the environment.

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

#### Product

TTOULOL		
Waste key number:	<ul> <li>13 02 08* = Other engine, gear and lubricating oils</li> <li>* = Evidence for disposal must be provided.</li> </ul>	
Recommendation:	Dispose of waste according to applicable legislation.	
Package		
Waste key number:	15 01 10* = Packaging containing residues of or contaminated by dangerous substances * = Evidence for disposal must be provided.	
Recommendation:	Dispose of waste according to applicable legislation. Handle contaminated packages in the same way as the substance itself. Non-contaminated packages may be recycled.	

# **SECTION 14: Transport information**

### 14.1 UN number or ID number

ADR/RID, IMDG, IATA-DGR: not applicable ADN: ID 9006

### 14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR: Not restricted ADN: ID 9006, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

### 14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR: not applicable ADN: Class 9, Code: M12

### 14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR: not applicable

printed by Eni Schmiertechnik GmbH



Eni metalGrind S 10 CBN Material number 961

Revision date:	29.12.2023
Version:	5.3
Replaces version	on: 5.2
Language:	en-DE
Date of print:	2.1.2024
Page:	9 of 10



### 14.5 Environmental hazards

Dangerous for the environment: Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG:

### 14.6 Special precautions for user

no

Hazard label:	-
Transport permitted:	Т
Equipment necessary:	PP

### 14.7 Maritime transport in bulk according to IMO instruments

No data available

# **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### National regulations - Germany

Storage class:	10 = Combustible liquids, unless storage class 3	
Water Hazard Class:	1 = slightly hazardous to water (Self-classification (mixture).)	
Technical guidance air:	5.2.5	
Information on working limitati	<sup>ons:</sup> Observe employment restrictions for young people. Observe employment restrictions for expectant or nursing mothers.	
Further regulations, limitations		
National regulations - EC member states		

Volatile organic compounds (VOC):

< 3 % by weight

Further regulations, limitations and legal requirements:

Use restriction according to REACH annex XVII, no.: 3

### **15.2 Chemical Safety Assessment**

For this mixture a chemical safety assessment is not required.

### **SECTION 16: Other information**

Wording of the H-phrases u	inder paragraph 2 and 3:
	H304 = May be fatal if swallowed and enters airways.
	H400 = Very toxic to aquatic life.
	H410 = Very toxic to aquatic life with long lasting effects.
	H412 = Harmful to aquatic life with long lasting effects.
Reason of change:	Changes in section 9: Physical and chemical properties Changes in section 12: Results of PBT and vPvB assessment
Date of first version:	21.4.2022

Department issuing data sheet: see section 1: Department responsible for information



according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

# Eni metalGrind S 10 CBN

 Revision date:
 29.12.2023

 Version:
 5.3

 Replaces version:
 5.2

 Language:
 en-DE

 Date of print:
 2.1.2024

 Page:
 10 of 10

Material number 961

Abbreviations and acronyms: ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road Aquatic Acute: Hazardous to the aquatic environment - acute Aquatic Chronic: Hazardous to the aquatic environment - chronic AS/NZS: Australian Standards/New Zealand Standards Asp. Tox.: Aspiration toxicity BCF: Bioconcentration Factor CAS: Chemical Abstracts Service CFR: Code of Federal Regulations CLP: Classification, Labelling and Packaging DMEL: Derived minimal effect level DNEL: Derived no-effect level EC: European Community EC50: Effective Concentration 50% EN: European Standard EQ: Excepted quantities EU: European Union IATA: International Air Transport Association IATA-DGR: International Air Transport Association – Dangerous Goods Regulations IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IMDG Code: International Maritime Dangerous Goods Code LC50: Median lethal concentration MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships OEL: Occupational Exposure Limit Value OSHA: Occupational Safety and Health Administration PBT: Persistent, bioaccumulative and toxic PNEC: Predicted no-effect concentration REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail STP: Sewage Treatment Plant TLV: Threshold Limit Value TRGS: Technical Rules for Hazardous Substances vPvB: Very persistent and very bioaccumulative WEL: Workplace Exposure Limit

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.



Most recent product information is available a http://sumdat.net/wafry7qv