



AUTOL SP 32

Material number 18250

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 7.0
Replaces version: 6.1
Language: en-DE
Date of print: 3.4.2024

Page: 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: AUTOL SP 32

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Non water-soluble cooling lubricant. Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet

Company name: Enilive Schmiertechnik GmbH

Street/POB-No.: Paradiesstraße 14

Postal Code, city: 97080 Würzburg

Germany

E-mail: info.wuerzburg@enilive.com

Telephone: +49 (0)931-90098-0

Telefax: +49 (0)931-98442

Department responsible for information:

Application Engineering & Product Management (AEPM)

Telephone: +49 (0)931-90098-0

E-mail: technik.wuerzburg@enilive.com

1.4 Emergency telephone number

GIZ-Nord, Göttingen

Telephone: +49 (0)551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

2.2 Label elements

Labelling (CLP)

Hazard statements: not applicable

Precautionary statements: not applicable

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Outflowing product can lead to the formation of a film on the water surface, which reduces oxygen exchange and may result in the death of organisms.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

No data available



AUTOL SP 32

Material number 18250

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 7.0
Replaces version: 6.1
Language: en-DE
Date of print: 3.4.2024

Page: 2 of 10

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: A mixture of mineral oil and additives
Contains: Distillates (petroleum), solvent-dewaxed heavy paraffinic

Additional information: The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Take off contaminated clothing and wash it before reuse.
In the event of persistent symptoms seek medical treatment.

In case of inhalation: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical attention if problems persist.

Following skin contact: Contaminated/fouled clothing and shoes must be removed immediately. After contact with skin, wash immediately with soap and plenty of water. In case of skin reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

After swallowing: Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

In case of inhalation:
irritation to respiratory tract, drowsiness, Fatigue, Dizziness, headache, weakness.

In case of ingestion: Nausea, discomfort, Gastric and intestinal problems

After contact with skin: Hot product can cause severe burns.

After eye contact:
Causes short term mild redness and swelling of the conjunctive tissues. Hot product can cause severe burns.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:
Water spray jet, foam, extinguishing powder, carbon dioxide.

Extinguishing media which must not be used for safety reasons:
Full water jet



AUTOL SP 32

Material number 18250

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 7.0
Replaces version: 6.1
Language: en-DE
Date of print: 3.4.2024

Page: 3 of 10

5.2 Special hazards arising from the substance or mixture

Combustible.

May form dangerous gases and vapours in case of fire.

Furthermore, there may develop: Hydrogen sulphide, nitrogen oxides (NO_x), phosphorus oxides, Carbon monoxide and carbon dioxide, Pyrolysis products, hydrocarbons.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information:

Use fine water spray to cool endangered containers. Move undamaged containers from immediate hazard area if it can be done safely.

Contaminated fire-fighting water must be collected separately. Do not allow water used to extinguish fire to enter drains, ground or waterways.

Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe mist/vapours/spray. Avoid contact with the substance.

If possible, eliminate leakage. Provide adequate ventilation.

Keep unprotected people away.

Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse.

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.

If necessary notify appropriate authorities.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Never return spills in original containers for re-use.

Additional information:

Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Do not breathe mist/vapours/spray. Avoid oil mist formation.

Wear appropriate protective equipment.

Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Take off contaminated clothing and wash it before reuse. Avoid contact with skin, eyes, and clothing.



AUTOL SP 32

Material number 18250

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 7.0
Replaces version: 6.1
Language: en-DE
Date of print: 3.4.2024

Page: 4 of 10

Precautions against fire and explosion:

Keep away from heat. Keep away from sources of ignition - No smoking.
When handling larger quantities, take precautionary measures against electrostatic charging.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Store container tightly closed in a dry area. Keep in a cool place.
Store only in original container.
Protect from heat and direct sunlight.

Hints on joint storage:

Do not store together with: oxidizing agents.
Keep away from food, drink and animal feedingstuffs.

Storage class:

10 = Combustible liquids, unless storage class 3

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

Personal protection equipment

Occupational exposure controls

Respiratory protection:

In case of inadequate ventilation wear respiratory protection.
Recommended: Use filter type A/P2 according to EN 14387.
The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.

Hand protection:

Protective gloves according to DIN EN 374.
Glove material: nitrile rubber (NBR), PVC
Breakthrough time: ≥ 240 min
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection:

Tightly sealed goggles according to DIN EN ISO 16321-1:2022.

Body protection:

Wear suitable protective clothing.

General protection and hygiene measures:

Do not breathe mist/vapours/spray.
Take off contaminated clothing and wash it before reuse. Avoid contact with skin, eyes, and clothing.
Do not eat, drink or smoke when using this product.
Wash hands thoroughly after handling.
Protect skin by using skin protective cream.

Environmental exposure controls

Refer to "6.2 Environmental precautions".



AUTOL SP 32

Material number 18250

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 7.0
Replaces version: 6.1
Language: en-DE
Date of print: 3.4.2024

Page: 5 of 10

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	liquid
Colour:	yellow - brown, clear
Odour:	Characteristic
Odour threshold:	No data available
Melting point/freezing point:	Stockpunkt -27 °C (ASTM D 97)
Initial boiling point and boiling range:	No data available
Flammability:	No data available
Upper/lower flammability or explosive limits:	No data available
Flash point/flash point range:	224 °C (ASTM D 92)
Decomposition temperature:	No data available
pH:	No data available
Viscosity, kinematic:	at 40 °C: 32 mm ² /s (ASTM D 445)
Water solubility:	Insoluble
Partition coefficient: n-octanol/water:	No data available
Vapour pressure:	at 20 °C: mineral oil (ASTM D 5191)
Density:	at 15 °C: 875 kg/m ³ (ASTM D 4052)
Vapour density:	No data available
Particle characteristics:	Not applicable

9.2 Other information

Explosive properties:	Product is not explosive.
Oxidizing characteristics:	Product has no oxidizing effect.
Auto-ignition temperature:	No data available
Evaporation rate:	No data available
Additional information:	No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Protect from heat and direct sunlight. Avoid electrostatic charging.

10.5 Incompatible materials

Oxidizing agents



AUTOL SP 32

Material number 18250

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 7.0
Replaces version: 6.1
Language: en-DE
Date of print: 3.4.2024

Page: 6 of 10

10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are observed.

Thermal decomposition: No data available

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Based on available data, the classification criteria are not met.

May cause sensitisation by skin contact.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.



AUTOL SP 32

Material number 18250

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 7.0
Replaces version: 6.1
Language: en-DE
Date of print: 3.4.2024

Page: 7 of 10

11.2 Information on other hazards

Endocrine disrupting properties:

No data available

Other information:

Information about mineral oil:

Acute oral toxicity:

LD50, Rat: ≥ 5.000 mg/kg (OECD 401)

Acute dermal toxicity:

LD50, Rat: ≥ 5.000 mg/kg (OECD 402)

Acute inhalation toxicity

LC50, Rat: > 5 mg/L/4h (OECD 403)

Information about Distillates (petroleum), heavy paraffinic

Acute oral toxicity:

LD50, Rat: > 5.000 mg/kg (OECD 401)

Acute dermal toxicity:

LD50, Rabbit: 2.000 - 5.000 mg/kg (OECD 402)

Acute inhalation toxicity

LC50, Rat: 3,9 - 5,3 mg/L/4h (OECD 403)

Symptoms

In case of inhalation:

irritation to respiratory tract, drowsiness, Fatigue, Dizziness, headache, weakness.

In case of ingestion: Nausea, discomfort, Gastric and intestinal problems

After contact with skin: Hot product can cause severe burns.

After eye contact:

Causes short term mild redness and swelling of the conjunctive tissues. Hot product can cause severe burns.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

Information about product:

Daphnia toxicity: EC50 > 100 mg/L

Chronic algae toxicity NOEC: 100 mg/L/21d

Information about mineral oil:

Fish toxicity: LC50 > 100 mg/L

Daphnia toxicity: EC50: > 1.000 mg/L/48h (OECD 202)

Information about Distillates (petroleum), heavy paraffinic:

Fish toxicity:

LC50: > 100 mg/L

NOEC Oncorhynchus mykiss: ≥ 1.000 mg/L/14d

Daphnia toxicity:

EC50: > 10.000 mg/L ((OECD 202)

NOEC: > 10.000 mg/L/21d (OECD 211)

Algae toxicity:

NOEC Pseudokirchneriella subcapitata (green algae): ≥ 100 mg/L/72h (OECD 201)

Water Hazard Class:

1 = slightly hazardous to water (Self-classification (mixture).)



AUTOL SP 32

Material number 18250

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 7.0
Replaces version: 6.1
Language: en-DE
Date of print: 3.4.2024

Page: 8 of 10

12.2 Persistence and degradability

Further details: Product is not readily biodegradable.
Inherently biodegradable.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:
No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

General information: Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 13 01 10* = Mineral based non-chlorinated hydraulic oils Mineral based non-chlorinated hydraulic oils

* = Evidence for disposal must be provided.

Recommendation: Send to a hazardous waste incinerator facility under observation of official regulations.

Package

Recommendation: Dispose of waste according to applicable legislation. Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID, ADN, IMDG, IATA-DGR:
not applicable

14.2 UN proper shipping name

ADR/RID, ADN, IMDG, IATA-DGR:
Not restricted

14.3 Transport hazard class(es)

ADR/RID, ADN, IMDG, IATA-DGR:
not applicable



AUTOL SP 32

Material number 18250

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 7.0
Replaces version: 6.1
Language: en-DE
Date of print: 3.4.2024

Page: 9 of 10

14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.5 Environmental hazards

Dangerous for the environment:

Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG:

no

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Germany

Storage class: 10 = Combustible liquids, unless storage class 3

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)

Technical guidance air: 5.2.5

Information on working limitations:

Observe employment restrictions for young people.

Further regulations, limitations and legal requirements:

The product is not subject to the Chemicals Prohibition Ordinance (ChemVerbotsV).

National regulations - EC member states

Further regulations, limitations and legal requirements:

No data available

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Reason of change: Changes in section 1: Details of the supplier of the safety data sheet
General revision

Date of first version: 28.6.2022

Department issuing data sheet:

see section 1: Department responsible for information



AUTOL SP 32

Material number 18250

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 7.0
Replaces version: 6.1
Language: en-DE
Date of print: 3.4.2024

Page: 10 of 10

Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
AS/NZS: Australian Standards/New Zealand Standards
CAS: Chemical Abstracts Service
CFR: Code of Federal Regulations
CLP: Classification, Labelling and Packaging
DMEL: Derived minimal effect level
DNEL: Derived no-effect level
EC: European Community
EC50: Effective Concentration 50%
EN: European Standard
EQ: Excepted quantities
EU: European Union
IATA: International Air Transport Association
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IMDG Code: International Maritime Dangerous Goods Code
LC50: Median lethal concentration
LD50: Lethal dose 50%
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
NOEC: No Observed Effect Concentration
OECD: Organisation for Economic Co-operation and Development
OSHA: Occupational Safety and Health Administration
PBT: Persistent, bioaccumulative and toxic
PNEC: Predicted no-effect concentration
PVC: Polyvinyl chloride
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
TRGS: Technical Rules for Hazardous Substances
vPvB: Very persistent and very bioaccumulative

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at:
<http://sumdat.net/fwsvf3ad>

