



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni Coro DWO 20 L

Material number 688

Revision date: 10.11.2023

Version: 6.0

Replaces version: 5.1

Language: en-DE

Date of print: 20.11.2023

Page: 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Eni Coro DWO 20 L

UFI: 1160-M04D-300H-4GXE

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Metalworking fluid

1.3 Details of the supplier of the safety data sheet

Company name: Eni Schmiertechnik GmbH

Street/POB-No.: Paradiesstraße 14

Postal Code, city: 97080 Würzburg

Germany

WWW: www.enischmiertechnik.de

E-mail: info.wuerzburg@eni.com

Telephone: +49 (0)931-90098-0

Telefax: +49 (0)931-98442

Department responsible for information:

Application Engineering & Product Management (AEPM)

Telephone: +49 (0)931-90098-0

E-mail: technik.wuerzburg@eni.com

1.4 Emergency telephone number

GIZ-Nord, Göttingen

Telephone: +49 (0)551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Asp. Tox. 1; H304 May be fatal if swallowed and enters airways.

(EUH066) Repeated exposure may cause skin dryness or cracking.

2.2 Label elements

Labelling (CLP)



Signal word: **Danger**

Hazard statements: H304
EUH066

May be fatal if swallowed and enters airways.

Repeated exposure may cause skin dryness or cracking.

Precautionary statements: P101
P102

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

P301+P310
P331

IF SWALLOWED: Immediately call a POISON CENTER/doctor.

Do NOT induce vomiting.

P405

Store locked up.

P501

Dispose of contents/container to hazardous or special waste collection point.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni Coro DWO 20 L

Material number 688

Revision date: 10.11.2023

Version: 6.0

Replaces version: 5.1

Language: en-DE

Date of print: 20.11.2023

Page: 2 of 10

Special labelling

Text for labelling: Contains: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: A mixture of base oils and additives.

Hazardous ingredients:

Identifiers	Designation Classification	Content
REACH 01-2119457273-39-xxxx list no. 918-481-9 CAS 64742-48-9	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics Asp. Tox. 1; H304. (EUH066).	< 95 %
REACH 01-2119480375-34-xxxx EC No. 265-156-6 CAS 64742-53-6	Distillates (petroleum), hydrotreated light naphthenic Asp. Tox. 1; H304.	< 5 %
REACH 01-2119475108-36-xxxx EC No. 203-905-0 CAS 111-76-2	2-Butoxyethanol Acute Tox. 4; H302. Acute Tox. 3; H331. Skin Irrit. 2; H315. Eye Irrit. 2; H319. Acute toxicity estimate (ATE): Oral: 1200 mg/kg bw. Inhalative, vapours: 3 mg/L.	< 5 %

Full text of H- and EUH-statements: see section 16.

Additional information: The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:	Remove affected person from the danger area and lay down. If medical advice is needed, have product container or label at hand. Take off contaminated clothing and wash it before reuse.
In case of inhalation:	Remove person to fresh air and keep comfortable for breathing. In the event of discomfort seek medical treatment.
Following skin contact:	Remove residues with soap and water. In case of skin reactions, consult a physician.
After eye contact:	Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.
After swallowing:	Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Caution if victim vomits: Risk of aspiration! Keep airway open. Immediately get medical attention.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni Coro DWO 20 L

Material number 688

Revision date: 10.11.2023

Version: 6.0

Replaces version: 5.1

Language: en-DE

Date of print: 20.11.2023

Page: 3 of 10

4.2 Most important symptoms and effects, both acute and delayed

Cough, respiratory complaints, shortage of breath, fever.

May be fatal if swallowed and enters airways.

Repeated exposure may cause skin dryness or cracking.

Symptoms can occur only after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

Aspiration hazard: in case of swallowing or vomiting danger of penetration into the lungs.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Water spray jet, water mist, foam, extinguishing powder, carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Full water jet

5.2 Special hazards arising from the substance or mixture

Combustible.

May form dangerous gases and vapours in case of fire.

Furthermore, there may develop: Smoke, nitrogen oxides (NO_x), carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information:

In case of fire and/or explosion do not breathe fumes. Cool exposed containers with water spray, but avoid contact of the substance with water. Move undamaged containers from immediate hazard area if it can be done safely.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe mist/vapours/spray. Avoid contact with the substance.

If possible, eliminate leakage. Provide adequate ventilation. Remove all sources of ignition.

Wear appropriate protective equipment.

Take off contaminated clothing and wash it before reuse. Keep unprotected people away.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

Make sure spills can be contained, e.g. in sump pallets or kerbed areas.

6.3 Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

Never return spills in original containers for re-use.

Clean contaminated articles and floor according to the environmental legislation.

Additional information:

Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni Coro DWO 20 L

Material number 688

Revision date: 10.11.2023

Version: 6.0

Replaces version: 5.1

Language: en-DE

Date of print: 20.11.2023

Page: 4 of 10

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Avoid oil mist formation. Do not breathe mist/vapours/spray. Wear appropriate protective equipment.
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.
Take off contaminated clothing and wash it before reuse. Do not get in eyes, on skin, or on clothing. Have eye wash bottle or eye rinse ready at work place.
Provide earthing of containers, equipment, pumps and ventilation facilities.

Precautions against fire and explosion:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
When handling larger quantities, take precautionary measures against electrostatic charging.
Vapours form potentially explosive mixtures with air. Heavier than air, they proceed at floor level and may backflash over great distances when ignited.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place.
Keep container dry. Keep only in the original container.
Protect from frost, heat and sunlight.
Store containers in upright position.
Recommended storage temperature: 5 - 40 °C
Storage stability: Average shelf life of 24 months.

Hints on joint storage:

Keep away from food, drink and animal feedingstuffs.
Do not store together with: Strong oxidizing agents.

Storage class:

10 = Combustible liquids, unless storage class 3

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
64742-48-9	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	Germany: DFG Kurzzeit	600 mg/m ³ ; 100 ppm
		Germany: DFG Langzeit	300 mg/m ³ ; 50 ppm
		Germany: TRGS 900 Kurzzeit	600 mg/m ³ (hydrocarbons „[aliphatisch], C9-C14“)
		Germany: TRGS 900 Langzeit	300 mg/m ³ (hydrocarbons „[aliphatisch], C9-C14“)
111-76-2	2-Butoxyethanol	Europe: IOELV: STEL	246 mg/m ³ ; 50 ppm (may be absorbed through the skin)
		Europe: IOELV: TWA	98 mg/m ³ ; 20 ppm (may be absorbed through the skin)
		Germany: TRGS 900 Kurzzeit	98 mg/m ³ ; 20 ppm (may be absorbed through the skin)
		Germany: TRGS 900 Langzeit	49 mg/m ³ ; 10 ppm (may be absorbed through the skin)



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni Coro DWO 20 L

Material number 688

Revision date: 10.11.2023

Version: 6.0

Replaces version: 5.1

Language: en-DE

Date of print: 20.11.2023

Page: 5 of 10

Biological limit values:

CAS No.	Designation	Type	Limit value	Parameter	Sampling
111-76-2	2-Butoxyethanol	Germany: TRGS 903, urine	150 mg/g creatinine	Following hydrolysis: Butoxyacetic acid	at long term exposure, end of exposure or end of shift

DNEL/DMEL:

Information about 2-Butoxyethanol:

DNEL workers, systemic, long-term, inhalative: 98 mg/m³

DNEL workers, systemic, short-term, inhalative: 1.091 mg/m³

DNEL workers, local, short-term, inhalative: 246 mg/m³

DNEL consumers, systemic, long-term, inhalative: 59 mg/m³

DNEL consumers, systemic, short-term, inhalative: 426 mg/m³

DNEL consumers, local, short-term, inhalative: 147 mg/m³

DNEL consumers, systemic, long-term, oral: 6,3 mg/kg bw/d

PNEC:

Information about 2-Butoxyethanol:

PNEC water (freshwater): 8,8 mg/L

PNEC water (marine water): 0,88 mg/L

PNEC sediment (freshwater): 34,6 mg/kg dw

PNEC sediment (marine water): 3,46 mg/kg dw

PNEC soil: 2,33 mg/kg dw

PNEC sewage treatment plant: 463 mg/L

PNEC oral: 0,02 g/kg Food

8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

Personal protection equipment

Occupational exposure controls

Respiratory protection:

Respiratory protection must be worn whenever the WEL levels have been exceeded.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.

Hand protection:

Protective gloves according to DIN EN 374.

Glove material: Nitrile rubber, polychloroprene, chloroprene rubber, polyvinyl alcohol

wearing time with permanent contact: > 480 min

Layer thickness: 0,70 mm

wearing time with occasional contact (splashes): > 30 min

Layer thickness: 0,40 mm

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection:

Tightly sealed goggles according to DIN EN ISO 16321-1:2022.

Body protection:

Wear suitable protective clothing.

General protection and hygiene measures:

Do not breathe mist/vapours/spray.

Take off contaminated clothing and wash it before reuse. Do not get in eyes, on skin, or on clothing.

Do not eat, drink or smoke when using this product. Do not put any product-impregnated cleaning rags into your trouser pockets.

Wash hands thoroughly after handling. Have eye wash bottle or eye rinse ready at work place.

Environmental exposure controls

Refer to "6.2 Environmental precautions".



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni Coro DWO 20 L

Material number 688

Revision date: 10.11.2023

Version: 6.0

Replaces version: 5.1

Language: en-DE

Date of print: 20.11.2023

Page: 6 of 10

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	liquid
Colour:	yellow
Odour:	Characteristic
Odour threshold:	No data available
Melting point/freezing point:	<= -20 °C
Initial boiling point and boiling range:	> 170 °C (1013 hPa)
Flammability:	No data available
Upper/lower flammability or explosive limits:	LEL (Lower Explosion Limit): 0,60 Vol-% UEL (Upper Explosive Limit): 6,50 Vol-%
Flash point/flash point range:	> 61 °C (DIN EN ISO 2592)
Auto-ignition temperature:	> 200 °C
Decomposition temperature:	No data available
pH:	Not applicable
Viscosity, kinematic:	at 40 °C: 1,5 mm ² /s (DIN EN ISO 3104)
Water solubility:	Practically insoluble
Partition coefficient: n-octanol/water:	Not applicable
Vapour pressure:	No data available
Density:	at 15 °C: 0,8 g/mL (DIN EN ISO 12185)
Vapour density:	No data available
Particle characteristics:	Not applicable

9.2 Other information

Explosive properties:	No data available
Oxidizing characteristics:	No data available
Auto-ignition temperature:	No data available
Evaporation rate:	No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Protect against heat, sun rays and frost. Protect from moisture contamination.

10.5 Incompatible materials

Strong oxidizing agents.

10.6 Hazardous decomposition products

	No hazardous decomposition products when regulations for storage and handling are observed.
Thermal decomposition:	No data available



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni Coro DWO 20 L

Material number 688

Revision date: 10.11.2023

Version: 6.0

Replaces version: 5.1

Language: en-DE

Date of print: 20.11.2023

Page: 7 of 10

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects:

The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Asp. Tox. 1; H304 = May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties: No data available

Other information:

Information about Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics:

LD50 Rat, oral: > 5.000 mg/kg (OECD 401)

LD50 Rat, dermal: > 2.000 mg/kg (OECD 402)

LC50 Rat, inhalative (vapour): > 5.000 mg/m³/8h (OECD 403)

Information about Distillates (petroleum), hydrotreated light naphthenic:

LD50 Rat, oral: > 5.000 mg/kg (OECD 401)

LD50 Rabbit, dermal: > 5.000 mg/kg (OECD 402)

LC50 Rat, inhalative (dusts/mist): > 5,53 mg/L/4h (OECD 403)

Information about 2-Butoxyethanol:

ATE, oral: 1.200 mg/kg

LD50 Guinea pig, dermal: > 2.000 mg/kg (OECD 402)

ATE, inhalative (vapour): 3 mg/L/4h



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni Coro DWO 20 L

Material number 688

Revision date: 10.11.2023

Version: 6.0

Replaces version: 5.1

Language: en-DE

Date of print: 20.11.2023

Page: 8 of 10

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Information about Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics:
Fish toxicity:
LL50 Oncorhynchus mykiss: > 1.000 mg/L/96h (OECD 203)
Daphnia toxicity:
EL50 Daphnia magna (Big water flea): > 1.000 mg/L/48h (OECD 202)
Algae toxicity:
EL50 Pseudokirchneriella subcapitata (green algae): > 1.000 mg/L/72h (OECD 201)
Information about 2-Butoxyethanol:
Fish toxicity:
LC50 Oncorhynchus mykiss: 1.474 mg/L/96h (OECD 203)
Daphnia toxicity:
EC50 Daphnia magna (Big water flea): 1.550 mg/L/48h (OECD 202)
Algae toxicity:
EC50 Pseudokirchneriella subcapitata (green algae): 1.840 mg/L/72h (OECD 201)
Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)

12.2 Persistence and degradability

Further details: Biodegradability:
Information about Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics:
80%/28d. Readily biodegradable (according to OECD criteria).
Effects in sewage plants: Due to its low solubility in water the product is almost completely mechanically separated in biological sewage plants.

12.3 Bioaccumulative potential

No indication of bioaccumulation potential.
Partition coefficient: n-octanol/water:
Not applicable

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

The product does not contain any substances classified as PBT or vPvB.

12.6 Endocrine disrupting properties

None

12.7 Other adverse effects

General information: Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 12 01 07* = Mineral-based machining oils free of halogens (except emulsions and solutions)
* = Evidence for disposal must be provided.

Recommendation: Waste disposal should be in accordance with applicable local and/or national legislation. Do not empty into drains; dispose of this material and its container in a safe way.
Observe mixture permissions according to "Altölverordnung (Waste oil directive)".



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni Coro DWO 20 L

Material number 688

Revision date: 10.11.2023

Version: 6.0

Replaces version: 5.1

Language: en-DE

Date of print: 20.11.2023

Page: 9 of 10

Package

Recommendation: Dispose of waste according to applicable legislation. Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID, IMDG, IATA-DGR: not applicable

ADN: ID 9003

14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR: Not restricted

ADN: ID 9003, SUBSTANCES WITH A FLASH-POINT ABOVE 60 °C AND NOT MORE THAN 100 °C

14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR: not applicable

ADN: Class 9, Code: M12

14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.5 Environmental hazards

Dangerous for the environment: Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG: no

14.6 Special precautions for user

Inland waterway craft (ADN)

Hazard label:

-

Transport permitted:

T

Equipment necessary:

PP

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Germany

Storage class: 10 = Combustible liquids, unless storage class 3

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)

Technical guidance air: 5.2.5.

Information on working limitations:

Observe employment restrictions for young people.

Further regulations, limitations and legal requirements:

The product is not subject to the Chemicals Prohibition Ordinance (ChemVerbotsV).

National regulations - EC member states

Volatile organic compounds (VOC):

(Schweiz) approx. 91 % by weight

Further regulations, limitations and legal requirements:

Use restriction according to REACH annex XVII, no.: 3, 75



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni Coro DWO 20 L

Material number 688

Revision date: 10.11.2023

Version: 6.0

Replaces version: 5.1

Language: en-DE

Date of print: 20.11.2023

Page: 10 of 10

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Wording of the H-phrases under paragraph 2 and 3:

H302 = Harmful if swallowed.

H304 = May be fatal if swallowed and enters airways.

H315 = Causes skin irritation.

H319 = Causes serious eye irritation.

H331 = Toxic if inhaled.

EUH066 = Repeated exposure may cause skin dryness or cracking.

Reason of change: Changes in section 3: Composition / Information on ingredients
Changes in section 9: Physical and chemical properties
General revision

Date of first version: 16.8.2022

Department issuing data sheet: see section 1: Department responsible for information

Abbreviations and acronyms:

- Acute Tox.: Acute toxicity
- ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- AS/NZS: Australian Standards/New Zealand Standards
- Asp. Tox.: Aspiration toxicity
- ATE: Acute toxicity estimate
- Bw: Body weight
- CAS: Chemical Abstracts Service
- CFR: Code of Federal Regulations
- CLP: Classification, Labelling and Packaging
- DMEL: Derived minimal effect level
- DNEL: Derived no-effect level
- EC: European Community
- EC50: Effective Concentration 50%
- EL50: Effective loading rate 50%
- EN: European Standard
- EQ: Excepted quantities
- EU: European Union
- Eye Irrit.: Eye irritation
- IATA: International Air Transport Association
- IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
- IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
- IMDG Code: International Maritime Dangerous Goods Code
- LC50: Median lethal concentration
- LD50: Lethal dose 50%
- LEL: Lower Explosion Limit
- MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
- OECD: Organisation for Economic Co-operation and Development
- OEL: Occupational Exposure Limit Value
- OSHA: Occupational Safety and Health Administration
- PBT: Persistent, bioaccumulative and toxic
- PNEC: Predicted no-effect concentration
- REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
- RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
- Skin Irrit.: Skin irritation
- TLV: Threshold Limit Value
- TRGS: Technical Rules for Hazardous Substances
- vPvB: Very persistent and very bioaccumulative
- WEL: Workplace Exposure Limit

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at
<http://sumdat.net/x5ivsy7p>

