



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni Coro DWW 35 L

Material number 996

Revision date: 10.2.2023

Version: 3.1

Replaces version: 3.0

Language: en-DE

Date of print: 22.2.2023

Page: 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Eni Coro DWW 35 L

UFI: W6UV-U8WW-300R-Q78S

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Corrosion protection agent.

1.3 Details of the supplier of the safety data sheet

Company name: Eni Schmiertechnik GmbH

Street/POB-No.: Paradiesstraße 14

Postal Code, city: DE-97080 Würzburg

WWW: www.enischmiertechnik.de

E-mail: info.wuerzburg@eni.com

Telephone: +49 (0)931-90098-0

Telefax: +49 (0)931-98442

Department responsible for information:

Application Engineering & Product Management (AEPM)

Telephone: +49 (0)931-90098-0

E-mail: technik.wuerzburg@eni.com

1.4 Emergency telephone number

GIZ-Nord, Göttingen

Telephone: +49 (0)551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Asp. Tox. 1; H304 May be fatal if swallowed and enters airways.

(EUH066) Repeated exposure may cause skin dryness or cracking.

2.2 Label elements

Labelling (CLP)



Signal word: **Danger**

Hazard statements: H304
EUH066

May be fatal if swallowed and enters airways.

Repeated exposure may cause skin dryness or cracking.

Precautionary statements:

P101

If medical advice is needed, have product container or label at hand.

P102

Keep out of reach of children.

P301+P310

IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331

Do NOT induce vomiting.

P405

Store locked up.

P501

Dispose of contents/container to hazardous or special waste collection point.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni Coro DWW 35 L

Material number 996

Revision date: 10.2.2023

Version: 3.1

Replaces version: 3.0

Language: en-DE

Date of print: 22.2.2023

Page: 2 of 10

Special labelling

EUH208

Contains Sulfonic acids, petroleum, calcium salts. May produce an allergic reaction.

Text for labelling:

Contains:

Hydrocarbons, C11- C13, isoalkanes, <2% aromatics

2.3 Other hazards

Potentially explosive mixtures may form if adequate ventilation is not provided.

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

CAS No.	Designation	PBT/vPvB	ED Human	ED Environment
128-37-0	3,5-Di-tert-butyl-4-hydroxytoluene		List II	

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: A mixture of mineral oil, hydrocarbons and Corrosion protection additive.

Hazardous ingredients:

Identifiers	Designation Classification	Content
REACH 01-2119456810-40-xxxx list no. 920-901-0 CAS 246538-78-3	Hydrocarbons, C11- C13, isoalkanes, <2% aromatics Asp. Tox. 1; H304. (EUH066).	50 - 100 %
REACH 01-2119488992-18-xxxx EC No. 263-093-9 CAS 61789-86-4	Sulfonic acids, petroleum, calcium salts Skin Sens. 1B; H317.	< 10 %
REACH 01-2119484627-25-xxxx EC No. 265-157-1 CAS 64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic Asp. Tox. 1; H304.	< 10 %
REACH 01-2119475104-44-xxxx EC No. 203-961-6 CAS 112-34-5	2-(2-Butoxyethoxy)ethanol Eye Irrit. 2; H319.	< 5 %
REACH 01-2119565113-46-xxxx EC No. 204-881-4 CAS 128-37-0	3,5-Di-tert-butyl-4-hydroxytoluene Aquatic Acute 1; H400. Aquatic Chronic 1; H410.	< 0,25 %

Full text of H- and EUH-statements: see section 16.

Additional information: Information about Sulfonic acids, petroleum, calcium salts, Specific concentration limit (SCL):
Skin Sens. 1B; H317: C ≥ 10 %

The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: If medical advice is needed, have product container or label at hand. Take off contaminated clothing and wash it before reuse.

In case of inhalation: Move victim to fresh air. In the event of discomfort seek medical treatment.

Following skin contact: Immediately clean with water and soap followed by thorough rinsing. In case of skin reactions, consult a physician.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni Coro DWW 35 L

Material number 996

Revision date: 10.2.2023

Version: 3.1

Replaces version: 3.0

Language: en-DE

Date of print: 22.2.2023

Page: 3 of 10

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

After swallowing: Rinse mouth with water. Never give anything by mouth to an unconscious person. Caution if victim vomits: Risk of aspiration! Keep airway open. Immediately get medical attention.

4.2 Most important symptoms and effects, both acute and delayed

May be fatal if swallowed and enters airways. May cause allergic reactions in already sensitized persons.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Water spray jet, extinguishing powder, alcohol resistant foam and carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Full water jet

5.2 Special hazards arising from the substance or mixture

Potentially explosive mixtures may form if adequate ventilation is not provided. May form dangerous gases and vapours in case of fire.

Furthermore, there may develop: sulphur oxides, calcium compounds, carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information:

Move undamaged containers from immediate hazard area if it can be done safely. Cool endangered containers with water jetspray.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing mist/vapours/spray. Provide adequate ventilation. Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse. Keep unprotected people away.

6.2 Environmental precautions

Do not release large quantities into the surface water or into drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Never return spills in original containers for re-use.

Additional information:

Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni Coro DWW 35 L

Material number 996

Revision date: 10.2.2023

Version: 3.1

Replaces version: 3.0

Language: en-DE

Date of print: 22.2.2023

Page: 4 of 10

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Avoid the formation of aerosol. Avoid breathing mist/vapours/spray. Wear appropriate protective equipment.
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.
Take off contaminated clothing and wash it before reuse.
Do not put any product-impregnated cleaning rags into your trouser pockets. Guarantee sufficient ventilation during and after use, in order to prevent vapour accumulation.
Have eye wash bottle or eye rinse ready at work place.

Precautions against fire and explosion:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place.
Keep container dry. Keep only in the original container.
Protect from heat and direct sunlight.
Store containers in upright position.

Hints on joint storage:

Keep away from food, drink and animal feedingstuffs.
Do not store together with: Strong oxidizing agents, strong acids, strong bases.

Storage class:

10 = Combustible liquids, unless storage class 3

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
61789-86-4	Sulfonic acids, petroleum, calcium salts	Germany: TRGS 900 Kurzzeit	20 mg/m ³ (respirable fraction)
		Germany: TRGS 900 Langzeit	5 mg/m ³ (respirable fraction)
112-34-5	2-(2-Butoxyethoxy) ethanol	Europe: IOELV: STEL	101,2 mg/m ³ ; 15 ppm
		Europe: IOELV: TWA	67,5 mg/m ³ ; 10 ppm
		Germany: TRGS 900 Kurzzeit	100,5 mg/m ³ ; 15 ppm (Aerosol and vapour)
		Germany: TRGS 900 Langzeit	67 mg/m ³ ; 10 ppm (Aerosol and vapour)
128-37-0	3,5-Di-tert-butyl-4-hydroxytoluene	Germany: TRGS 900 Kurzzeit	40 mg/m ³ (Aerosol and vapour, inhalable fraction)
		Germany: TRGS 900 Langzeit	10 mg/m ³ (Aerosol and vapour, inhalable fraction)

8.2 Exposure controls

Provide for good ventilation or exhaust system or work with completely self-contained equipment.

Personal protection equipment

Occupational exposure controls

Respiratory protection: In case of inadequate ventilation wear respiratory protection. Respiratory protection must be worn whenever the WEL levels have been exceeded.
The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni Coro DWW 35 L

Material number 996

Revision date: 10.2.2023

Version: 3.1

Replaces version: 3.0

Language: en-DE

Date of print: 22.2.2023

Page: 5 of 10

Hand protection: Protective gloves according to EN 374.
Glove material: NBR (nitrile rubber)
Layer thickness: $\geq 0,38$ mm; Breakthrough time: ≥ 480
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to EN 166.

Body protection: Wear suitable protective clothing.

General protection and hygiene measures:
Avoid breathing mist/vapours/spray. Do not get in eyes, on skin, or on clothing.
Take off contaminated clothing and wash it before reuse.
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.
Do not put any product-impregnated cleaning rags into your trouser pockets.
Have eye wash bottle or eye rinse ready at work place.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	liquid
Colour:	yellow
Odour:	Characteristic
Odour threshold:	No data available
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flammability:	No data available
Upper/lower flammability or explosive limits:	No data available
Flash point/flash point range:	72 °C
Decomposition temperature:	No data available
pH:	Not applicable
Viscosity, kinematic:	at 40 °C: 3,7 mm ² /s
Water solubility:	Insoluble
Partition coefficient: n-octanol/water:	No data available
Vapour pressure:	No data available
Density:	at 15 °C: 0,80 g/mL
Vapour density:	No data available
Particle characteristics:	Not applicable

9.2 Other information

Explosive properties:	Potentially explosive mixtures may form if adequate ventilation is not provided.
Oxidizing characteristics:	No data available
Auto-ignition temperature:	No data available
Evaporation rate:	No data available
Additional information:	No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

10.2 Chemical stability

Stable under recommended storage conditions.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni Coro DWW 35 L

Material number 996

Revision date: 10.2.2023

Version: 3.1

Replaces version: 3.0

Language: en-DE

Date of print: 22.2.2023

Page: 6 of 10

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Strong oxidizing agents, strong acids, strong bases.

10.6 Hazardous decomposition products

No dangerous reactions with proper and specified storage and handling

Thermal decomposition:

No data available

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects:

The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Based on available data, the classification criteria are not met.

Contains Sulfonic acids, petroleum, calcium salts. May produce an allergic reaction.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Asp. Tox. 1; H304 = May be fatal if swallowed and enters airways.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni Coro DWW 35 L

Material number 996

Revision date: 10.2.2023

Version: 3.1

Replaces version: 3.0

Language: en-DE

Date of print: 22.2.2023

Page: 7 of 10

11.2 Information on other hazards

Endocrine disrupting properties: This product contains a substance that has endocrine disrupting properties with respect to humans.

Other information: Information about Hydrocarbons, C11- C13, isoalkanes, <2% aromatics:

LD50 Rat, oral: > 5.000 mg/kg bw

LD50 Rabbit, dermal: > 3,16 ml/kg bw

LC50 Rat, inhalative: > 5.000 mg/m³

Information about Sulfonic acids, petroleum, calcium salts:

LD50 Rat, oral: 5.000 mg/kg bw

LD50 Rat, dermal: 5.000 ml/kg bw

LC50 Rat, inhalative: 1,9 mg/m³

Information about Distillates (petroleum), hydrotreated heavy paraffinic:

LD50 Rat, oral: > 5.000 mg/kg bw

LD50 Rabbit, dermal: > 2.000 mg/kg bw

LC50 Rat, inhalative: > 5.000 mg/m³

Information about 2-(2-Butoxyethoxy)ethanol:

LD50 Mouse, oral: 2.410 mg/kg bw

LD50 Rat, dermal: 2.764 mg/kg bw

Information about 3,5-Di-tert-butyl-4-hydroxytoluene:

LD50 Rat, oral: > 6.000 mg/kg bw

LD50 Rat, dermal: > 2.000 ml/kg bw

Symptoms

In case of ingestion:

When swallowed and vomited immediately, aspiration into the lungs may occur resulting in chemical pneumonia or suffocation.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

Information about Hydrocarbons, C11- C13, isoalkanes, <2% aromatics:

Fish toxicity:

LL50 Oncorhynchus mykiss: > 1.000 mg/L/96h (OECD 203)

NOELR Oncorhynchus mykiss: 0,316 mg/L/28d

Daphnia toxicity:

LL50 Daphnia magna (Big water flea): > 1.000 mg/L/48h (OECD 202)

NOELR Daphnia magna (Big water flea): 1,0 mg/L/21d (OECD 211)

Algae toxicity:

EL50 Pseudokirchneriella subcapitata: > 1.000 mg/L/72h, (OECD 201)

Information about 3,5-Di-tert-butyl-4-hydroxytoluene:

Fish toxicity:

LC50: 0,199 mg/L/96h

NOEC Oryzias latipes: 0,053 mg/L/30d (OECD 210)

Daphnia toxicity:

EC50 Daphnia magna (Big water flea): 0,48 mg/L/48h (OECD 202)

NOEC Daphnia magna (Big water flea): 0,069 mg/L/21d (OECD 211)

Algae toxicity:

EC50 Pseudokirchneriella subcapitata: > 0,24 mg/L/72h, (OECD 201)

Water Hazard Class:

2 = obviously hazardous to water (Self-classification (mixture).)

12.2 Persistence and degradability

Further details:

Information about 3,5-Di-tert-butyl-4-hydroxytoluene:

Possible bioaccumulation.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni Coro DWW 35 L

Material number 996

Revision date: 10.2.2023

Version: 3.1

Replaces version: 3.0

Language: en-DE

Date of print: 22.2.2023

Page: 8 of 10

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

General information:

Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number:

07 06 04* = other organic solvents, washing liquids and mother liquors
* = Evidence for disposal must be provided.

Recommendation:

Dispose of waste according to applicable legislation.

Package

Recommendation:

Dispose of waste according to applicable legislation. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID, IMDG, IATA-DGR: not applicable

ADN: ID 9003

14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR: Not restricted

ADN: ID 9003, SUBSTANCES WITH A FLASH-POINT ABOVE 60 °C AND NOT MORE THAN 100 °C

14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR: not applicable

ADN: Class 9, Code: M12

14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.5 Environmental hazards

Dangerous for the environment: Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG:

no



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni Coro DWW 35 L

Material number 996

Revision date: 10.2.2023

Version: 3.1

Replaces version: 3.0

Language: en-DE

Date of print: 22.2.2023

Page: 9 of 10

14.6 Special precautions for user

Inland waterway craft (ADN)

Hazard label: -
Transport permitted: T
Equipment necessary: PP

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Germany

Storage class: 10 = Combustible liquids, unless storage class 3
Water Hazard Class: 2 = obviously hazardous to water (Self-classification (mixture).)
Technical guidance air: 5.2.5
Information on working limitations:
Observe employment restrictions for young people.
Observe employment restrictions for expectant or nursing mothers.
Further regulations, limitations and legal requirements:
The product is not subject to the Chemicals Prohibition Ordinance (ChemVerbotsV).

National regulations - EC member states

Labelling of packaging with <= 125mL content



Signal word: **Danger**
Hazard statements: H304 May be fatal if swallowed and enters airways.
EUH066 Repeated exposure may cause skin dryness or cracking.
EUH208 Contains Sulfonic acids, petroleum, calcium salts. May produce an allergic reaction.
Precautionary statements: P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331 Do NOT induce vomiting.
P405 Store locked up.
P501 Dispose of contents/container to hazardous or special waste collection point.
Further regulations, limitations and legal requirements:
Use restriction according to REACH annex XVII, no.: 3

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Wording of the H-phrases under paragraph 2 and 3:

H304 = May be fatal if swallowed and enters airways.
H317 = May cause an allergic skin reaction.
H319 = Causes serious eye irritation.
H400 = Very toxic to aquatic life.
H410 = Very toxic to aquatic life with long lasting effects.
EUH066 = Repeated exposure may cause skin dryness or cracking.
EUH208 = Contains Sulfonic acids, petroleum, calcium salts. May produce an allergic reaction.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni Coro DWW 35 L

Material number 996

Revision date: 10.2.2023

Version: 3.1

Replaces version: 3.0

Language: en-DE

Date of print: 22.2.2023

Page: 10 of 10

Reason of change: General revision

Date of first version: 30.6.2021

Department issuing data sheet: see section 1: Department responsible for information

Abbreviations and acronyms:

- ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- Aquatic Acute: Hazardous to the aquatic environment - acute
- Aquatic Chronic: Hazardous to the aquatic environment - chronic
- AS/NZS: Australian Standards/New Zealand Standards
- Asp. Tox.: Aspiration toxicity
- CAS: Chemical Abstracts Service
- CFR: Code of Federal Regulations
- CLP: Classification, Labelling and Packaging
- DMEL: Derived minimal effect level
- DNEL: Derived no-effect level
- EC: European Community
- EC50: Effective Concentration 50%
- EL50: Effective loading rate 50%
- EN: European Standard
- EQ: Excepted quantities
- EU: European Union
- Eye Irrit.: Eye irritation
- IATA: International Air Transport Association
- IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
- IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
- IMDG Code: International Maritime Dangerous Goods Code
- LC50: Median lethal concentration
- LD50: Lethal dose 50%
- MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
- NOEC: No Observed Effect Concentration
- OECD: Organisation for Economic Co-operation and Development
- OEL: Occupational Exposure Limit Value
- OSHA: Occupational Safety and Health Administration
- PBT: Persistent, bioaccumulative and toxic
- PNEC: Predicted no-effect concentration
- REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
- RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
- SCL: Specific concentration limit
- Skin Sens.: Skin sensitisation
- TLV: Threshold Limit Value
- TRGS: Technical Rules for Hazardous Substances
- vPvB: Very persistent and very bioaccumulative
- WEL: Workplace Exposure Limit

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at:
<http://sumdat.net/4n8vdr6>

