

Material number 730

 Revision date:
 20.3.2024

 Version:
 3.0

 Replaces version:
 2.4

 Language:
 en-DE

 Date of print:
 5.4.2024

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU)

Page: 1 of 11

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1 Product identifier

Trade name: Eni Coro WMO8

UFI: PG5H-M6X9-V00U-4JRN

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Corrosion protection agent.

# 1.3 Details of the supplier of the safety data sheet

Company name: Enilive Schmiertechnik GmbH

Street/POB-No.: Paradiesstraße 14
Postal Code, city: 97080 Würzburg

Germany

E-mail: info.wuerzburg@enilive.com

Telephone: +49 (0)931-90098-0 Telefax: +49 (0)931-98442

Department responsible for information:

Application Engineering & Product Management (AEPM)

Telephone: +49 (0)931-90098-0 E-mail: technik.wuerzburg@enilive.com

# 1.4 Emergency telephone number

GIZ-Nord, Göttingen

Telephone: +49 (0)551-19240

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# Classification according to EC regulation 1272/2008 (CLP)

Eye Irrit. 2; H319 Causes serious eye irritation.

Aquatic Chronic 3; H412 Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

# Labelling (CLP)



Signal word: Warning

Hazard statements: H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

printed by Eni Schmiertechnik GmbH

with Qualisys SUMDAT



Material number 730

Revision date: 20.3.2024
Version: 3.0
Replaces version: 2.4
Language: en-DE
Date of print: 5.4.2024

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU)

Page: 2 of 11

Precautionary statements:

P102 Keep out of reach of children.

P264 Wash hands and face thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container to hazardous or special waste collection point.

Special labelling

EUH208 Contains Sulfonic acids, petroleum, calcium salts. May produce an allergic

reaction.

#### 2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% (w/w) or higher. The product does not contain any substances classified as PBT or vPvB.

# **SECTION 3: Composition/information on ingredients**

3.1 Substances: not applicable

#### 3.2 Mixtures

Chemical characterisation: A mixture of mineral oil, emulsifiers, additives and surface-active agents

#### Hazardous ingredients:

Identifiers	Designation Classification	Content
REACH 01-2119527859-22-xxxx EC No. 271-781-5 CAS 68608-26-4	Sulfonic acids, petroleum, sodium salts Eye Irrit. 2; H319.	10 - 15 %
EC No. 500-236-9 CAS 68920-66-1	Alcohols, C16-18, ethoxylated Skin Irrit. 2; H315. Aquatic Chronic 2; H411.	< 10 %
REACH 01-2119475104-44-xxxx EC No. 203-961-6 CAS 112-34-5	2-(2-Butoxyethoxy)ethanol Eye Irrit. 2; H319.	< 5 %
REACH 01-2119979554-22-xxxx list no. 800-765-8 CAS 1424149-03-0	Sodium/triethanolamine 4-((2-hydroxyethyl)amino)-3-pentaproenyl-4-oxobutanoate Skin Irrit. 2; H315. Eye Dam. 1; H318.	< 3 %
REACH 01-2119488992-18-xxxx EC No. 263-093-9 CAS 61789-86-4	Sulfonic acids, petroleum, calcium salts Skin Sens. 1B; H317.	< 1 %
	Specific concentration limits (SCL): Skin Sens. 1B; H317: C ≥ 10 %	

Full text of H- and EUH-statements: see section 16.



Material number 730

Revision date: 20.3.2024
Version: 3.0
Replaces version: 2.4
Language: en-DE
Date of print: 5.4.2024

# Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 3 of 11

# **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General information: If medical advice is needed, have product container or label at hand.

Take off contaminated clothing and wash it before reuse.

In case of inhalation: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable

for breathing. Seek medical attention if problems persist.

Following skin contact: Immediately clean with water and soap followed by thorough rinsing. In case of skin

reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids

apart. Remove contact lenses, if present and easy to do. Continue rinsing. Subsequently

consult an ophthalmologist.

After swallowing: Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an

unconscious person. Do not induce vomiting. Seek medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

Inhaling can lead to irritations of the respiratory tract and mucous membrane.

May cause allergic reactions in already sensitized persons..

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media:

Water spray jet, extinguishing powder, alcohol resistant foam and carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Full water jet

#### 5.2 Special hazards arising from the substance or mixture

May form dangerous gases and vapours in case of fire.

Furthermore, there may develop: Sodium compounds, calcium compounds, carbon

monoxide and carbon dioxide.

#### 5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information: Use fine water spray to cool endangered containers.

Do not allow water used to extinguish fire to enter drains, ground or waterways.

Fire residuals and contaminated extinguishing water must be disposed of in accordance

with the regulations of the local authorities.



Material number 730

**Safety Data Sheet** 

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 3.0
Replaces version: 2.4
Language: en-DE
Date of print: 5.4.2024

Page: 4 of 11

### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe mist/vapours/spray. Avoid contact with the substance.

If possible, eliminate leakage. Provide adequate ventilation.

Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse. Keep unprotected people away.

# 6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.

If necessary notify appropriate authorities.

### 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal

binding agents) and place in closed containers for disposal.

Never return spills in original containers for re-use.

Additional information: Special danger of slipping by leaking/spilling product.

#### 6.4 Reference to other sections

Refer additionally to section 8 and 13.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Do not breathe

mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear appropriate

protective equipment.

Do not eat, drink or smoke when using this product. Wash hands thoroughly after

handling. Take off contaminated clothing and wash it before reuse.

Have eye wash bottle or eye rinse ready at work place.

Precautions against fire and explosion:

Keep away from heat.

When handling larger quantities, take precautionary measures against electrostatic

charging.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place.

Keep container dry. Keep only in the original container.

Protect from heat and direct sunlight. Store containers in upright position.

Hints on joint storage: Do not store together with: Strong alkalis, strong oxidizing agents and strong acids.

Keep away from food, drink and animal feedingstuffs.

Storage class: 10 = Combustible liquids, unless storage class 3

#### 7.3 Specific end use(s)

No information available.



Material number 730

Revision date: 20.3.2024
Version: 3.0
Replaces version: 2.4
Language: en-DE
Date of print: 5.4.2024

**Safety Data Sheet** 

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU)

Page: 5 of 11

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Туре	Limit value
112-34-5	2-(2- Butoxyethoxy) ethanol	Europe: IOELV: STEL	101,2 mg/m³; 15 ppm
		Europe: IOELV: TWA	67,5 mg/m³; 10 ppm
		Germany: TRGS 900 Kurzzeit	100,5 mg/m³; 15 ppm (Aerosol and vapour)
		Germany: TRGS 900 Langzeit	67 mg/m³; 10 ppm (Aerosol and vapour)
61789-86-4	Sulfonic acids, petroleum, calcium salts	Germany: TRGS 900 Kurzzeit	20 mg/m³ (respirable fraction)
		Germany: TRGS 900 Langzeit	5 mg/m³ (respirable fraction)

# 8.2 Exposure controls

Provide for good ventilation or exhaust system or work with completely self-contained equipment.

# **Personal protection equipment**

#### Occupational exposure controls

Respiratory protection: In case of inadequate ventilation wear respiratory protection. Respiratory protection must

be worn whenever the WEL levels have been exceeded.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Hand protection: Protective gloves according to DIN EN 374.

Glove material: Nitrile rubber Breakthrough time: >= 480 min Layer thickness: >= 0,38 mm

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to DIN EN ISO 16321-1:2022.

Body protection: Wear suitable protective clothing.

General protection and hygiene measures:

Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing.

Take off contaminated clothing and wash it before reuse.

Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Have eye wash bottle or eye rinse ready at work place.

#### **Environmental exposure controls**

Refer to "6.2 Environmental precautions".



Material number 730

Revision date: 20.3.2024
Version: 3.0
Replaces version: 2.4
Language: en-DE
Date of print: 5.4.2024

# Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU)

Page: 6 of 11

# **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa liquid
Colour: brown

Odour:

Odour threshold:

No data available

Melting point/freezing point:

No data available

No data available

No data available

No data available

Flammability:

No data available

Upper/lower flammability or explosive limits: LEL (Lower Explosion Limit): Not applicable

UEL (Upper Explosive Limit): Not applicable

Flash point/flash point range: 195 °C (DIN EN ISO 2592)

Decomposition temperature: No data available

pH: at 20 °C, 100 g/L: 8,7 (DIN 51369) Viscosity, kinematic: at 40 °C: 59,7 mm²/s (DIN 51562-1)

Water solubility: Soluble

Partition coefficient: n-octanol/water: Not applicable
Vapour pressure: Not applicable

Density: at 15 °C: 0,92 g/mL (DIN 51757)

Vapour density: Not applicable
Particle characteristics: Not applicable

9.2 Other information

Explosive properties: Not relevant
Oxidizing characteristics: Not relevant

Auto-ignition temperature:

No data available

Evaporation rate:

Not applicable

Additional information:

No data available

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

#### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

#### 10.4 Conditions to avoid

Keep away from heat sources, sparks and open flames.

Protect from direct sunlight.



Material number 730

Revision date: 20.3.2024
Version: 3.0
Replaces version: 2.4
Language: en-DE
Date of print: 5.4.2024

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 7 of 11

### 10.5 Incompatible materials

Strong oxidizing agents, strong acids and strong alkalis.

# 10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are

observed.

Thermal decomposition: No data available

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects:

The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

ATEmix (calculated): ATE > 2.000 mg/kg

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

ATEmix: 176.706 mg/kg

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

ATEmix: 1767,07 mg/L (Vapours)

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Eye Irrit. 2; H319 = Causes serious eye irritation.

Sensitisation to the respiratory tract: Based on available data, the classification criteria

are not met.

Skin sensitisation: Based on available data, the classification criteria are not met. Contains Sulfonic acids, petroleum, calcium salts. May produce an allergic reaction.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

#### 11.2 Information on other hazards

Endocrine disrupting properties:

None

Other information: Information about 2-(2-Butoxyethoxy)ethanol:

LD50, Rat, oral: 3.384 mg/kg LD50, Rabbit, dermal: 2.700 mg/kg

Information about Sulfonic acids, petroleum, calcium salts:

LD50, Rat, oral: > 16.000 mg/kg LD50, Rabbit, dermal: > 5.001 mg/kg



Material number 730

Revision date: 20.3.2024
Version: 3.0
Replaces version: 2.4
Language: en-DE
Date of print: 5.4.2024

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU)

Page: 8 of 11

#### **Symptoms**

After eye contact: Upon direct contact with eyes may cause burning, tearing, redness.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Aquatic toxicity: Harmful to aquatic life with long lasting effects.

Information about 2-(2-Butoxyethoxy)ethanol:

fish toxicity, LC50: 1.300 mg/L/96h

Daphnia toxicity:, EC50: > 101 mg/L/48h (OECD 202)

Algae toxicity:, EC50: > 101 mg/L/96h

Information about:

fish toxicity, LC50: 58 mg/L/96h (OECD 203), NOEC 5 mg/L/9d (OECD 212)

Daphnia toxicity:, EC50: > 11,8 mg/L/48h (OECD 202), NOEC 2 mg/L/21d (OECD 212) Algae toxicity:, EC50: 129 mg/L/72h (OECD 201), NOEC 10 mg/L/72h (OECD 201)

Information about Sulfonic acids, petroleum, calcium salts:

fish toxicity, LC50: >10.000 mg/L/96h (OECD 203) Daphnia toxicity:, EC50: > 100 mg/L/48h (OECD 202)

Water Hazard Class: 2 = obviously hazardous to water

# 12.2 Persistence and degradability

Further details: Information about Alcohols, C16-18, ethoxylated: Easily bio-degradable.

Information about Sulfonic acids, petroleum, calcium salts: 8,6 % /28d, not easily

bio-degradable.

#### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

Not applicable

# 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

The product does not contain any substances classified as PBT or vPvB.

# 12.6 Endocrine disrupting properties

None

#### 12.7 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.



Material number 730

Revision date: 20.3.2024
Version: 3.0
Replaces version: 2.4
Language: en-DE
Date of print: 5.4.2024

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU)

Page: 9 of 11

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

**Product** 

Waste key number: 12 01 09\* = Machining emulsions and solutions free of halogens

\* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.

Do not dispose of with household waste.

**Package** 

Recommendation: Dispose of waste according to applicable legislation.

Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADR/RID, IMDG, IATA-DGR:

not applicable

ADN: ID 9006

# 14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR:

Not restricted

ADN: ID 9006, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

# 14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR:

not applicable

ADN: Class 9, Code: M12

# 14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

#### 14.5 Environmental hazards

Dangerous for the environment:

Substance/mixture is not environmentally hazardous according to the criteria of the UN

model regulations.

Marine pollutant - IMDG: no

#### 14.6 Special precautions for user

#### Inland waterway craft (ADN)

Hazard label:

Transport permitted:

Equipment necessary:

T

# 14.7 Maritime transport in bulk according to IMO instruments

No data available



Material number 730

Revision date: 20.3.2024
Version: 3.0
Replaces version: 2.4
Language: en-DE
Date of print: 5.4.2024

# Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 10 of 11

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

# **National regulations - Germany**

Storage class: 10 = Combustible liquids, unless storage class 3

Water Hazard Class: 2 = obviously hazardous to water

Technical guidance air: 5.2.5 Information on working limitations:

Observe employment restrictions for young people.

Further regulations, limitations and legal requirements:

No data available

#### National regulations - EC member states

#### Labelling of packaging with <= 125mL content



Signal word: Warning

Hazard statements: H412 Harmful to aquatic life with long lasting effects.

EUH208 Contains Sulfonic acids, petroleum, calcium salts. May produce an allergic

reaction.

Precautionary statements:

P102 Keep out of reach of children.

Further regulations, limitations and legal requirements:

Use restriction according to REACH annex XVII, no.: 3, 55, 75

# **15.2 Chemical Safety Assessment**

For this mixture a chemical safety assessment is not required.

# **SECTION 16: Other information**

Wording of the H-phrases under paragraph 2 and 3:

H315 = Causes skin irritation.

H317 = May cause an allergic skin reaction.

H318 = Causes serious eye damage.

H319 = Causes serious eye irritation.

H411 = Toxic to aquatic life with long lasting effects. H412 = Harmful to aquatic life with long lasting effects.

EUH208 = Contains Sulfonic acids, petroleum, calcium salts. May produce an allergic

reaction.

Reason of change: Changes in section 1: Details of the supplier of the safety data sheet

General revision

Date of first version: 13.1.2021

Department issuing data sheet:

see section 1: Department responsible for information

printed by Eni Schmiertechnik GmbH

with Qualisys SUMDAT



Material number 730

Revision date: 20.3.2024
Version: 3.0
Replaces version: 2.4
Language: en-DE
Date of print: 5.4.2024

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU)

Page: 11 of 11

#### Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

Aquatic Chronic: Hazardous to the aquatic environment - chronic

AS/NZS: Australian Standards/New Zealand Standards

ATE: Acute toxicity estimate CAS: Chemical Abstracts Service

CFR: Code of Federal Regulations

CLP: Classification, Labelling and Packaging

DMEL: Derived minimal effect level DNEL: Derived no-effect level EC: European Community

EC50: Effective Concentration 50%

EN: European Standard EQ: Excepted quantities EU: European Union Eye Dam.: Eye damage Eye Irrit.: Eye irritation

IATA: International Air Transport Association

IATA-DGR: International Air Transport Association – Dangerous Goods Regulations

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IMDG Code: International Maritime Dangerous Goods Code

LC50: Median lethal concentration LD50: Lethal dose 50% LEL: Lower Explosion Limit

MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships

NOEC: No Observed Effect Concentration

OECD: Organisation for Economic Co-operation and Development

OEL: Occupational Exposure Limit Value

OSHA: Occupational Safety and Health Administration

PBT: Persistent, bioaccumulative and toxic PNEC: Predicted no-effect concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail

Skin Irrit.: Skin irritation Skin Sens.: Skin sensitisation TLV: Threshold Limit Value

TRGS: Technical Rules for Hazardous Substances vPvB: Very persistent and very bioaccumulative

WEL: Workplace Exposure Limit

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at: http://sumdat.net/g6s3fbvb

