



# Eni aquamet MY BU

Material number 824

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024  
Version: 6.0  
Replaces version: 5.4  
Language: en-DE  
Date of print: 5.4.2024

Page: 1 of 12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: Eni aquamet MY BU  
UFI: NV30-X0VF-F004-KYCT

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Metalworking fluid

### 1.3 Details of the supplier of the safety data sheet

Company name: Enilive Schmiertechnik GmbH  
Street/POB-No.: Paradiesstraße 14  
Postal Code, city: 97080 Würzburg  
Germany  
E-mail: info.wuerzburg@enilive.com  
Telephone: +49 (0)931-90098-0  
Telefax: +49 (0)931-98442  
Department responsible for information:  
Application Engineering & Product Management (AEPM)  
Telephone: +49 (0)931-90098-0  
E-mail: technik.wuerzburg@enilive.com

### 1.4 Emergency telephone number

**GIZ-Nord, Göttingen**  
**Telephone: +49 (0)551-19240**

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to EC regulation 1272/2008 (CLP)

Eye Irrit. 2; H319 Causes serious eye irritation.

### 2.2 Label elements

#### Labelling (CLP)



Signal word: **Warning**  
Hazard statements: H319 Causes serious eye irritation.



# Eni aquamet MY BU

Material number 824

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 6.0

Replaces version: 5.4

Language: en-DE

Date of print: 5.4.2024

Page: 2 of 12

### Precautionary statements:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P264	Wash hands and face thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

### 2.3 Other hazards

Special danger of slipping by leaking/spilling product.

#### Endocrine disrupting properties, Results of PBT and vPvB assessment:

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

### 3.2 Mixtures

Chemical characterisation: A mixture of base oils and additives.

#### Hazardous ingredients:

Identifiers	Designation Classification	Content
REACH 01-2119527859-22-xxxx EC No. 271-781-5 CAS 68608-26-4	Sulfonic acids, petroleum, sodium salts Eye Irrit. 2; H319.	1 - 5 %
REACH 01-2119475104-44-xxxx EC No. 203-961-6 CAS 112-34-5	2-(2-Butoxyethoxy)ethanol Eye Irrit. 2; H319.	1 - 5 %
EC No. 222-720-6 CAS 3586-55-8	(Ethylenedioxy)dimethanol Acute Tox. 4; H302. Skin Irrit. 2; H315. Eye Dam. 1; H318.	1 - 3 %
EC No. 259-627-5 CAS 55406-53-6	3-Iodo-2-propynyl butylcarbamate Acute Tox. 4; H302. Acute Tox. 3; H331. Eye Dam. 1; H318. Skin Sens. 1; H317. STOT RE 1; H372. Aquatic Acute 1; H400. Aquatic Chronic 1; H410. M-factors: Aquatic Acute 1: M = 10. Aquatic Chronic 1: M = 1.	< 0,1 %

Full text of H- and EUH-statements: see section 16.

Additional information: The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.



# Eni aquamet MY BU

Material number 824

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 6.0

Replaces version: 5.4

Language: en-DE

Date of print: 5.4.2024

Page: 3 of 12

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General information:	If medical advice is needed, have product container or label at hand. Take off contaminated clothing and wash it before reuse.
In case of inhalation:	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Where appropriate artificial ventilation. Seek medical attention if problems persist.
Following skin contact:	Immediately clean with water and soap followed by thorough rinsing. In case of skin reactions, consult a physician.
After eye contact:	Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Subsequently consult an ophthalmologist.
After swallowing:	Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Seek medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media:

Water spray jet, water mist, foam, extinguishing powder, carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Full water jet

### 5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Nitrogen oxides (NO<sub>x</sub>), carbon monoxide and carbon dioxide, smoke, traces of incompletely burned carbon compounds.

### 5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information:

Do not inhale explosion and combustion gases.

Use fine water spray to cool endangered containers. Move undamaged containers from immediate hazard area if it can be done safely.

Do not allow water used to extinguish fire to enter drains, ground or waterways.

Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.



# Eni aquamet MY BU

Material number 824

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024  
Version: 6.0  
Replaces version: 5.4  
Language: en-DE  
Date of print: 5.4.2024

Page: 4 of 12

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing mist/vapours/spray. Avoid contact with the substance.  
Provide adequate ventilation.  
Keep unprotected people away.  
Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse.

### 6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains. Do not allow to enter into soil/subsoil.  
If necessary notify appropriate authorities.

### 6.3 Methods and material for containment and cleaning up

Make sure spills can be contained, e.g. in sump pallets or kerbed areas. Prevent spread over a wide area (e.g. by containment or oil barriers).  
Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal.  
Never return spills in original containers for re-use.

Additional information: Special danger of slipping by leaking/spilling product.

### 6.4 Reference to other sections

Refer additionally to section 8 and 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Avoid breathing mist/vapours/spray. Avoid contact with the substance. Wear appropriate protective equipment.  
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse.  
When using do not eat, drink or smoke. Wash hands before breaks and after work.  
Have eye wash bottle or eye rinse ready at work place.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed in a cool, well-ventilated place.  
Keep container dry. Keep only in the original container.  
Protect against heat, sun rays and frost.  
Storage temperature: 5 - 40 °C (Shelf life: 12 months)

Hints on joint storage: Do not store together with: strong oxidizing agents.  
Keep away from food, drink and animal feedingstuffs.

Storage class: 10 = Combustible liquids, unless storage class 3

### 7.3 Specific end use(s)

No information available.



# Eni aquamet MY BU

Material number 824

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 6.0

Replaces version: 5.4

Language: en-DE

Date of print: 5.4.2024

Page: 5 of 12

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
112-34-5	2-(2-Butoxyethoxy) ethanol	Europe: IOELV: STEL	101,2 mg/m <sup>3</sup> ; 15 ppm
		Europe: IOELV: TWA	67,5 mg/m <sup>3</sup> ; 10 ppm
		Germany: TRGS 900 Kurzzeit	100,5 mg/m <sup>3</sup> ; 15 ppm (Aerosol and vapour)
3586-55-8	(Ethylenedioxy) dimethanol	Germany: TRGS 900 Langzeit	67 mg/m <sup>3</sup> ; 10 ppm (Aerosol and vapour)
		Germany: DFG Kurzzeit	1,52 mg/m <sup>3</sup> ; 0,3 ppm
55406-53-6	3-Iodo-2-propynyl butylcarbamate	Germany: DFG Langzeit	0,76 mg/m <sup>3</sup> ; 0,15 ppm
		Germany: TRGS 900 Kurzzeit	0,106 mg/m <sup>3</sup> ; 0,01 ppm (Aerosol and vapour)
		Germany: TRGS 900 Langzeit	0,058 mg/m <sup>3</sup> ; 0,005 ppm (Aerosol and vapour)

DNEL/DMEL: Information about 2-(2-Butoxyethoxy)ethanol:  
DNEL workers, inhalative, long-term, local: 67,5 mg/m<sup>3</sup>  
DNEL workers, inhalative, short-term, local: 101,2 mg/m<sup>3</sup>

PNEC: Information about 2-(2-Butoxyethoxy)ethanol:  
PNEC water (freshwater): 1,1 mg/L  
PNEC water (marine water): 0,11 mg/L  
PNEC sediment (freshwater): 4,4 mg/Kg dw  
PNEC sediment (marine water): 0,44 mg/Kg dw  
PNEC soil: 0,32 mg/Kg dw

### 8.2 Exposure controls

Provide for good ventilation or exhaust system or work with completely self-contained equipment.

### Personal protection equipment

#### Occupational exposure controls

Respiratory protection: Respiratory protection must be worn whenever the WEL levels have been exceeded. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.



# Eni aquamet MY BU

Material number 824

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024  
Version: 6.0  
Replaces version: 5.4  
Language: en-DE  
Date of print: 5.4.2024

Page: 6 of 12

Hand protection:	Protective gloves according to DIN EN 374. Permanent contact: Glove material: Nitrile rubber, chloroprene rubber Layer thickness: 0,70 mm Breakthrough time: > 480 min During splash contact: Glove material: Nitrile rubber, chloroprene rubber Layer thickness: 0,40 mm Breakthrough time: > 30 min Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
Eye protection:	Tightly sealed goggles according to DIN EN ISO 16321-1:2022.
Body protection:	Wear suitable protective clothing.
General protection and hygiene measures:	Avoid breathing mist/vapours/spray. Avoid contact with the substance. Take off contaminated clothing and wash it before reuse. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Have eye wash bottle or eye rinse ready at work place.

### Environmental exposure controls

Refer to "6.2 Environmental precautions".

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	liquid
Colour:	brown
Odour:	Characteristic
Odour threshold:	No data available
Melting point/freezing point:	<= -15 °C
Initial boiling point and boiling range:	> 100 °C (1013 hPa)
Flammability:	No data available
Upper/lower flammability or explosive limits:	No data available
Flash point/flash point range:	150 °C (DIN EN ISO 2592)
Auto-ignition temperature:	> 240 °C
Decomposition temperature:	No data available
pH:	at 20 °C, 5%: 9 (DIN 51369)
Viscosity, kinematic:	at 20 °C: approx. 120 mm <sup>2</sup> /s (DIN EN ISO 3104)
Water solubility:	at 20 °C: Miscible
Partition coefficient: n-octanol/water:	Not applicable
Vapour pressure:	No data available
Density:	at 15 °C: 0,95 g/mL (DIN EN ISO 12185)
Vapour density:	No data available
Particle characteristics:	Not applicable

### 9.2 Other information

Explosive properties:	No data available
Oxidizing characteristics:	No data available



# Eni aquamet MY BU

Material number 824

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 6.0

Replaces version: 5.4

Language: en-DE

Date of print: 5.4.2024

Page: 7 of 12

Auto-ignition temperature: No data available

Evaporation rate: No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4 Conditions to avoid

No data available

### 10.5 Incompatible materials

Strong oxidizing agents.

### 10.6 Hazardous decomposition products

No decomposition when used properly.

Thermal decomposition: No data available



# Eni aquamet MY BU

Material number 824

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 6.0

Replaces version: 5.4

Language: en-DE

Date of print: 5.4.2024

Page: 8 of 12

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Lack of data.

Acute toxicity (dermal): Lack of data.

Acute toxicity (inhalative): Lack of data.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Eye Irrit. 2; H319 = Causes serious eye irritation.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

### 11.2 Information on other hazards

Endocrine disrupting properties:

No data available

Other information:

Information about Sulfonic acids, petroleum, sodium salts:

LD50 Rat, oral: > 5.000 mg/kg bw (OECD 401).

LD50 Rabbit, dermal: > 5.000 mg/kg bw (OECD 402).

LC50 Rat, inhalative: > 1,9 mg/L/4h (OECD 403).

Information about 2-(2-Butoxyethoxy)ethanol:

LD50 Mouse, oral: 2.410 mg/kg bw (OECD 401).

LD50 Rabbit, dermal: 2.764 mg/kg bw (OECD 402).

LC50 Rat, inhalative: > 29 ppm Aerosol:3 mg/L/2h, (OECD 403).

### Symptoms

After eye contact: Upon direct contact with eyes may cause burning, tearing, redness.



# Eni aquamet MY BU

Material number 824

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 6.0

Replaces version: 5.4

Language: en-DE

Date of print: 5.4.2024

Page: 9 of 12

## SECTION 12: Ecological information

### 12.1 Toxicity

Aquatic toxicity:	Information about Sulfonic acids, petroleum, sodium salts: Fish toxicity: LC50 marine water fish: > 10.000 mg/L LC50 freshwater fish: > 1.000 mg/L. Daphnia toxicity: EC50 Daphnia: > 1.000 mg/L. Algae toxicity: EC50 algae: > 1.000 mg/L. Information about 2-(2-Butoxyethoxy)ethanol: Fish toxicity: LC50 marine water fish: > 2.000 mg/L LC50 freshwater fish: > 1.300 mg/L. Daphnia toxicity: EC50 Daphnia magna (Big water flea): > 1.101 mg/L/48h. Algae toxicity: EC50 algae: 1.101 mg/L.
Water Hazard Class:	2 = obviously hazardous to water (Self-classification (mixture).)
Further details:	Not readily biodegradable (according to OECD criteria) Evidence for inherent biodegradability. (applies only to main component)

### 12.2 Persistence and degradability

Further details:	Poorly eliminated from water.
------------------	-------------------------------

### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:	No indication of bioaccumulation potential. Not applicable
---	---

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

The product does not contain any substances classified as PBT or vPvB.

### 12.6 Endocrine disrupting properties

None

### 12.7 Other adverse effects

General information:	Do not allow to enter into ground-water, surface water or drains.
----------------------	---



# Eni aquamet MY BU

Material number 824

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024  
Version: 6.0  
Replaces version: 5.4  
Language: en-DE  
Date of print: 5.4.2024

Page: 10 of 12

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste key number: 12 01 07\* = Mineral-based machining oils free of halogens (except emulsions and solutions)

\* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.  
Do not dispose of with household waste.

#### Package

Recommendation: Dispose of waste according to applicable legislation.  
Handle contaminated packages in the same way as the substance itself.  
Empty containers may contain flammable product residues. Do not cut, weld, bore, burn or incinerate emptied containers unless they have been cleaned and declared safe.  
Empty containers should be disposed of in accordance with local regulations.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR/RID, ADN, IMDG, IATA-DGR:  
not applicable

### 14.2 UN proper shipping name

ADR/RID, ADN, IMDG, IATA-DGR:  
Not restricted

### 14.3 Transport hazard class(es)

ADR/RID, ADN, IMDG, IATA-DGR:  
not applicable

### 14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:  
not applicable

### 14.5 Environmental hazards

Dangerous for the environment:  
Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG: no

### 14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

No data available

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### National regulations - Germany

Storage class: 10 = Combustible liquids, unless storage class 3

Water Hazard Class: 2 = obviously hazardous to water (Self-classification (mixture).)

Technical guidance air: 5.2.5

Information on working limitations:

Observe employment restrictions for young people.

Further regulations, limitations and legal requirements:

The product is not subject to the Chemicals Prohibition Ordinance (ChemVerbotsV).

##### National regulations - EC member states

Volatile organic compounds (VOC):

5,31 % by weight

##### Labelling of packaging with <= 125mL content



Signal word:

**Warning**

Hazard statements:

not applicable

Precautionary statements:

P101

If medical advice is needed, have product container or label at hand.

P102

Keep out of reach of children.

Further regulations, limitations and legal requirements:

Use restriction according to REACH annex XVII, no.: 3, 55, 75.

#### 15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

### SECTION 16: Other information

Wording of the H-phrases under paragraph 2 and 3:

H302 = Harmful if swallowed.

H315 = Causes skin irritation.

H317 = May cause an allergic skin reaction.

H318 = Causes serious eye damage.

H319 = Causes serious eye irritation.

H331 = Toxic if inhaled.

H372 = Causes damage to organs through prolonged or repeated exposure.

H400 = Very toxic to aquatic life.

H410 = Very toxic to aquatic life with long lasting effects.

Reason of change:

Changes in section 1: Details of the supplier of the safety data sheet  
General revision

Date of first version:

25.3.2022

Department issuing data sheet:

see section 1: Department responsible for information



# Eni aquamet MY BU

Material number 824

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 6.0

Replaces version: 5.4

Language: en-DE

Date of print: 5.4.2024

Page: 12 of 12

### Abbreviations and acronyms:

Acute Tox.: Acute toxicity  
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road  
Aquatic Acute: Hazardous to the aquatic environment - acute  
Aquatic Chronic: Hazardous to the aquatic environment - chronic  
AS/NZS: Australian Standards/New Zealand Standards  
CAS: Chemical Abstracts Service  
CFR: Code of Federal Regulations  
CLP: Classification, Labelling and Packaging  
DMEL: Derived minimal effect level  
DNEL: Derived no-effect level  
EC: European Community  
EC50: Effective Concentration 50%  
EN: European Standard  
EQ: Excepted quantities  
EU: European Union  
Eye Dam.: Eye damage  
Eye Irrit.: Eye irritation  
IATA: International Air Transport Association  
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations  
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IMDG Code: International Maritime Dangerous Goods Code  
LC50: Median lethal concentration  
LD50: Lethal dose 50%  
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships  
M-factor: Multiplication factor  
OECD: Organisation for Economic Co-operation and Development  
OEL: Occupational Exposure Limit Value  
OSHA: Occupational Safety and Health Administration  
PBT: Persistent, bioaccumulative and toxic  
PNEC: Predicted no-effect concentration  
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals  
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail  
Skin Irrit.: Skin irritation  
Skin Sens.: Skin sensitisation  
STOT RE: Specific target organ toxicity - repeated exposure  
TLV: Threshold Limit Value  
TRGS: Technical Rules for Hazardous Substances  
vPvB: Very persistent and very bioaccumulative  
WEL: Workplace Exposure Limit

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at:  
<http://sumdat.net/zi8pzfhf>

