

Trade name : Revision date : Print date : eni aquamet AY ABF-FAD, Art.-no. 0430 01.04.2015 10.09.2015

ersion (Revision) :	
---------------------	--

ν

3.0.0 (1.0.0)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier eni aquamet AY ABF-FAD, Art.-no. 0430 Pelevant identified uses of the substance or mixt

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

Metal working fluids

Uses advised against No information available.

1.3 Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/downstream user/distributor) Eni Schmiertechnik GmbH

Street : Postal code/city : Telephone : Telefax : Information contact : email:

Paradiesstraße 14 97080 Würzburg (+49) 931-90098-0 (+49) 931-98442 Technical Department, Tel. (+49) 931 900 98-142 technik.wuerzburg@agip.de, www.enischmiertechnik-datenblaetter.de

1.4 Emergency Telephone Number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Irrit. 2 ; H319 - Serious eye damage/eye irritation : Category 2A ; Causes serious eye irritation.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms



Exclamation mark (GHS07) Signal word Warning Hazard statements H319 Causes serious eye irritation. Precautionary statements P264 Wash hands thoroughly after

 P264
 Wash hands thoroughly after handling.

 P280
 Wear protective gloves/protective clothing/eye protection/face protection.

 P237: P242
 If any invitation provides Cohene disclosed a drive (attention)

P337+P313If eye irritation persists: Get medical advice/attention.P305+P351+P338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present
and easy to do. Continue rinsing.

Special rules for supplemental label elements for certain mixtures

EUH208 Contains OCTHILINONE (ISO).May produce an allergic reaction.

Page : 1 / 10



Trade name : Revision date : Print date : eni aquamet AY ABF-FAD, Art.-no. 0430 01.04.2015 10.09.2015

Version (Revision) :

3.0.0 (1.0.0)

2.3 Other hazards

None

SECTION 3: Composition / information on ingredients

3.2 Mixtures

Description

Preparation of solvent refined mineral oils with low content of aromatic hydrocarbons and additives.

Hazardous ingredients

2-PHENOXYETHANOL ; REACH registration No. : 01-2119488943-21-0000 ; EC No. : 204-589-7; CAS No. : 122-99-6

 Weight fraction :
 10 - 15 %

 Classification 1272/2008 [CLP] :
 Acute Tox. 4 ; H302 Eye Irrit. 2 ; H319

Amidpolyglycolether ; CAS No. : 85536-23-8

Weight fraction : 1 - 5 %

Classification 1272/2008 [CLP] : Skin Irrit. 2 ; H315 Eye Irrit. 2 ; H319

OCTHILINONE (ISO) ; EC No. : 247-761-7; CAS No. : 26530-20-1

Weight fraction : 0,005 - 0,05 %

Classification 1272/2008 [CLP] : Acute Tox. 2 ; H330 Skin Corr. 1B ; H314 Eye Dam. 1 ; H318 Acute Tox. 4 ; H302 Skin Sens. 1 ; H317 Aquatic Acute 1 ; H400 Aquatic Chronic 1 ; H410

Further ingredients

The highly refined mineral oil contains less than 3% (w/w) DMSO-extract, according to IP 346 and is not considered to be carcinogenic.

Additional information

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice. If unconscious place in recovery position and seek medical advice.

In case of inhalation

Remove victim out of the danger area. Remove casualty to fresh air and keep warm and at rest. Where appropriate artificial ventilation. In case of respiratory tract irritation, consult a physician.

In case of skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

After eye contact

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

After ingestion

Call a physician immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person or a person with cramps. Do NOT induce vomiting.

Self-protection of the first aider

No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed No information available.

4.3 Indication of any immediate medical attention and special treatment needed First Aid, decontamination, treatment of symptoms.



Trade name : Revision date : Print date : eni aquamet AY ABF-FAD, Art.-no. 0430 01.04.2015 10.09.2015

Version (Revision) :

3.0.0 (1.0.0)

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam, Extinguishing powder, Carbon dioxide (CO2), Water spray jet, Water mist,

Unsuitable extinguishing media

Strong water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

In case of fire may be liberated: Carbon dioxide (CO2), Carbon monoxide, Nitrogen oxides (NOx), Smoke and other incomplete combustion products.

5.3 Advice for firefighters

Keep unnecessary and unprotected personnel from entering. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4 Additional information

Do not inhale explosion and combustion gases. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protection equipment. Remove persons to safety. Avoid contact with skin, eyes and clothes. Provide adequate ventilation. Wear breathing apparatus if exposed to vapours/aerosols. Remove all sources of ignition.

6.2 Environmental precautions

Cover drains. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Make sure spills can be contained, e.g. in sump pallets or kerbed areas.

In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

For containment

Cover drains. Stop and contain spill/release if it can be done safely. Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Clear spills immediately. Wipe up with absorbent material (eg. cloth, fleece). Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Take up mechanically, placing in appropriate containers for disposal. Ventilate affected area. Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4 Reference to other sections

See Section 8 for information on appropriate personal protective equipment. See Section 12 for environmental precautions. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Wear personal protection equipment (see chapter 8). Use only in well-ventilated areas. Open and handle container with care. Always close containers tightly after the removal of product. Avoid contact with skin, eyes and clothes. Do not



Trade name : Revision date : Print date : eni aquamet AY ABF-FAD, Art.-no. 0430 01.04.2015 10.09.2015

Version (Revision) :

3.0.0 (1.0.0)

breathe vapour/spray. Keep away from sources of ignition. - No smoking.

Protective measures

Measures to prevent fire

Usual measures for fire prevention.

Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Shafts and sewers must be protected from entry of the product.

Advices on general occupational hygiene

When using do not eat, drink, smoke. Wash hands before breaks and after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Use protective skin cream before handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Packaging materials

Only use containers specifically approved for the substance/product.

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Protect containers against damage. Floors should be impervious, resistant to liquids and easy to clean.

Hints on joint storage

Keep away from: Oxidising agent Storage class: 10 Storage class (TRGS 510): 10 Do not store together with Food and feedingstuffs

Further information on storage conditions

Recommended storage temperature : 5 - 40°C / 40 - 105°F. Protect against : Heat, UV-radiation/sunlight, Frost,

7.3 Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Limit value type :

Exposure route :

Occupational exposure limit values

2-PHENOXYETHANOL ; CAS No. : 122-99-6 Limit value type (country of origin) : TRGS 900 (D) 20 ppm / 110 mg/m³ Limit value : Peak limitation : 2(I) Remark : H. Y Version: 01.09.2012 OCTHILINONE (ISO) ; CAS No. : 26530-20-1 Limit value type (country of origin) : TRGS 900 (D) Parameter : E: inhalable fraction 0,05 mg/m³ Limit value : 2(I) Peak limitation : Remark : H,Y 01.09.2012 Version: **DNEL/DMEL and PNEC values** DNEL/DMEL

DNEL/DMEL (Worker, Systemic) (2-PHENOXYETHANOL ; CAS No. : 122-99-6) Dermal



Trade name :	eni aquamet AY ABF-FAD, Artno. 0430		
Revision date :	01.04.2015	Version (Revision) :	3.0.0 (1.0.0)
Print date :	10.09.2015		

Exposure frequency : Limit value :	Long-term (repeated) 34,72 mg/kg
Limit value type :	DNEL/DMEL (Worker, Systemic) (2-PHENOXYETHANOL ; CAS No. : 122-99-6)
Exposure route :	Inhalation
Exposure frequency :	Long-term (repeated)
Limit value :	8,07 mg/m ³

Remark

The DNEL may differ from an Occupational Exposure Limit (OEL) for the same chemical. OELs are considered to be safe exposure levels for a typical worker in an occupational setting for an 8-hour work shift, 40 hour work week, as a time weighted average (TWA) or a 15 minute short-term exposure limit (STEL). The Derived No Effect Level (DNEL) is an estimated safe level of exposure that is derived from toxicity data in accord with specific guidance within the European REACH regulation.

PNEC

Limit value type :	PNEC aquatic, freshwater (2-PHENOXYETHANOL ; CAS No. : 122-99-6)
Limit value :	0,943 mg/l
Limit value type :	PNEC aquatic, marine water (2-PHENOXYETHANOL ; CAS No. : 122-99-6)
Limit value :	0,0943 mg/l
Limit value type :	PNEC sediment, freshwater (2-PHENOXYETHANOL ; CAS No. : 122-99-6)
Limit value :	7,2366 mg/kg
Limit value type :	PNEC sewage treatment plant (STP) (2-PHENOXYETHANOL ; CAS No. : 122-99-6)
Limit value :	24,8 mg/l

8.2 Exposure controls

Appropriate engineering controls

Use only in well-ventilated areas. If handled uncovered, arrangements with local exhaust ventilation should be used if possible. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means. Technical measures and the application of suitable work processes have priority over personal protection equipment.

Personal protection equipment

Personal protective equipment selections vary based on potential exposure conditions such as applications, handling practices, concentration and ventilation. Information on the selection of protective equipment for use with this material, as provided below, is based upon intended, normal usage.

Eye/face protection

Eye glasses with side protection (DIN EN 166)

Skin protection

Hand protection

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Tested protective gloves must be worn: DIN EN 374

Suitable material :

Wearing time with permanent contact: Material: NBR (Nitrile rubber), CR (polychloroprene, chloroprene rubber), Thickness of the glove material: 0,70 mm

Breakthrough time (maximum wearing time): > 480 min

Wearing time with occasional contact (splashes):

Material: NBR (Nitrile rubber), CR (polychloroprene, chloroprene rubber),

Thickness of the glove material: 0,40 mm

Breakthrough time (maximum wearing time): > 30 min

Unsuitable material : PVA (Polyvinyl alcohol),

Breakthrough time (maximum wearing time): : For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Check leak tightness/impermeability prior to use.

Body protection

If prolonged or repeated contact is likely, chemical, and oil resistant clothing is recommended. **Additional body protection measures** : When handling product in drums, safety footwear should be worn and



Trade name : Revision date : Print date : eni aquamet AY ABF-FAD, Art.-no. 0430 01.04.2015 10.09.2015

Version (Revision) :

3.0.0 (1.0.0)

proper handling equipment should be used.

Respiratory protection

Usually no personal respirative protection necessary. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Respiratory protection necessary at: exceeding exposure limit values insufficient ventilation aerosol or mist formation. **General health and safety measures**

General nearch and safety measures

When using do not eat, drink, smoke. Wash hands before breaks and after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Wash contaminated clothing prior to re-use. Apply skin care products after work.

Environmental exposure controls

Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid Colour : yellow

Colour: yellow Odour: characteristic

Safety relevant basis data

-					
pH value :	(20 °C / 5 Wt %)		9,1		DIN 51369
Melting point/melting range :			not determined		
Boiling temperature :	(1013 hPa)	>	100	°C	
Flash point :		>	160	°C	DIN EN ISO 2592
Flammability (Solid, Gas):			not applicable		
Lower explosion limit :			0,6	Vol-%	
Upper explosion limit :			6,5	Vol-%	
Vapour pressure :	(20 °C)		No data available		
Density :	(15 °C)		0,993	g/cm ³	DIN EN ISO 12185
Water solubility :	(20 °C)		miscible		
Partition Coefficient (n- octanol/water):	(log Pow)		not applicable		
Cinematic viscosity :	(20 °C)	ca.	105	mm²/s	DIN EN ISO 3104
Ignition temperature :		>	240	°C	
Decomposition temperature :			No data available		
Odour threshold :			No data available		
Relative vapour density :	(20 °C)		No data available		
Oxidizing Properties:			not oxidising		
Evaporation rate :			No data available		
Vapourisation rate :			No data available		
Explosive Properties:			not explosive		
Maximum VOC content (EC) :			0	Wt %	
Maximum VOC content (Switzerland) :			0	Wt %	
Other information					

None

9.2

SECTION 10: Stability and reactivity

10.1 Reactivity

No information available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (see section 7).

Page : 6 / 10



Trade name : Revision date : Print date : eni aquamet AY ABF-FAD, Art.-no. 0430 01.04.2015 10.09.2015

Version (Revision) :

3.0.0 (1.0.0)

10.3 Possibility of hazardous reactions No information available.

10.4 Conditions to avoid No information available.

10.5 Incompatible materials

Oxidising agent, strong.

10.6 Hazardous decomposition products

Hazardous decomposition products are not expected to form during normal storage.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Toxicological data are not available. The statement is derived from the properties of the single components.

Acute effects

No data available to indicate product may be an acute toxic oral, dermal or inhalation hazard.

Irritant and corrosive effects

Primary irritation to the skin

Not an irritant.

Irritation to eyes

Irritating to eyes.

Sensitisation

Contains components in low concentrations (< 1%) that present a skin-sensitizing potential.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity

no known significant effects or critical hazards.

Germ cell mutagenicity/Genotoxicity

no known significant effects or critical hazards.

Reproductive toxicity

no known significant effects or critical hazards.

Specific target organ toxicity (single exposure)

STOT SE 1 and 2

Not expected to cause organ damage from a single exposure.

Specific target organ toxicity (repeated exposure)

STOT RE 1 and 2

Not expected to cause organ damage from prolonged or repeated exposure.

Aspiration hazard

Based on the available data the classification criteria for aspiration toxicity are not met. For viscosity data, see chapter 9

11.3 Other adverse effects

Processing vapours can irritate the respiratory tracts, skin and eyes.

SECTION 12: Ecological information

12.1 Toxicity

For the product ecotoxicological data are not available. The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see chapter 3).

Aquatic toxicity

Harmless to aquatic organisms up to the tested concentration



Trade name : Revision date : Print date : eni aquamet AY ABF-FAD, Art.-no. 0430 01.04.2015 10.09.2015

Version (Revision) :

3.0.0 (1.0.0)

12.2 Persistence and degradability

Abiotic degradation

Physicochemical elimination

Poorly eliminated from water.

Biodegradation

Not readily biodegradable (according to OECD criteria). Applys to the main component: Evidence for inherent biodegradability.

12.3 Bioaccumulative potential

Contains components with the potential to bioaccumulate.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

The substance does not fulfill the screening criteria for persistence, bioaccumulation and toxicity and hence is not considered to be PBT or vPvB.

12.6 Other adverse effects

No information available.

12.7 Further ecological information

Do not allow uncontrolled discharge of product into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Waste code product

12 01 07*

However, deviation from the intended use and/or the presence of any potential contaminants may require an alternative waste disposal code to be assigned by the end user. (**Waste key of the emulsion:** 12 01 09*)

Waste name

Mineral-based machining oils free of halogens (except emulsions and solutions).

Waste treatment options

Appropriate disposal / Product

Consult the appropriate local waste disposal expert about waste disposal. Dispose according to legislation.

Appropriate disposal / Package

Non-contaminated packages may be recycled. Packing which cannot be properly cleaned must be disposed of. Dispose of waste according to applicable legislation.

Other disposal recommendations

Containers, even those that have been emptied, can contain product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, drill, grind, weld or perform similar operations on or near containers.

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number

No dangerous goods in sense of this transport regulation.

14.2 UN proper shipping name

No dangerous goods in sense of this transport regulation.



Trade name : Revision date : Print date : eni aquamet AY ABF-FAD, Art.-no. 0430 01.04.2015 10.09.2015

Version (Revision) :

3.0.0 (1.0.0)

14.3 Transport hazard class(es)

No dangerous goods in sense of this transport regulation.

14.4 Packing group

No dangerous goods in sense of this transport regulation.

14.5 Environmental hazards

No dangerous goods in sense of this transport regulation.

14.6 Special precautions for user

None

SECTION 15: Regulatory information

^{15.1} Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Technische Anleitung Luft (TA-Luft)

Weight fraction (Number 5.2.5. I) : < 5 %

Water hazard class (WGK)

Class: 1 (Slightly hazardous to water) Classification according to VwVwS

15.2 Chemical Safety Assessment

No information available.

SECTION 16: Other information

16.1 Indication of changes

None

H301

16.2 Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations

Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

GHS: Globally Harmonized System on the Classification and Labelling of Chemicals

CLP: Regulation on Classification, Labelling and Packaging of Substances and Mixtures,

- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent

EC50: Effective concentration, 50 percent

DNEL: Derived No Effect Level

PNEC: Predicted No Effect Concentration

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

16.3 Key literature references and sources for data

Sources of information used in preparing this SDS included one or more of the following: Product Dossiers and SDS from suppliers, complemented by public sources, as appropriate (GESTIS, the EU IUCLID Data Base, U.S. NTP publications, e.g.).

16.4 Relevant H- and EUH-phrases (Number and full text)

Toxic if swallowed.



Trade name : Revision date : Print date :	eni aquamet AY ABF-FAD, Artno. 0430 01.04.2015 10.09.2015	Version (Revision) :	3.0.0 (1.0.0)
H302	Harmful if swallowed.		
H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H331	Toxic if inhaled.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effect	s.	
16.5 Training adv	vice		
Provide adequa	te information, instruction and training for operators.		

16.6 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.