

Material number 862

 Revision date:
 20.3.2024

 Version:
 5.0

 Replaces version:
 4.1

 Language:
 en-DE

 Date of print:
 5.4.2024

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Eni metalClean A 310

UFI: WS30-F062-400N-XMSR

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Metalworking fluid

1.3 Details of the supplier of the safety data sheet

Company name: Enilive Schmiertechnik GmbH

Street/POB-No.: Paradiesstraße 14
Postal Code, city: 97080 Würzburg

Germany

E-mail: info.wuerzburg@enilive.com

Telephone: +49 (0)931-90098-0 Telefax: +49 (0)931-98442

Department responsible for information:

Application Engineering & Product Management (AEPM)

Telephone: +49 (0)931-90098-0 E-mail: technik.wuerzburg@enilive.com

1.4 Emergency telephone number

GIZ-Nord, Göttingen

Telephone: +49 (0)551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Asp. Tox. 1; H304 May be fatal if swallowed and enters airways.

(EUH066) Repeated exposure may cause skin dryness or cracking.

2.2 Label elements

Labelling (CLP)



Signal word: Danger

Hazard statements: H304 May be fatal if swallowed and enters airways.

EUH066 Repeated exposure may cause skin dryness or cracking.



Material number 862

Revision date: 20.3.2024
Version: 5.0
Replaces version: 4.1
Language: en-DE
Date of print: 5.4.2024

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU)

Page: 2 of 10

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container to hazardous or special waste collection point.

Special labelling

Text for labelling: Hydrocarbons, C11-C13, isoalkanes, aromatic contents: < 2%

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

No data available

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: A mixture of base oils and additives.

Hazardous ingredients:

Identifiers	Designation Classification	Content
REACH 01-2119456810-40-xxxx list no. 920-901-0	Hydrocarbons, C11-C13, isoalkanes, aromatic contents: < 2%	90 - 100 %
	Asp. Tox. 1; H304. (EUH066).	

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: In all cases of doubt, or when symptoms persist, seek medical advice. If medical advice

is needed, have product container or label at hand. Take off contaminated clothing and

wash it before reuse.

In case of inhalation: Remove casualty to fresh air and keep warm and at rest. Where appropriate artificial

ventilation. In case of respiratory tract irritation, consult a physician.

Following skin contact: Immediately clean with water and soap followed by thorough rinsing. In case of skin

reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids

apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye

irritation consult an ophthalmologist.

After swallowing: Do NOT induce vomiting. Rinse mouth with water. Never give anything by mouth to an

unconscious person. Where appropriate artificial ventilation. Seek medical attention.

Observe risk of aspiration if vomiting occurs.



Material number 862

Revision date: 20.3.2024
Version: 5.0
Replaces version: 4.1
Language: en-DE
Date of print: 5.4.2024

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 3 of 10

4.2 Most important symptoms and effects, both acute and delayed

The following symptoms may occur: Cough, respiratory complaints, shortage of breath, fever, vomiting, pneumonia.

Symptoms can occur only after several hours.

May be fatal if swallowed and enters airways.

4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Water spray jet, water mist, extinguishing powder, foam and Carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Full water jet

5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Smoke, Nitrogen oxides (NOx), traces of incompletely burned carbon compounds, Carbon dioxide, Carbon monoxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information:

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. Cool endangered containers with water jetspray.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear appropriate protective equipment. Provide adequate ventilation. Use a breathing protection against vapours/aerosol. Avoid contact with skin, eyes and clothes.

Vapours can form explosive mixtures with air. Remove all sources of ignition. Keep unprotected people away.

Stop leak if safe to do so.

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains. If necessary notify appropriate authorities.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal. Ventilate affected area. Clean contaminated objects and areas thoroughly observing environmental regulations.

Additional information: Special danger of slipping by leaking/spilling product.



Material number 862

Revision date: 20.3.2024
Version: 5.0
Replaces version: 4.1
Language: en-DE
Date of print: 5.4.2024

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 4 of 10

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed.

Provide earthing of containers, equipment, pumps and ventilation facilities.

Put lids on containers immediately after use. Wear appropriate protective equipment.

Avoid breathing mist/vapours/spray.

Do not eat, drink or smoke when using this product. Wash hands thoroughly after

handling. Take off contaminated clothing and wash it before reuse.

Have eye wash bottle or eye rinse ready at work place.

Use only antistatically equipped (spark-free) tools.

Precautions against fire and explosion:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. The vapour is heavier than air and may travel along the ground; distant ignition possible.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Store container tightly closed in a dry and cool place. Keep only in the original container.

Use closed tanks/containers made of steel or stainless steel. Unsuitable

container/equipment material: natural rubber, Nitrile rubber, Butyl caoutchouc (butyl rubber).

Protect from frost, heat and sunlight. Protect from humidity and water.

storage temperature: 5 - 40 °C

storage stability: Average shelf life of 24 months.

Hints on joint storage: Do not store together with: strong oxidizing agents.

Keep away from food, drink and animal feedingstuffs.

Storage class: 10 = Combustible liquids, unless storage class 3

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
-	Hydrocarbons, C11-C13, isoalkanes, aromatic contents: < 2%	Germany: TRGS 900 Kurzzeit	600 mg/m³ (hydrocarbons, aliphatic, C9-C14)
		Germany: TRGS 900 Langzeit	300 mg/m³ (hydrocarbons, aliphatic, C9-C14)



Material number 862

Revision date: 20.3.2024
Version: 5.0
Replaces version: 4.1
Language: en-DE
Date of print: 5.4.2024

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU)

Page: 5 of 10

8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

Personal protection equipment

Occupational exposure controls

Respiratory protection: Respiratory protection must be worn whenever the WEL levels have been exceeded. Use

filter type A/P2 according to EN 14387.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.

Hand protection: Protective gloves according to DIN EN 374.

Glove material: NBR nitrile rubber, CR (polychloroprene, chloroprene rubber), PVA

(Polyvinyl alcohol)

Layer thickness: >= 0,70 mm; Breakthrough time: >480 min

During splash contact: Glove material: NBR nitrile rubber, CR (polychloroprene,

chloroprene rubber), PVA polyvinyl alcohol,

Layer thickness: >= 0,40 mm; Breakthrough time: > 30 min.

Observe glove manufacturer's instructions concerning penetrability and breakthrough time. Observe glove manufacturer's instructions concerning penetrability and breakthrough

tıme.

Eye protection: Tightly sealed goggles according to DIN EN ISO 16321-1:2022.

Body protection: Wear suitable protective clothing.

General protection and hygiene measures:

Avoid breathing mist/vapours/spray. Do not get in eyes, on skin, or on clothing.

Take off contaminated clothing and wash it before reuse.

Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Have eye wash bottle or eye rinse ready at work place.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa liquid
Colour: light brown
Odour: characteristic
Odour threshold: No data available
Melting point/freezing point: No data available

Initial boiling point and boiling range: > 190 °C

Flammability: No data available

Upper/lower flammability or explosive limits: LEL (Lower Explosion Limit): 0,60 Vol-%

UEL (Upper Explosive Limit): 7,00 Vol-%

Flash point/flash point range: > 61 °C (DIN EN ISO 2592)

Decomposition temperature: No data available pH: No data available

Viscosity, kinematic: at 40 °C: ca. 1,3 mm²/s (DIN EN ISO 3104)

Water solubility: at 20 °C: practically insoluble



Material number 862

Revision date: 20.3.2024 Version: Replaces version: 4.1 en-DE Language: Date of print: 5.4.2024

6 of 10

Page:

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU)

2020/878

Partition coefficient: n-octanol/water: No data available at 20 °C: 0,4 hPa Vapour pressure:

Density: at 15 °C: 0,772 g/mL (DIN EN ISO 12185)

Vapour density: No data available Particle characteristics: Not applicable

9.2 Other information

Explosive properties: Not explosive Oxidizing characteristics: Not oxidising.

> 200 °C Auto-ignition temperature:

Evaporation rate: No data available Additional information: Pour point: < -20 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Protect from frost, heat and sunlight. Keep away from heat sources, sparks and open

Protect from humidity and water.

10.5 Incompatible materials

Strong oxidizing agents.

10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are

observed.

No data available Thermal decomposition:



Material number 862

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 5.0
Replaces version: 4.1
Language: en-DE
Date of print: 5.4.2024

Page: 7 of 10

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects:

The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Asp. Tox. 1; H304 = May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties:

No data available

Other information: Information about Hydrocarbons, C11-C13, isoalkanes, aromatic contents: < 2%:

LD50 Rat, oral: > 5.000 mg/kg (OECD 401) LD50 Rat, dermal: > 5.000 mg/kg (OECD 402) LC50 Rat, inhalative: > 5 mg/L/4h (OECD 403)

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Information about Hydrocarbons, C11-C13, isoalkanes, aromatic contents: < 2%:

Fish toxicity: Oncorhynchus mykiss

LC0: > 1.000 mg/L/96h

Daphnia toxicity: Daphnia magna (Big water flea)

EC0: > 1.000 mg/L/48h

Algae toxicity: Pseudokirchneriella subcapitata (green algae)

EC0: > 1.000 mg/L/72h

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)



Material number 862

Revision date: 20.3.2024
Version: 5.0
Replaces version: 4.1
Language: en-DE
Date of print: 5.4.2024

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU)

Page: 8 of 10

12.2 Persistence and degradability

Further details: readily biodegradable (according to OECD criteria)

Effects in sewage plants: Due to its low solubility in water the product is almost completely mechanically separated

in biological sewage plants.

12.3 Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient: n-octanol/water:

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

General information: Damage can be caused through mechanical influence of the product (eg. sticking).

Do not allow uncontrolled discharge of product into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 12 01 07* = mineral-based machining oils free of halogens (except emulsions and

solutions)

* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.

Package

Recommendation: Dispose of waste according to applicable legislation. Handle contaminated packages in

the same way as the substance itself. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.2 UN proper shipping name

ADR/RID, ADN, IMDG, IATA-DGR:

Not restricted



Material number 862

Revision date: 20.3.2024
Version: 5.0
Replaces version: 4.1
Language: en-DE
Date of print: 5.4.2024

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU)

Page: 9 of 10

14.3 Transport hazard class(es)

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.5 Environmental hazards

Dangerous for the environment:

Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG: no

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Germany

Storage class: 10 = Combustible liquids, unless storage class 3

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)

Technical guidance air: 5.2.5. Information on working limitations:

Observe employment restrictions for young people.

Further regulations, limitations and legal requirements:

The product is not subject to the Chemicals Prohibition Ordinance (ChemVerbotsV).

National regulations - EC member states

Volatile organic compounds (VOC):

0 % by weight

Further regulations, limitations and legal requirements:

Use restriction according to REACH annex XVII, no.: 3

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

printed by Eni Schmiertechnik GmbH

with Qualisys SUMDAT



Material number 862

Revision date: 20.3.2024
Version: 5.0
Replaces version: 4.1
Language: en-DE
Date of print: 5.4.2024

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU)

Page: 10 of 10

SECTION 16: Other information

Wording of the H-phrases under paragraph 2 and 3:

H227 = Combustible liquid.

H304 = May be fatal if swallowed and enters airways.

EUH066 = Repeated exposure may cause skin dryness or cracking.

Reason of change: Changes in section 1: Details of the supplier of the safety data sheet

General revision

Date of first version: 1.4.2022

Department issuing data sheet:

see section 1: Department responsible for information

Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

AS/NZS: Australian Standards/New Zealand Standards

Asp. Tox.: Aspiration toxicity CAS: Chemical Abstracts Service

CFR: Code of Federal Regulations CLP: Classification, Labelling and Packaging

DMEL: Derived minimal effect level

EC: Effective Concentration EC: European Community EN: European Standard EQ: Excepted quantities

EU: European Union

IATA: International Air Transport Association

IATA-DGR: International Air Transport Association – Dangerous Goods Regulations

 ${\tt IBC\ Code: International\ Code\ for\ the\ Construction\ and\ Equipment\ of\ Ships\ carrying\ Dangerous\ Chemicals\ in\ Bulk}$

IMDG Code: International Maritime Dangerous Goods Code

LC0: Lethal concentration 0% LC50: Median lethal concentration

LD50: Lethal dose 50% LEL: Lower Explosion Limit

MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships

OECD: Organisation for Economic Co-operation and Development

OEL: Occupational Exposure Limit Value

OSHA: Occupational Safety and Health Administration

PBT: Persistent, bioaccumulative and toxic PNEC: Predicted no-effect concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail

TLV: Threshold Limit Value

TRGS: Technical Rules for Hazardous Substances vPvB: Very persistent and very bioaccumulative

WEL: Workplace Exposure Limit

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at: http://sumdat.net/64hzrfr4

