

Material number 685

### Safety Data Sheet

Revision date: 2	20.3.2024
Version:	5.0
Replaces version:	4.0
Language:	en-DE
Date of print:	5.4.2024

Page:

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

1 of 10

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name: Eni PRECIS HLP 10

UFI: FNYH-R5G8-C00M-WJ1E

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Hydraulic oil.

#### 1.3 Details of the supplier of the safety data sheet

Company name:	Enilive Schmiertechnik GmbH	
Street/POB-No.:	Paradiesstraße 14	
Postal Code, city:	97080 Würzburg	
	Germany	
E-mail:	info.wuerzburg@enilive.com	
Telephone:	+49 (0)931-90098-0	
Telefax:	+49 (0)931-98442	
Department responsible for information:		
	Application Engineering & Product Management (AEPM)	
	Telephone: +49 (0)931-90098-0	

E-mail: technik.wuerzburg@enilive.com

#### 1.4 Emergency telephone number

GIZ-Nord, Göttingen Telephone: +49 (0)551-19240

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Asp. Tox. 1; H304 May be fatal if swallowed and enters airways.

#### 2.2 Label elements

Labelling (CLP)



Hazard statements:

Signal word:

Н304

May be fatal if swallowed and enters airways.



Material number 685

#### Safety Data Sheet

Revision date:	20.3.2024
Version:	5.0
Replaces version	n: 4.0
Language:	en-DE
Date of print:	5.4.2024

Page:

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

2 of 10

Precautionary statements:		
	P101	If medical advice is needed, have product container or label at hand.
	P102	Keep out of reach of children.
	P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
	P331	Do NOT induce vomiting.
	P405	Store locked up.
	P501	Dispose of contents/container to hazardous or special waste collection point.
Special labelling		
Text for labelling:	Contains:	

Text for labelling:

Distillates (petroleum), hydrotreated light paraffinic Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified

#### 2.3 Other hazards

Special danger of slipping by leaking/spilling product. Formation of an oil film on water impairs the oxygen exchange and may cause significant adverse effects in the aquatic environment.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% (w/w) or higher. The product does not contain any substances classified as PBT or vPvB.

### **SECTION 3: Composition/information on ingredients**

3.1 Substances: not applicable

#### 3.2 Mixtures

Chemical characterisation: A mixture of mineral oil and additive.

Hazardous ingredients:

Identifiers	Designation Classification	Content
REACH 01-2119487077-29-xxxx EC No. 265-158-7 CAS 64742-55-8	Distillates (petroleum), hydrotreated light paraffinic Asp. Tox. 1; H304.	35 - 40 %
REACH 01-2119474878-16-xxxx EC No. 276-737-9 CAS 72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified Asp. Tox. 1; H304.	35 - 40 %
REACH 01-2119490822-33-xxxx EC No. 204-884-0 CAS 128-39-2	2,6-di-tert-butylphenol Skin Irrit. 2; H315. Aquatic Acute 1; H400. Aquatic Chronic 1; H410.	< 0,25 %

Full text of H- and EUH-statements: see section 16.

Additional information: The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.



Material number 685

2020/878

#### **Safety Data Sheet**

Revision date:20.3.2024Version:5.0Replaces version:4.0Language:en-DEDate of print:5.4.2024

Page:

3 of 10

### **SECTION 4: First aid measures**

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU)

#### 4.1 Description of first aid measures

- General information:If medical advice is needed, have product container or label at hand. Take off<br/>contaminated clothing and wash it before reuse.In case of inhalation:If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable<br/>for breathing. Seek medical attention if problems persist.Following skin contact:Immediately clean with water and soap followed by thorough rinsing. In case of skin
- After eye contact: After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.
- After swallowing: Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Caution if victim vomits: Risk of aspiration! Keep airway open. Immediately get medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

May be fatal if swallowed and enters airways.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Aspiration hazard: in case of swallowing or vomiting danger of penetration into the lungs.

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media:

Water spray jet, extinguishing powder, foam, carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Full water jet.

#### 5.2 Special hazards arising from the substance or mixture

#### Combustible.

May form dangerous gases and vapours in case of fire. Furthermore, there may develop: Pyrolysis products, hydrocarbons, hydrogen sulfide, nitrogen oxides (NOx), phosphorus oxides, carbon monoxide and carbon dioxide.

#### 5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information: Move undamaged containers from immediate hazard area if it can be done safely. Cool endangered containers with water jetspray.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.



Material number 685

#### Safety Data Sheet

Revision date:20.3.2024Version:5.0Replaces version:4.0Language:en-DEDate of print:5.4.2024

Page:

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

4 of 10

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing mist/vapours/spray. Provide adequate ventilation. Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse.

#### 6.2 Environmental precautions

Do not release large quantities into the surface water or into drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

#### 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Never return spills in original containers for re-use.

Additional information: Special danger of slipping by leaking/spilling product.

#### 6.4 Reference to other sections

Refer additionally to section 8 and 13.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advices on safe handling:Provide adequate ventilation, and local exhaust as needed. Avoid breathing<br/>mist/vapours/spray. Wear appropriate protective equipment. Do not get in eyes, on skin,<br/>or on clothing.<br/>Do not eat, drink or smoke when using this product. Wash hands thoroughly after<br/>handling. Take off contaminated clothing and wash it before reuse.<br/>Have eye wash bottle or eye rinse ready at work place.Precautions against fire and explosion:<br/>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No<br/>smoking. Take precautionary measures against static discharge.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Requirements for storerooms and containers:

	Keep container tightly closed and in a well-ventilated place. Keep container dry. Keep only in the original container.
	Protect from heat and direct sunlight.
	Storage temperature: < 50 °C
	Store containers in upright position.
Hints on joint storage:	Do not store together with: Strong oxidizing agents. Keep away from food, drink and animal feedingstuffs.
Storage class:	10 = Combustible liquids, unless storage class 3

#### 7.3 Specific end use(s)

No information available.



Material number 685

#### Safety Data Sheet

Revision date:20.3.2024Version:5.0Replaces version:4.0Language:en-DEDate of print:5.4.2024

Page:

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

5 of 10

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.

DNEL/DMEL: Information about Distillates (petroleum), hydrotreated light paraffinic: DNEL Workers, long-term, systemic, inhalative: 2,73 mg/m<sup>3</sup> DNEL Workers, long-term, local, inhalative: 5,58 mg/m<sup>3</sup> DNEL Workers, long-term, systemic, dermal: 0,97 mg/kg bw/d DNEL Consumer, long-term, systemic, oral: 0,74 mg/kg bw/d Information about Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified: DNEL Workers, long-term, systemic, inhalative: 2,73 mg/m<sup>3</sup> DNEL Workers, long-term, local, inhalative: 5,58 mg/m<sup>3</sup> DNEL Workers, long-term, systemic, dermal: 0,97 mg/kg bw/d DNEL Consumer, long-term, systemic, oral: 0,74 mg/kg bw/d

#### 8.2 Exposure controls

Provide for good ventilation or exhaust system or work with completely self-contained equipment.

#### **Personal protection equipment**

#### Occupational exposure controls

Respiratory protection:	Respiratory protection must be worn whenever the WEL levels have been exceeded. Generation/formation of mist: Use filter apparatus type A2/P2. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.
Hand protection:	Protective gloves according to DIN EN 374. Glove material: Nitrile rubber Layer thickness: >= 0,11 mm; Breakthrough time: 30 min Layer thickness: >= 0,33 mm; Breakthrough time: 480 min Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
Eye protection:	Tightly sealed goggles according to DIN EN ISO 16321-1:2022.
Body protection:	Wear suitable protective clothing.
General protection and hy	•
	Avoid breathing mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Take off contaminated clothing and wash it before reuse. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Have eye wash bottle or eye rinse ready at work place.

#### **Environmental exposure controls**

Refer to "6.2 Environmental precautions".

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	li
Colour:	li

liquid light yellow-light brown



Material number 685

### Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878  $\,$ 

Revision date:	20.3.2024
Version:	5.0
Replaces versio	n: 4.0
Language:	en-DE
Date of print:	5.4.2024

Page:

6 of 10

Odour:	Characteristic
Odour threshold:	No data available
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	300 °C
Flammability:	No data available
Upper/lower flammability or explosive limits:	LEL (Lower Explosion Limit): 0,60 Vol-% UEL (Upper Explosive Limit): 6,50 Vol-%
Flash point/flash point range:	> 170 °C (DIN ISO 2592)
Decomposition temperature:	Not applicable
pH:	Not applicable
Viscosity, kinematic:	at 40 °C: 9,7 mm²/s (ASTM D7279)
Water solubility:	Practically insoluble
Partition coefficient: n-octanol/water:	No data available
Vapour pressure:	No data available
Density:	at 15 °C: 0,85 g/mL (DIN EN ISO 12185)
Vapour density:	No data available
Particle characteristics:	Not applicable
9.2 Other information	
Explosive properties:	No data available
Oxidizing characteristics:	No data available
Auto-ignition temperature:	No data available

Evaporation rate: Additional information: No data available No data available Pour point: -33 °C (ASTM D7346)

### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

Refer to subsection "Possibility of hazardous reactions".

#### **10.2 Chemical stability**

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

The formation of combustible vapours is possible at temperatures above: Flash point.

#### **10.4 Conditions to avoid**

Keep away from heat sources, sparks and open flames. Protect from direct sunlight.

#### **10.5 Incompatible materials**

Strong oxidizing agents.



Material number 685

#### **Safety Data Sheet**

Revision date:20.3.2024Version:5.0Replaces version:4.0Language:en-DEDate of print:5.4.2024

Page:

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

7 of 10

### **10.6 Hazardous decomposition products**

No hazardous decomposition products when regulations for storage and handling are observed.

Thermal decomposition:

Not applicable

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects:

The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met. ATEmix (calculated): ATE > 2.000 mg/kg

Acute toxicity (dermal): Based on available data, the classification criteria are not met. ATEmix (calculated): ATE > 2.000 mg/kg

Acute toxicity (inhalative): Based on available data, the classification criteria are not met. ATEmix (calculated): ATE (vapour) > 20 mg/L

ATEmix (calculated): ATE (dusts/mist) > 5 mg/L

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Asp. Tox. 1; H304 = May be fatal if swallowed and enters airways.

#### **11.2 Information on other hazards**

Endocrine disrupting properties:

None

#### Symptoms

After contact with skin: Frequently or prolonged contact with skin may cause dermal irritation.



Material number 685

#### Safety Data Sheet

Revision date:20.3.2024Version:5.0Replaces version:4.0Language:en-DEDate of print:5.4.2024

Page:

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

8 of 10

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Information about Distillates (petroleum), hydrotreated light paraffinic:
Fish toxicity:
LL50 Pimephales promelas (fathead minnow): > 100 mg/L/96h (OECD 203)
NOELR Oncorhynchus mykiss: ≥ 1.000 mg/L/14d
Daphnia toxicity:
EL50 Daphnia magna (Big water flea): > 10.000 mg/L/48h (OECD 202)
NOEL Daphnia magna (Big water flea): 10 mg/L/21d (OECD 211)
Algae toxicity:
NOEL Pseudokirchneriella subcapitata (green algae): ≥ 100 mg/L/72h (OECD 201)
1 = slightly hazardous to water (Self-classification (mixture).)

#### 12.2 Persistence and degradability

Further details: Not readily biodegradable (according to OECD criteria). Data apply to the main component.

#### **12.3 Bioaccumulative potential**

Partition coefficient: n-octanol/water:

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

The product does not contain any substances classified as PBT or vPvB.

#### 12.6 Endocrine disrupting properties

None

#### 12.7 Other adverse effects

General information:

Do not allow to enter into ground-water, surface water or drains.

### **SECTION 13: Disposal considerations**

#### **13.1 Waste treatment methods**

#### Product

Waste key number: 13 01 10\* = Mineral based non-chlorinated hydraulic oils \* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.

#### Package

Recommendation: Dispose of waste according to applicable legislation. Non-contaminated packages may be recycled.



Material number 685

#### Safety Data Sheet

Revision date:20.3.2024Version:5.0Replaces version:4.0Language:en-DEDate of print:5.4.2024

Page:

9 of 10

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

#### 14.2 UN proper shipping name

ADR/RID, ADN, IMDG, IATA-DGR:

Not restricted

#### 14.3 Transport hazard class(es)

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

#### 14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR: not applicable

#### 14.5 Environmental hazards

Dangerous for the environment:

Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG: NO

#### 14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

No data available

### **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **National regulations - Germany**

Storage class: 10 = Combustible liquids, unless storage class 3

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)

Technical guidance air: 5.2.5

Information on working limitations:

Observe employment restrictions for young people.

Observe employment restrictions for expectant or nursing mothers.

Further regulations, limitations and legal requirements:

No data available

#### National regulations - EC member states

Further regulations, limitations and legal requirements:

Use restriction according to REACH annex XVII, no.: 3, 75



Material number 685

2020/878

#### **Safety Data Sheet**

Revision date:20.3.2024Version:5.0Replaces version:4.0Language:en-DEDate of print:5.4.2024

Page:

10 of 10

#### **15.2 Chemical Safety Assessment**

For this mixture a chemical safety assessment is not required.

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU)

#### **SECTION 16: Other information** Wording of the H-phrases under paragraph 2 and 3: H304 = May be fatal if swallowed and enters airways. H315 = Causes skin irritation. H400 = Very toxic to aquatic life. H410 = Very toxic to aquatic life with long lasting effects. Reason of change: Changes in section 1: Details of the supplier of the safety data sheet General revision Date of first version: 27.5.2021 Department issuing data sheet: see section 1: Department responsible for information Abbreviations and acronyms: ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road Aquatic Acute: Hazardous to the aquatic environment - acute Aquatic Chronic: Hazardous to the aquatic environment - chronic AS/NZS: Australian Standards/New Zealand Standards Asp. Tox.: Aspiration toxicity ATE: Acute toxicity estimate CAS: Chemical Abstracts Service CFR: Code of Federal Regulations CLP: Classification, Labelling and Packaging DMEL: Derived minimal effect level DNEL: Derived no-effect level EC: European Community EL50: Effective loading rate 50% EN: European Standard EQ: Excepted quantities EU: European Union IATA: International Air Transport Association IATA-DGR: International Air Transport Association – Dangerous Goods Regulations IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IMDG Code: International Maritime Dangerous Goods Code LEL: Lower Explosion Limit MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships NOEL: No Observed Effect Level OECD: Organisation for Economic Co-operation and Development OEL: Occupational Exposure Limit Value OSHA: Occupational Safety and Health Administration PBT: Persistent, bioaccumulative and toxic PNEC: Predicted no-effect concentration REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail Skin Irrit.: Skin irritation TLV: Threshold Limit Value TRGS: Technical Rules for Hazardous Substances vPvB: Very persistent and very bioaccumulative

WEL: Workplace Exposure Limit

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.



Most recent product information is available at:

http://sumdat.net/99s6mesa