

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni metalClean WSR

Material number 929

Revision date: 13.7.2023 Version: 1.0 Replaces version: 0.0 Language: en-DE Date of print: 19.7.2023

Page: 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Eni metalClean WSR

UFI: 8390-T0YP-400A-XSWR

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Cleaning agent.

1.3 Details of the supplier of the safety data sheet

Company name: Eni Schmiertechnik GmbH

Street/POB-No.: Paradiesstraße 14
Postal Code, city: 97080 Würzburg

Germany

 www.
 www.enischmiertechnik.de

 E-mail:
 info.wuerzburg@eni.com

 Telephone:
 +49 (0)931-90098-0

 Telefax:
 +49 (0)931-98442

Department responsible for information:

Application Engineering & Product Management (AEPM)

Telephone: +49 (0)931-90098-0 E-mail: technik.wuerzburg@eni.com

1.4 Emergency telephone number

GIZ-Nord, Göttingen

Telephone: +49 (0)551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Eye Irrit. 2; H319 Causes serious eye irritation. STOT SE 3; H335 May cause respiratory irritation.

2.2 Label elements

Labelling (CLP)



Signal word: Warning

Hazard statements: H319 Causes serious eye irritation.

H335 May cause respiratory irritation.



according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni metalClean WSR

Material number 929

Revision date: 13.7.2023
Version: 1.0
Replaces version: 0.0
Language: en-DE
Date of print: 19.7.2023

Page

2 of 9

| Precautionary statements: | P101 | If medical advice is needed, have product container or label at hand. |
|---------------------------|------|---|
|---------------------------|------|---|

Keep out of reach of children.

P261 Avoid breathing mist/vapours/spray.

P264 Wash hands and face thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P405 Store locked up.

P501 Dispose of contents/container to hazardous or special waste collection point.

Special labelling

Text for labelling: Contains Citric acid.

Labelling for contents according to regulation (EC) No. 648/2004:

Contains: less than 5% non-ionic surfactants

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

This product does not contain a substance that has endocrine disrupting properties with

respect to non-target organisms as no components meets the criteria. The product does not contain any as PBT or vPvB classified substances.

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: Aqueous solution

Hazardous ingredients:

| Identifiers | Designation Classification | Content |
|---------------------------------|--------------------------------------|-----------|
| REACH 01-2119457026-42-xxxx | Citric acid, anhydrous | 50 - 55 % |
| EC No. 201-069-1 CAS 77-92-9 | Eye Irrit. 2; H319. STOT SE 3; H335. | |

Full text of H- and EUH-statements: see section 16

Additional information: Labelling for contents according to regulation (EC) No. 648/2004:

Contains: less than 5% non-ionic surfactants

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: If medical advice is needed, have product container or label at hand. Take off contaminated

clothing and wash it before reuse.

In case of inhalation: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for

breathing. Seek medical attention if problems persist.

Following skin contact: Immediately clean with water and soap followed by thorough rinsing. In case of skin reactions,

consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart.

Remove contact lenses, if present and easy to do. Continue rinsing. Subsequently consult an

ophthalmologist.



according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni metalClean WSR

Material number 929

Revision date: 13.7.2023
Version: 1.0
Replaces version: 0.0
Language: en-DE
Date of print: 19.7.2023

Page: 3 of 9

After swallowing

Rinse mouth with water. Never give anything by mouth to an unconscious person. Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

May cause respiratory irritation. Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Co-ordinate fire-fighting measures to the fire surroundings. Water spray jet, extinguishing

powder, carbon dioxide, foam.

Extinguishing media which must not be used for safety reasons:

Full water jet

5.2 Special hazards arising from the substance or mixture

May form dangerous gases and vapours in case of fire.

Furthermore, there may develop: smoke, Carbon monoxide and carbon dioxide. Danger of formation of toxic pyrolysis products.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Use fine water spray to cool endangered containers. Do not allow water used to extinguish fire

to enter drains, ground or waterways.

Fire residuals and contaminated extinguishing water must be disposed of in accordance with

the regulations of the local authorities.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. If possible, eliminate leakage.

Avoid breathing mist/vapours/spray. Avoid contact with the substance. Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse. Keep unprotected people away.

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.

6.3 Methods and material for containment and cleaning up

Prevent spread over a wide area (e.g. by containment or oil barriers).

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding

agents) and place in closed containers for disposal.

Additional information: Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.



according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni metalClean WSR

Material number 929

Revision date: 13.7.2023 Version: 1.0 Replaces version: 0.0 Language: en-DE Date of print: 19.7.2023

Page: 4 of 9

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling:

Provide adequate ventilation, and local exhaust as needed.

Avoid breathing mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Have eye wash bottle or eye rinse ready at work place.

Use only in well-ventilated areas. Handle and open container with care.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place. Protect from heat and direct

sunlight. Protect from frost.

Recommended storage temperature: 5 - 40 °C

Storage stability: 12 months

Hints on joint storage: Keep away from food, drink and animal feedingstuffs.

Storage class: 10 = Combustible liquids, unless storage class 3

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values:

| CAS No. | Designation | Туре | Limit value |
|---------|------------------------|----------------------------|------------------------------|
| 77-92-9 | Citric acid, anhydrous | Germany: TRGS 900 Kurzzeit | 4 mg/m³ (inhalable fraction) |
| | | Germany: TRGS 900 Langzeit | 2 mg/m³ (inhalable fraction) |

8.2 Exposure controls

Provide for good ventilation or exhaust system or work with completely self-contained equipment.

Personal protection equipment

Occupational exposure controls

Respiratory protection: Respiratory

Respiratory protection must be worn whenever the WEL levels have been exceeded. In case of inadequate ventilation wear respiratory protection. Respiratory protection in case of aerosol or

vapour formation.

Combination filtering device (EN 14387)

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.

Hand protection: Protective gloves according to EN 374.

Glove material: nitrile rubber - Layer thickness: 0,7 mm

Breakthrough time: > 480 min

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to BS EN ISO 16321-1:2022.

Body protection: Wear suitable protective clothing.

General protection and hygiene measures:

Avoid breathing mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Take off

contaminated clothing and wash it before reuse.

Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Have eye wash bottle or eye rinse ready at work place.

Use only in well-ventilated areas. Handle and open container with care.



according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni metalClean WSR

Material number 929

Revision date: 13.7.2023
Version: 1.0
Replaces version: 0.0
Language: en-DE
Date of print: 19.7.2023

Page: 5 of 9

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa liquid Colour. colourless Odour. Characteristic Odour threshold: No data available Melting point/freezing point: No data available Initial boiling point and boiling range: No data available Flammability: Not determined Upper/lower flammability or explosive limits: No data available

Flash point/flash point range: > 100 °C (DIN EN ISO 2592)

Auto-ignition temperature:

Decomposition temperature:

Non-flammable

No data available

pH:

at 20 °C. 3%: 2.1

Viscosity, kinematic: approx. 20,5 mm²/s (DIN EN ISO 3104)

Water solubility: Miscible

Partition coefficient: n-octanol/water: Not applicable
Vapour pressure: No data available

Density: at 15 °C: 1,268 g/mL (DIN EN ISO 12185)

Vapour density: No data available
Particle characteristics: Not applicable

9.2 Other information

Explosive properties: Product is not explosive.

Oxidizing characteristics:

No data available

Auto-ignition temperature:

No data available

Evaporation rate:

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to subsection "Possilbility of hazardous reactions".

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

No data available



according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni metalClean WSR

Material number 929

Revision date: 13.7.2023 Version: 1.0 Replaces version: 0.0 Language: en-DE Date of print: 19.7.2023

Page: 19.7.2023

10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are observed.

Thermal decomposition: No data available

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects:

The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Product can cause slight irritation.

Serious eye damage/irritation: Eye Irrit. 2; H319 = Causes serious eye irritation.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met

Skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): STOT SE 3; H335 = May cause respiratory irritation.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties: No data available

Other information: Information about Citric acid:

LD50 Mouse, oral: 5.400 mg/kg (OECD 401) LD50 Rat, dermal: > 2.000 mg/kg (OECD 402)

Symptoms

After eye contact: Upon direct contact with eyes may cause burning, tearing, redness.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Information about Citric acid:

Fish toxicity:

LC50 Leuciscus idus: 440 mg/L/96h (OECD 203)

Daphnia toxicity:

EC50 Daphnia magna (Big water flea): 10.535.000 mg/L/24h

Algae toxicity:

EC50 Scenedesmus quadricauda: 425 mg/L/8d

Water Hazard Class: 1 = slightly hazardous to water



according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni metalClean WSR

Material number 929

Revision date: 13.7.2023 Version: 1.0 Replaces version: 0.0 Language: en-DE Date of print: 19.7.2023

Page: 7 of 9

12.2 Persistence and degradability

Further details: The surfactant contained in this mixture complies with the biodegradability criteria as laid down

in Regulation (EC) No. 648/2004 on detergents.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

Not applicable

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

The product does not contain any as PBT or vPvB classified substances.

12.6 Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 07 06 01* = Aqueous washing liquids and mother liquors

* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation. Do not dispose of with household waste.

Do not allow to enter into ground-water, surface water or drains.

Package

Recommendation: Dispose of waste according to applicable legislation. Handle contaminated packages in the

same way as the substance itself. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.2 UN proper shipping name

ADR/RID, ADN, IMDG, IATA-DGR:

Not restricted

14.3 Transport hazard class(es)

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable



according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni metalClean WSR

Material number 929

Revision date: 13.7.2023 Version: 1.0 Replaces version: 0.0 Language: en-DE Date of print: 19.7.2023

Page

8 of 9

14.5 Environmental hazards

Dangerous for the environment: Substance/mixture is not environmentally hazardous

according to the criteria of the UN model regulations.

Marine pollutant - IMDG: no

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Germany

Storage class: 10 = Combustible liquids, unless storage class 3

Water Hazard Class: 1 = slightly hazardous to water

Technical guidance air: 5.2.5 Information on working limitations:

Observe employment restrictions for young people.

Further regulations, limitations and legal requirements:

The product is not subject to the Chemicals Prohibition Ordinance (ChemVerbotsV).

National regulations - EC member states

Volatile organic compounds (VOC):

0 % by weight

Labelling of packaging with <= 125mL content



| Signal word: | Warning | |
|---------------------------------|-----------------------|---|
| Hazard statements: | H335 | May cause respiratory irritation. |
| Precautionary statements: | P101 | If medical advice is needed, have product container or label at hand. |
| | P102 | Keep out of reach of children. |
| | P261 | Avoid breathing mist/vapours/spray. |
| | P271 | Use only outdoors or in a well-ventilated area. |
| | P312 | Call a POISON CENTER/doctor if you feel unwell. |
| | P405 | Store locked up. |
| | P501 | Dispose of contents/container to hazardous or special waste collection point. |
| Further regulations, limitation | ns and legal requirem | ents: |

Use restriction according to REACH annex XVII, no.: 3, 75

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Wording of the H-phrases under paragraph 2 and 3:

H319 = Causes serious eye irritation. H335 = May cause respiratory irritation.

Date of first version: 13.7.2023

Department issuing data sheet: see section 1: Department responsible for information



according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni metalClean WSR

Material number 929

Revision date: 13.7.2023 Version: 1.0 Replaces version: 0.0 Language: en-DF Date of print: 19.7.2023

Page: 9 of 9

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road Abbreviations and acronyms:

AS/NZS: Australian Standards/New Zealand Standards

CAS: Chemical Abstracts Service CFR: Code of Federal Regulations

CLP: Classification, Labelling and Packaging

DMEL: Derived minimal effect level DNEL: Derived no-effect level EC: European Community EC50: Effective Concentration 50%

EN: European Standard EQ: Excepted quantities EU: European Union Eye Irrit.: Eye irritation

IATA: International Air Transport Association

IATA-DGR: International Air Transport Association – Dangerous Goods Regulations IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IMDG Code: International Maritime Dangerous Goods Code

LC50: Median lethal concentration

LD50: Lethal dose 50%

MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships

OEL: Occupational Exposure Limit Value
OSHA: Occupational Safety and Health Administration

PBT: Persistent, bioaccumulative and toxic

PNEC: Predicted no-effect concentration REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail

STOT SE: Specific target organ toxicity - single exposure TLV: Threshold Limit Value

TRGS: Technical Rules for Hazardous Substances vPvB: Very persistent and very bioaccumulative

WEL: Workplace Exposure Limit

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.