

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Agip metalCut 20 TAE, Art.-no. 0747  
**Revision date :** 01.04.2015  
**Print date :** 27.04.2015

**Version (Revision) :** 3.0.0 (1.0.0)

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Agip metalCut 20 TAE

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses**

Metal working fluids

### 1.3 Details of the supplier of the safety data sheet

#### Supplier (manufacturer/importer/downstream user/distributor)

Eni Schmiertechnik GmbH

**Street :** Paradiesstraße 14

**Postal code/city :** 97080 Würzburg

**Telephone :** (+49) 931-90098-0

**Telefax :** (+49) 931-98442

**Information contact :** Technical Department, Tel. (+49) 931 900 98-142

**email:** [technik.wuerzburg@agip.de](mailto:technik.wuerzburg@agip.de), [www.enischmiertechnik-datenblaetter.de](http://www.enischmiertechnik-datenblaetter.de)

### 1.4 Emergency Telephone Number

---

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification according to Regulation (EC) No. 1272/2008 [CLP]**

None

### 2.2 Label elements

None

### 2.3 Other hazards

None

## SECTION 3: Composition / information on ingredients

### 3.2 Mixtures

#### Description

Preparation of solvent refined mineral oils with low content of aromatic hydrocarbons and additives.

#### Hazardous ingredients

Distillates (petroleum), hydrotreated heavy paraffinic ; REACH registration No. : 01-2119471299-27 ; EC No. : 265-169-7; CAS No. : 64742-65-0

Weight fraction :  $\geq 90\%$

Classification 1272/2008 [CLP] : Asp. Tox. 1 ; H304

#### Additional information

Full text of R-, H- and EUH-phrases: see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Agip metalCut 20 TAE, Art.-no. 0747  
**Revision date :** 01.04.2015  
**Print date :** 27.04.2015

**Version (Revision) :** 3.0.0 (1.0.0)

Remove victim out of the danger area. When in doubt or if symptoms are observed, get medical advice.

### **In case of inhalation**

Remove casualty to fresh air and keep warm and at rest. Where appropriate artificial ventilation.

### **In case of skin contact**

Change contaminated, saturated clothing. After contact with skin, wash with plenty of water and soap. In case of skin irritation, consult a physician.

### **After eye contact**

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

### **After ingestion**

Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person or a person with cramps. Where appropriate artificial ventilation.

### **Self-protection of the first aider**

Protect your self against exposure to chemicals or blood-borne diseases by wearing gloves and eye protection. After providing first aid wash your exposed skin with soap and water.

## **4.2 Most important symptoms and effects, both acute and delayed**

No information available.

## **4.3 Indication of any immediate medical attention and special treatment needed**

First Aid, decontamination, treatment of symptoms.

## **SECTION 5: Firefighting measures**

### **5.1 Extinguishing media**

#### **Suitable extinguishing media**

Foam, Extinguishing powder, Carbon dioxide (CO<sub>2</sub>), Water mist

#### **Unsuitable extinguishing media**

Strong water jet

### **5.2 Special hazards arising from the substance or mixture**

#### **Hazardous combustion products**

In case of fire may be liberated: Carbon dioxide (CO<sub>2</sub>), Carbon monoxide, Nitrogen oxides (NO<sub>x</sub>), Sulphur oxides  
Smoke and other incomplete combustion products.

### **5.3 Advice for firefighters**

#### **Special protective equipment for firefighters**

In case of fire: Wear self-contained breathing apparatus.

### **5.4 Additional information**

Do not inhale explosion and combustion gases. Use water spray jet to protect personnel and to cool endangered containers. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Use personal protection equipment. Avoid contact with skin, eyes and clothes. Wear breathing apparatus if exposed to vapours/aerosols. Ventilate affected area.

### **6.2 Environmental precautions**

Cover drains. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Make sure spills can be contained, e.g. in sump pallets or kerbed areas.

In case of entry into waterways, soil or drains, inform the responsible authorities.

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Agip metalCut 20 TAE, Art.-no. 0747  
**Revision date :** 01.04.2015  
**Print date :** 27.04.2015

**Version (Revision) :** 3.0.0 (1.0.0)

### 6.3 Methods and material for containment and cleaning up

#### For containment

Cover drains. Stop and contain spill/release if it can be done safely. Prevent spread over a wide area (e.g. by containment or oil barriers).

#### For cleaning up

Wipe up with absorbent material (eg. cloth, fleece).

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Take up mechanically, placing in appropriate containers for disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

### 6.4 Reference to other sections

See Section 8 for information on appropriate personal protective equipment.

See Section 12 for environmental precautions.

See Section 13 for additional waste treatment information.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Wear personal protection equipment (see chapter 8).

Use only in well-ventilated areas. Open and handle container with care. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

#### Protective measures

##### Measures to prevent fire

Usual measures for fire prevention.

##### Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

#### Advices on general occupational hygiene

When using do not eat, drink, smoke. Wash hands before breaks and after work. Do not put any product-impregnated cleaning rags into your trouser pockets.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product. Protect containers against damage.

#### Hints on joint storage

Keep away from: Oxidising agent

**Storage class :** 10

#### Do not store together with

Food and feedingstuffs

#### Further information on storage conditions

**Protect against :** Frost, Heat, UV-radiation/sunlight,

**Storage stability :** Product may be stored for up to 24 months under described conditions.

### 7.3 Specific end use(s)

None

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limit values

metal working coolant

Limit value type (country of origin) : AGW ( D )

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Agip metalCut 20 TAE, Art.-no. 0747  
**Revision date :** 01.04.2015  
**Print date :** 27.04.2015

**Version (Revision) :** 3.0.0 (1.0.0)

Parameter : vapour + aerosol  
Limit value : 10 mg/m<sup>3</sup>  
Version :

### DNEL/DMEL and PNEC values

#### DNEL/DMEL

No data available

#### PNEC

No data available

## 8.2 Exposure controls

### Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means. Technical measures and the application of suitable work processes have priority over personal protection equipment.

### Personal protection equipment

Personal protective equipment selections vary based on potential exposure conditions such as applications, handling practices, concentration and ventilation. Information on the selection of protective equipment for use with this material, as provided below, is based upon intended, normal usage.

#### Eye/face protection

Eye glasses with side protection (DIN EN 166)

#### Skin protection

##### Hand protection

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Tested protective gloves must be worn: DIN EN 374

##### Suitable material :

Wearing time with permanent contact:

Material: NBR (Nitrile rubber), CR (polychloroprene, chloroprene rubber), PVA (Polyvinyl alcohol),

Thickness of the glove material: 0,70 mm

Breakthrough time (maximum wearing time): > 480 min

Wearing time with occasional contact (splashes):

Material: NBR (Nitrile rubber), CR (polychloroprene, chloroprene rubber), PVA (Polyvinyl alcohol),

Thickness of the glove material: 0,40 mm

Breakthrough time (maximum wearing time): > 30 min

**Breakthrough time (maximum wearing time):** : For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### Body protection

Body protection: not required. If prolonged or repeated contact is likely, chemical, and oil resistant clothing is recommended.

### Respiratory protection

Usually no personal respiratory protection necessary. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Respiratory protection necessary at: exceeding exposure limit values insufficient ventilation aerosol or mist formation.

##### Suitable respiratory protection apparatus

Combination filtering device (EN 14387)

## General health and safety measures

When using do not eat, drink, smoke. Wash hands before breaks and after work. Wash contaminated clothing prior to re-use. Apply skin care products after work.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**Appearance :** liquid

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Agip metalCut 20 TAE, Art.-no. 0747  
**Revision date :** 01.04.2015  
**Print date :** 27.04.2015

**Version (Revision) :** 3.0.0 (1.0.0)

**Colour :** light yellow  
**Odour :** mineral oil like

## Safety relevant basis data

<b>pH value :</b>			not applicable	
<b>Boiling temperature :</b>	( 1013 hPa )	>	200 °C	
<b>Flash point :</b>		>	180 °C	DIN EN ISO 2592
<b>Pour Point:</b>		<	-25 °C	
<b>Flammability (Solid, Gas):</b>			not applicable	
<b>Lower explosion limit :</b>			0,6	Vol-%
<b>Upper explosion limit :</b>			6,5	Vol-%
<b>Vapour pressure :</b>	( 20 °C )		No data available	
<b>Vapour Density (Air = 1):</b>			no data available	
<b>Evaporation Rate :</b>			no data available	
<b>Density :</b>	( 15 °C )		0,87	g/cm <sup>3</sup> DIN EN ISO 12185
<b>Water solubility :</b>	( 20 °C )		non miscible	
<b>Partition Coefficient (n-octanol/water):</b>	( log Pow )		not applicable	
<b>Ignition temperature :</b>		>	240 °C	
<b>Cinematic viscosity :</b>	( 40 °C )	ca.	21	mm <sup>2</sup> /s    DIN EN ISO 3104
<b>Decomposition temperature :</b>			No data available	
<b>Odour threshold :</b>			No data available	
<b>Oxidizing Properties:</b>			not oxidising	
<b>Explosive Properties:</b>			not explosive	

## 9.2 Other information

None

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No information available.

### 10.2 Chemical stability

Stable under recommended storage and handling conditions (see section 7).

### 10.3 Possibility of hazardous reactions

No information available.

### 10.4 Conditions to avoid

No information available.

### 10.5 Incompatible materials

Oxidising agent, strong.

### 10.6 Hazardous decomposition products

Hazardous decomposition products are not expected to form during normal storage.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Toxicological data are not available. The statement is derived from the properties of the single components. Data apply to the main component.

#### Acute effects

No data available to indicate product may be an acute toxic oral, dermal or inhalation hazard.

#### Acute oral toxicity

Parameter : LD50 ( Distillates (petroleum), hydrotreated heavy paraffinic ; CAS No. : 64742-65-0 )  
Exposure route : Oral

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Agip metalCut 20 TAE, Art.-no. 0747  
**Revision date :** 01.04.2015  
**Print date :** 27.04.2015

**Version (Revision) :** 3.0.0 (1.0.0)

Species : Rat  
Effective dose : > 5000 mg/kg

### Acute dermal toxicity

Parameter : LD50 ( Distillates (petroleum), hydrotreated heavy paraffinic ; CAS No. : 64742-65-0 )  
Exposure route : Dermal  
Species : Rabbit  
Effective dose : > 5000 mg/kg

### Acute inhalation toxicity

Parameter : LD50 ( Distillates (petroleum), hydrotreated heavy paraffinic ; CAS No. : 64742-65-0 )  
Exposure route : Inhalation  
Species : Rat  
Effective dose : > 5,53 mg/l  
Exposure time : 4 h

## Irritant and corrosive effects

### Primary irritation to the skin

Parameter : Primary irritation to the skin ( Distillates (petroleum), hydrotreated heavy paraffinic ; CAS No. : 64742-65-0 )  
Species : Rabbit  
Result : Mild effects but not relevant for classification.  
Not an irritant.

### Irritation to eyes

Parameter : Irritation to eyes ( Distillates (petroleum), hydrotreated heavy paraffinic ; CAS No. : 64742-65-0 )  
Species : Rabbit  
Result : Mild effects but not relevant for classification.  
Not an irritant.

## Sensitisation

not sensitising.

### In case of skin contact

Parameter : Skin sensitisation ( Distillates (petroleum), hydrotreated heavy paraffinic ; CAS No. : 64742-65-0 )  
Parameter : guinea pig  
Result : not sensitizing

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

### Carcinogenicity

no known significant effects or critical hazards.

### Germ cell mutagenicity/Genotoxicity

no known significant effects or critical hazards.

### Reproductive toxicity

no known significant effects or critical hazards.

## Specific target organ toxicity (single exposure)

### STOT SE 1 and 2

Not expected to cause organ damage from a single exposure.

## Specific target organ toxicity (repeated exposure)

### STOT RE 1 and 2

Not expected to cause organ damage from prolonged or repeated exposure.

## Aspiration hazard

Based on the available data the classification criteria for aspiration toxicity are not met. For viscosity data, see chapter 9.

## SECTION 12: Ecological information

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Agip metalCut 20 TAE, Art.-no. 0747  
**Revision date :** 01.04.2015  
**Print date :** 27.04.2015

**Version (Revision) :** 3.0.0 (1.0.0)

### 12.1 Toxicity

For the product ecotoxicological data are not available. The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see chapter 3).

#### Aquatic toxicity

Harmless to aquatic organisms up to the tested concentration

##### Acute (short-term) fish toxicity

Parameter : LC50 ( Distillates (petroleum), hydrotreated heavy paraffinic ; CAS No. : 64742-65-0 )  
Species : Oncorhynchus mykiss (Rainbow trout)  
Effective dose : > 100 mg/l  
Exposure time : 96 h

##### Acute (short-term) daphnia toxicity

Parameter : EC50 ( Distillates (petroleum), hydrotreated heavy paraffinic ; CAS No. : 64742-65-0 )  
Species : Daphnia magna (Big water flea)  
Effective dose : > 1000 mg/l  
Exposure time : 48 h

##### Acute (short-term) algae toxicity

Parameter : EC50 ( Distillates (petroleum), hydrotreated heavy paraffinic ; CAS No. : 64742-65-0 )  
Species : Pseudokirchneriella subcapitata  
Effective dose : > 100 mg/l  
Exposure time : 72 h

### 12.2 Persistence and degradability

Moderately/partially biodegradable.

### 12.3 Bioaccumulative potential

On the basis of existing data about the elimination/degradation and bioaccumulation potential longer term damage to the environment cannot be ruled out.

### 12.4 Mobility in soil

Floats on water.  
Adsorbs to soil and has low mobility.

### 12.5 Results of PBT and vPvB assessment

The substance does not fulfill the screening criteria for persistence, bioaccumulation and toxicity and hence is not considered to be PBT or vPvB.

### 12.6 Other adverse effects

Damage can be caused through mechanical influence of the product (eg. sticking).

### 12.7 Further ecological information

Do not allow uncontrolled discharge of product into the environment.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product/Packaging disposal

##### Waste codes/waste designations according to EWC/AVV

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

##### Waste code product

12 01 07\*

##### Waste name

Mineral-based machining oils free of halogens (except emulsions and solutions).

##### Waste treatment options

**Appropriate disposal / Product**

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Agip metalCut 20 TAE, Art.-no. 0747  
**Revision date :** 01.04.2015  
**Print date :** 27.04.2015

**Version (Revision) :** 3.0.0 (1.0.0)

Can be incinerated together with household waste in compliance with applicable technical regulations following consultation with approved waste disposal management companies and authorities in charge.

### Appropriate disposal / Package

Non-contaminated packages may be recycled. Packing which cannot be properly cleaned must be disposed of. Dispose of waste according to applicable legislation.

## SECTION 14: Transport information

### 14.1 UN number

No dangerous goods in sense of this transport regulation.

### 14.2 UN proper shipping name

No dangerous goods in sense of this transport regulation.

### 14.3 Transport hazard class(es)

No dangerous goods in sense of this transport regulation.

### 14.4 Packing group

No dangerous goods in sense of this transport regulation.

### 14.5 Environmental hazards

No dangerous goods in sense of this transport regulation.

### 14.6 Special precautions for user

None

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

#### Water hazard class (WGK)

Class : 1 (Slightly hazardous to water) Classification according to VwVwS

### 15.2 Chemical Safety Assessment

No information available.

## SECTION 16: Other information

### 16.1 Indication of changes

None

### 16.2 Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CLP: Regulation for Classification, Labelling and Packaging

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

EC50: Effective concentration, 50 percent



# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Agip metalCut 20 TAE, Art.-no. 0747  
**Revision date :** 01.04.2015  
**Print date :** 27.04.2015

**Version (Revision) :** 3.0.0 (1.0.0)

DNEL: Derived No Effect Level  
PNEC: Predicted No Effect Concentration  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative

### 16.3 Key literature references and sources for data

Sources of information used in preparing this SDS included one or more of the following: Product Dossiers and SDS from suppliers, complemented by public sources, as appropriate (GESTIS, the EU IUCLID Data Base, U.S. NTP publications, e.g.).

### 16.4 Relevant H- and EUH-phrases (Number and full text)

H304 May be fatal if swallowed and enters airways.

### 16.5 Training advice

Provide adequate information, instruction and training for operators.

### 16.6 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.