

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Agip Inhibitor plus, Art.-no. 0709
Revision date : 01.04.2015
Print date : 27.04.2015

Version (Revision) : 3.0.0 (2.0.0)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Agip Inhibitor plus

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Metal working fluids

Uses advised against

No information available.

1.3 Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/downstream user/distributor)

Eni Schmiertechnik GmbH

Street :

Paradiesstraße 14

Postal code/city :

97080 Würzburg

Telephone :

(+49) 931-90098-0

Telefax :

(+49) 931-98442

Information contact :

Technical Department, Tel. (+49) 931 900 98-142

email:

technik.wuerzburg@agip.de, www.enischmiertechnik-datenblaetter.de

1.4 Emergency Telephone Number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Corr. 1B ; H314 - Skin corrosion/irritation : Category 1B ; Causes severe skin burns and eye damage.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



Corrosion (GHS05)

Signal word

Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Agip Inhibitor plus, Art.-no. 0709
Revision date : 01.04.2015
Print date : 27.04.2015

Version (Revision) : 3.0.0 (2.0.0)

2.3 Other hazards

None

SECTION 3: Composition / information on ingredients

3.2 Mixtures

Description

Mixture of substances listed below with nonhazardous additions.

Hazardous ingredients

2-(2-AMINOETHOXY)-ETHANOL ; REACH registration No. : 01-2119520701-52-0000 ; EC No. : 213-195-4; CAS No. : 929-06-6

Weight fraction : 95 - 100 %

Classification 1272/2008 [CLP] : Skin Corr. 1B ; H314 Eye Dam. 1 ; H318 Acute Tox. 4 ; H312

Additional information

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice. If unconscious place in recovery position and seek medical advice.

In case of inhalation

Remove victim out of the danger area. Remove casualty to fresh air and keep warm and at rest. Where appropriate artificial ventilation. In case of inhaling spray mist, consult a doctor immediately and show him packing or label.

In case of skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

After eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person or a person with cramps. Do not induce vomiting. Call a physician immediately.

Self-protection of the first aider

Protect your self against exposure to chemicals or blood-borne diseases by wearing gloves and eye protection. After providing first aid wash your exposed skin with soap and water.

4.2 Most important symptoms and effects, both acute and delayed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam, Extinguishing powder, Carbon dioxide (CO₂), Water spray jet, Water mist,

Unsuitable extinguishing media

Strong water jet

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Agip Inhibitor plus, Art.-no. 0709
Revision date : 01.04.2015
Print date : 27.04.2015

Version (Revision) : 3.0.0 (2.0.0)

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

In case of fire may be liberated: Sulphur dioxide (SO₂), Carbon dioxide (CO₂), Carbon monoxide, Nitrogen oxides (NO_x), Smoke and other incomplete combustion products.

5.3 Advice for firefighters

Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4 Additional information

Do not inhale explosion and combustion gases. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protection equipment. Remove persons to safety. Avoid contact with skin, eyes and clothes. Provide adequate ventilation. Wear breathing apparatus if exposed to vapours/aerosols.

6.2 Environmental precautions

Cover drains. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Make sure spills can be contained, e.g. in sump pallets or kerbed areas.

In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

For containment

Cover drains. Stop and contain spill/release if it can be done safely. Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Wipe up with absorbent material (eg. cloth, fleece). Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Take up mechanically, placing in appropriate containers for disposal. Ventilate affected area. Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4 Reference to other sections

See Section 8 for information on appropriate personal protective equipment.

See Section 12 for environmental precautions.

See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Wear personal protection equipment (see chapter 8). Use only in well-ventilated areas. Open and handle container with care. Always close containers tightly after the removal of product. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

Protective measures

Measures to prevent fire

Only use the material in places where open light, fire and other flammable sources can be kept away. Take precautionary measures against static discharge.

Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Shafts and sewers must be protected from entry of the product.

Advices on general occupational hygiene

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Agip Inhibitor plus, Art.-no. 0709
Revision date : 01.04.2015
Print date : 27.04.2015

Version (Revision) : 3.0.0 (2.0.0)

When using do not eat, drink, smoke. Wash hands before breaks and after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Use protective skin cream before handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Packaging materials

Keep/Store only in original container.

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product. Protect containers against damage. Floors should be impervious, resistant to liquids and easy to clean. Provide earthing of containers, equipment, pumps and ventilation facilities.

Hints on joint storage

Keep away from: Oxidising agent

Storage class : 8A

Do not store together with

Food and feedingstuffs

Further information on storage conditions

Recommended storage temperature : 5 - 40°C / 40 - 105°F.

Protect against : Heat, UV-radiation/sunlight, Frost,

7.3 Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

DNEL/DMEL and PNEC values

DNEL/DMEL

Limit value type :	DNEL/DMEL (Professional) (2-(2-AMINOETHOXY)-ETHANOL ; CAS No. : 929-06-6)
Exposure route :	Dermal
Exposure frequency :	chronic / systemic effects
Limit value :	7,3 mg/kg bw/d
Limit value type :	DNEL/DMEL (Professional) (2-(2-AMINOETHOXY)-ETHANOL ; CAS No. : 929-06-6)
Exposure route :	Inhalation
Exposure frequency :	chronic / systemic effects
Limit value :	1,12 mg/m ³
Limit value type :	DNEL/DMEL (Professional) (2-(2-AMINOETHOXY)-ETHANOL ; CAS No. : 929-06-6)
Exposure route :	Inhalation
Exposure frequency :	chronic / local effects
Limit value :	0,67 mg/m ³

PNEC

Limit value type :	Fresh water : (2-(2-AMINOETHOXY)-ETHANOL ; CAS No. : 929-06-6)
Limit value :	0,202 mg/l
Limit value type :	Sea water : (2-(2-AMINOETHOXY)-ETHANOL ; CAS No. : 929-06-6)
Limit value :	0,0202 mg/l
Limit value type :	Sediment (fresh water) : (2-(2-AMINOETHOXY)-ETHANOL ; CAS No. : 929-06-6)
Limit value :	0,945 mg/kg
Limit value type :	Sediment (sea water) : (2-(2-AMINOETHOXY)-ETHANOL ; CAS No. : 929-06-6)
Limit value :	0,0945 mg/kg
Limit value type :	Sewage plant : (2-(2-AMINOETHOXY)-ETHANOL ; CAS No. : 929-06-6)
Limit value :	28 mg/l
Limit value type :	Soil : (2-(2-AMINOETHOXY)-ETHANOL ; CAS No. : 929-06-6)
Limit value :	0,0704 mg/kg

8.2 Exposure controls

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Agip Inhibitor plus, Art.-no. 0709
Revision date : 01.04.2015
Print date : 27.04.2015

Version (Revision) : 3.0.0 (2.0.0)

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means. Technical measures and the application of suitable work processes have priority over personal protection equipment.

Personal protection equipment

Personal protective equipment selections vary based on potential exposure conditions such as applications, handling practices, concentration and ventilation. Information on the selection of protective equipment for use with this material, as provided below, is based upon intended, normal usage.

Eye/face protection

Eye glasses with side protection (DIN EN 166)

Skin protection

Hand protection

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Tested protective gloves must be worn: DIN EN 374

Suitable material :

Wearing time with permanent contact:

Material: NBR (Nitrile rubber), CR (polychloroprene, chloroprene rubber),

Thickness of the glove material: 0,70 mm

Breakthrough time (maximum wearing time): > 480 min

Wearing time with occasional contact (splashes):

Material: NBR (Nitrile rubber), CR (polychloroprene, chloroprene rubber),

Thickness of the glove material: 0,40 mm

Breakthrough time (maximum wearing time): > 30 min

Unsuitable material : PVA (Polyvinyl alcohol),

Breakthrough time (maximum wearing time): : For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Check leak tightness/impermeability prior to use.

Body protection

For the protection against direct skin contact, body protective clothing is essential (in addition to the usual working clothes).

Other protection measures

When handling product in drums, safety footwear should be worn and proper handling equipment should be used.

Respiratory protection

Usually no personal respiratory protection necessary. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Respiratory protection necessary at: aerosol or mist formation.

Suitable respiratory protection apparatus

Combination filtering device (EN 14387)

General health and safety measures

When using do not eat, drink, smoke. Wash hands before breaks and after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Wash contaminated clothing prior to re-use. Apply skin care products after work.

Environmental exposure controls

Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : colourless

Odour : odourless

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Agip Inhibitor plus, Art.-no. 0709
Revision date : 01.04.2015
Print date : 27.04.2015

Version (Revision) : 3.0.0 (2.0.0)

Safety relevant basis data

pH value :	(20 °C / 1 %)	10,2	
Melting point/melting range :	(1013 hPa)	-12,5	°C
Boiling temperature :	(1013 hPa)	222,5 - 223,8	°C
Flash point :	(1013 hPa)	127	°C
Flammability (Solid, Gas):		no data available	DIN EN 22719
Lower explosion limit :		2,6	Vol-%
Upper explosion limit :		11,7	Vol-%
Vapour pressure :	(20 °C)	<	0,1 hPa
Vapour Density (Air = 1):		3,6	
Evaporation Rate :		no data available	
Density :	(20 °C)	1,06	g/cm ³
Water solubility :	(20 °C)	miscible	DIN EN ISO 12185
Partition Coefficient (n-octanol/water):	(log Pow)	-1,89	
Ignition temperature :		370	°C
Viscosity :	(23 °C)	48,69	mPa.s
Decomposition temperature :		No data available	
Odour threshold :		No data available	
Oxidizing Properties:		not oxidising	
Explosive Properties:		no data available	

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

No information available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (see section 7).

10.3 Possibility of hazardous reactions

Exothermic reaction with: Acid

10.4 Conditions to avoid

Only use the material in places where open light, fire and other flammable sources can be kept away.

10.5 Incompatible materials

Acid Oxidising agent, strong.

10.6 Hazardous decomposition products

Hazardous decomposition products are not expected to form during normal storage.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Toxicological data are not available. The statement is derived from the properties of the single components.

Acute effects

Acute oral toxicity

Parameter :	LD50 (2-(2-AMINOETHOXY)-ETHANOL ; CAS No. : 929-06-6)
Exposure route :	Oral
Species :	Rat
Effective dose :	2560 - 3000 mg/kg

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

Acute dermal toxicity

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Agip Inhibitor plus, Art.-no. 0709
Revision date : 01.04.2015
Print date : 27.04.2015

Version (Revision) : 3.0.0 (2.0.0)

Parameter : LD50 (2-(2-AMINOETHOXY)-ETHANOL ; CAS No. : 929-06-6)
Exposure route : Dermal
Species : Rabbit
Effective dose : > 3000 mg/kg
Method : OECD 402

Acute inhalation toxicity

Parameter : LC50 (2-(2-AMINOETHOXY)-ETHANOL ; CAS No. : 929-06-6)
Exposure route : Inhalation
Species : Rat
Effective dose : > 8,7 mg/m³
Exposure time : 8 h

Irritant and corrosive effects

Corrosive.

Primary irritation to the skin

Parameter : Primary irritation to the skin (2-(2-AMINOETHOXY)-ETHANOL ; CAS No. : 929-06-6)
Species : Rabbit
Result : corrosive
Method : OECD 404

Irritation to eyes

Parameter : Irritation to eyes (2-(2-AMINOETHOXY)-ETHANOL ; CAS No. : 929-06-6)
Species : Rabbit
Result : corrosive

Sensitisation

not sensitising.

In case of skin contact

Parameter : Skin sensitisation (2-(2-AMINOETHOXY)-ETHANOL ; CAS No. : 929-06-6)
Species : Guinea pig
Result : not sensitizing
Method : OECD 406

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity

no known significant effects or critical hazards.

Germ cell mutagenicity/Genotoxicity

no known significant effects or critical hazards.

In vitro mutagenicity

Parameter : Bacterial Reverse Mutation Test : (2-(2-AMINOETHOXY)-ETHANOL ; CAS No. : 929-06-6)
Test result : negative
Method : OECD 471
Parameter : In vitro Mammalian Cell Gene Mutation Test : (2-(2-AMINOETHOXY)-ETHANOL ; CAS No. : 929-06-6)
Test result : negative
Method : OECD 476
Parameter : Mammalian Erythrocyte Micronucleus Test : (2-(2-AMINOETHOXY)-ETHANOL ; CAS No. : 929-06-6)
Test result : negative
Method : OECD 474

Reproductive toxicity

no known significant effects or critical hazards.

Adverse effects on sexual function and fertility

Parameter : NOAEL : (2-(2-AMINOETHOXY)-ETHANOL ; CAS No. : 929-06-6)
Exposure route : inhalation
Effective dose : 40 mg/m³

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Agip Inhibitor plus, Art.-no. 0709
Revision date : 01.04.2015
Print date : 27.04.2015

Version (Revision) : 3.0.0 (2.0.0)

Method : OECD 422

Specific target organ toxicity (single exposure)

STOT SE 1 and 2

Not expected to cause organ damage from a single exposure.

Specific target organ toxicity (repeated exposure)

STOT RE 1 and 2

Not expected to cause organ damage from prolonged or repeated exposure.

Aspiration hazard

Based on the available data the classification criteria for aspiration toxicity are not met. For viscosity data, see chapter 9.

11.3 Other adverse effects

Processing vapours can irritate the respiratory tracts, skin and eyes.

SECTION 12: Ecological information

12.1 Toxicity

For the product ecotoxicological data are not available. The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see chapter 3).

Aquatic toxicity

Harmless to aquatic organisms up to the tested concentration

Acute (short-term) fish toxicity

Parameter : LC50 (2-(2-AMINOETHOXY)-ETHANOL ; CAS No. : 929-06-6)
Species : Leuciscus idus (golden orfe)
Effective dose : 460 mg/l
Exposure time : 96 h
Method : DIN 38412 / part 15

Acute (short-term) daphnia toxicity

Parameter : EC50 (2-(2-AMINOETHOXY)-ETHANOL ; CAS No. : 929-06-6)
Species : Daphnia magna (Big water flea)
Effective dose : 190 mg/l
Exposure time : 48 h
Method : OECD 202

Acute (short-term) algae toxicity

Parameter : EC50 (2-(2-AMINOETHOXY)-ETHANOL ; CAS No. : 929-06-6)
Species : Desmodesmus subspicatus
Effective dose : 162 mg/l
Exposure time : 72 h

Bacteria toxicity

Parameter : EC50 (2-(2-AMINOETHOXY)-ETHANOL ; CAS No. : 929-06-6)
Species : Pseudomonas putida
Effective dose : 110 mg/l
Exposure time : 17 h

12.2 Persistence and degradability

Part of the components is biodegradable.

Biodegradation

Analytical method : Biodegradation (2-(2-AMINOETHOXY)-ETHANOL ; CAS No. : 929-06-6)
Degradation rate : > 84 %
Time : 28 days
Evaluation : Biodegradable.
Method : OECD 302B/ ISO 9888/ EEC 92/69/V, C.9

12.3 Bioaccumulative potential

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Agip Inhibitor plus, Art.-no. 0709
Revision date : 01.04.2015
Print date : 27.04.2015

Version (Revision) : 3.0.0 (2.0.0)

No indication of bioaccumulation potential.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

The substance does not fulfill the screening criteria for persistence, bioaccumulation and toxicity and hence is not considered to be PBT or vPvB.

12.6 Other adverse effects

No information available.

12.7 Further ecological information

Do not allow uncontrolled discharge of product into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Waste code product

12 01 10*

Waste treatment options

Appropriate disposal / Product

Consult the appropriate local waste disposal expert about waste disposal. Dispose according to legislation.

Appropriate disposal / Package

Non-contaminated packages may be recycled. Packing which cannot be properly cleaned must be disposed of. Dispose of waste according to applicable legislation.

SECTION 14: Transport information

14.1 UN number

UN 3055

14.2 UN proper shipping name

Land transport (ADR/RID)

2-(2-AMINOETHOXY) ETHANOL

Sea transport (IMDG)

2-(2-AMINOETHOXY) ETHANOL

Air transport (ICAO-TI / IATA-DGR)

2-(2-AMINOETHOXY) ETHANOL

14.3 Transport hazard class(es)

Land transport (ADR/RID)

Class(es) : 8
Classification code : C7
Hazard identification number (Kemler No.) : 80
Tunnel restriction code : E
Special provisions : LQ 7 · E 1
Hazard label(s) : 8

Sea transport (IMDG)

Class(es) : 8
EmS-No. : F-A / S-B

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Agip Inhibitor plus, Art.-no. 0709
Revision date : 01.04.2015
Print date : 27.04.2015

Version (Revision) : 3.0.0 (2.0.0)

Hazard label(s) : 8
Air transport (ICAO-TI / IATA-DGR)
Class(es) : 8
Hazard label(s) : 8

14.4 Packing group

III

14.5 Environmental hazards

Land transport (ADR/RID) : No
Sea transport (IMDG) : No
Air transport (ICAO-TI / IATA-DGR) : No

14.6 Special precautions for user

None

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Other regulations (EU)

Restrictions of occupation

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

National regulations

Water hazard class (WGK)

Class : 1 (Slightly hazardous to water) Classification according to VwVwS

15.2 Chemical Safety Assessment

No information available.

SECTION 16: Other information

16.1 Indication of changes

02. Labelling (67/548/EEC or 1999/45/EC) · 03. Hazardous ingredients

16.2 Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CLP: Regulation for Classification, Labelling and Packaging

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

EC50: Effective concentration, 50 percent

DNEL: Derived No Effect Level

PNEC: Predicted No Effect Concentration

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Agip Inhibitor plus, Art.-no. 0709
Revision date : 01.04.2015
Print date : 27.04.2015

Version (Revision) : 3.0.0 (2.0.0)

16.3 Key literature references and sources for data

Sources of information used in preparing this SDS included one or more of the following: Product Dossiers and SDS from suppliers, complemented by public sources, as appropriate (GESTIS, the EU IUCLID Data Base, U.S. NTP publications, e.g.).

16.4 Relevant H- and EUH-phrases (Number and full text)

H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.

16.5 Training advice

Provide adequate information, instruction and training for operators.

16.6 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.
