



eni Rotra ATF

eni Rotra ATF is a special multipurpose oil suitable for use in automatic transmissions and power steering units.

eni Rotra ATF is also suitable for industrial applications requiring very high quality multipurpose hydraulic fluids.

CHARACTERISTICS (TYPICAL FIGURES)

Eni ROTRA ATF		Unit		Test method
Kin. Viscosity	at -40°C	mPa.s	29.000	ASTM D 2983
	at 40°C	mm ² /s	34,5	ASTM D 445
	at 100°C	mm ² /s	6,9	ASTM D 445
Viscosity index			160	ASTM D 2270
Density at 15°C		kg/l	0,870	ASTM D 4052
Flashpoint o. C.		°C	220	ASTM D 92
Pourpoint		°C	-42	ASTM D 97

PROPERTIES AND PERFORMANCE

eni Rotra ATF has a robust formulation that gives the product the requirements for proper operation into an automatic transmission, such as: low pour point, appropriate viscosity for the range of operational temperatures, oxidation stability, detergent-dispersant, antiwear, anticorrosion, antirust and antifoam properties.

SPECIFICATIONS

eni Rotra ATF meets the requirements of the following specifications:

- GM DEXRON II D
- MB approval 236.2
- Ford ESP-M2C166-H
- Ford ESP-M2C138-CJ