

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Eni metalStanz ST 80 HEP, Art.-No. 0970  
Revision : 26.06.2017  
Print date : 29.06.2017

Version (Revision) : 2.0.0 (1.2.0)

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

Eni metalStanz ST 80 HEP

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Lubricant and lubricant additive (cooling grease)  
Observe technical data sheet.

### 1.3 Details of the supplier of the safety data sheet

#### Supplier (manufacturer/importer/only representative/downstream user/distributor)

Eni Schmiertechnik GmbH

Street : Paradiesstr. 14

Postal code/city : D-97080 Würzburg

Telephone : +49 931 900 98-0

Telefax : +49 931 98442

#### Information contact :

Technical Department, Tel. (+49) 931 900 98-145  
technik.wuerzburg@agip.de  
www.enischmiertechnik-datenblaetter.de

### 1.4 Emergency telephone number

----

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 [CLP]

Aquatic Chronic 3 ; H412 - Hazardous to the aquatic environment : Chronic 3 ; Harmful to aquatic life with long lasting effects.

#### Classification procedure

Calculation method.

### 2.2 Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

##### Hazard statements

H412 Harmful to aquatic life with long lasting effects.

##### Precautionary statements

P273 Avoid release to the environment.

### 2.3 Other hazards

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous ingredients

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso -Bu and iso-Pr) esters, zinc salts ; REACH registration No. : 01-2119521201-61 ; EC No. : 288-917-4; CAS No. : 85940-28-9

Weight fraction :  $\geq 1 - < 10 \%$

Classification 1272/2008 [CLP] : Skin Irrit. 2 ; H315 Eye Irrit. 2 ; H319 Aquatic Chronic 2 ; H411

Di-tert-dodecyl polysulfide ; EC No. : 270-335-7; CAS No. : 68425-15-0

Weight fraction :  $\geq 1 - < 10 \%$

Classification 1272/2008 [CLP] : Aquatic Chronic 4 ; H413

Distillates (petroleum), hydrotreated light paraffinic ; REACH registration No. : 01-2119487077-29 ; EC No. : 265-158-7; CAS No. : 64742-55-

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Eni metalStanz ST 80 HEP, Art.-No. 0970  
**Revision :** 26.06.2017  
**Print date :** 29.06.2017

**Version (Revision) :** 2.0.0 (1.2.0)

8  
Weight fraction :  $\geq 1 - < 10 \%$   
Classification 1272/2008 [CLP] : Asp. Tox. 1 ; H304

#### Additional information

Full text of H- and EUH-phrases: see section 16.

### 3.3 Additional information

Highly refined mineral oil (IP 346 DMSO extract < 3%).

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing immediately. When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps. If unconscious place in recovery position and seek medical advice. In the event of cardiac arrest immediately perform cardiopulmonary resuscitation.

#### Following inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration. When in doubt or if symptoms are observed, get medical advice.

#### In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician. Oils and greases injected under your skin with high pressure equipment is a serious damage. Seek medical attention IMMEDIATELY. Bring a copy of this safety data sheet with you to the hospital for information to the medical staff.

#### After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye. Call a physician immediately.

#### After ingestion

Rinse mouth thoroughly with water. Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

#### Symptoms

The following symptoms may occur: Respiratory complaints , Headache , Dizziness , Nausea . Symptoms can occur only after several hours.

### 4.3 Indication of any immediate medical attention and special treatment needed

None

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Foam , Extinguishing powder , Carbon dioxide (CO<sub>2</sub>) , Sand .  
Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

Water

### 5.2 Special hazards arising from the substance or mixture

#### Hazardous combustion products

Carbon dioxide (CO<sub>2</sub>) , Nitrogen oxides (NO<sub>x</sub>) , Sulphur oxides , Carbon monoxide , Aliphatic and aromatic pyrolysis products , Phosphorus oxides

### 5.3 Advice for firefighters

#### Special protective equipment for firefighters

Do not inhale explosion and combustion gases. In case of fire: Wear self-contained breathing apparatus.

### 5.4 Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Use water spray jet to protect personnel and to cool endangered containers. Move undamaged containers from immediate hazard area if it can be done safely.

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Eni metalStanz ST 80 HEP, Art.-No. 0970  
**Revision :** 26.06.2017  
**Print date :** 29.06.2017

**Version (Revision) :** 2.0.0 (1.2.0)

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Special danger of slipping by leaking/spilling product. Provide fresh air.  
Avoid contact with skin, eyes and clothes.

Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work

##### For non-emergency personnel

Avoid contact with skin and clothes. Use personal protection equipment. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Special danger of slipping by leaking/spilling product. Provide adequate ventilation. See protective measures under point 7 and 8.

##### For emergency responders

Suitable material : NBR (Nitrile rubber)

Unsuitable material : Butyl caoutchouc (butyl rubber) , NR (natural rubber, natural latex) , CR (polychloroprene, chloroprene rubber)

#### 6.2 Environmental precautions

Make sure spills can be contained, e.g. in sump pallets or kerbed areas. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

#### 6.3 Methods and material for containment and cleaning up

##### For containment

Clear spills immediately. Cover drains.

##### For cleaning up

Take up with oil-absorbing compound. Treat the recovered material as prescribed in the section on waste disposal. Never return spills in original containers for re-use. Clean contaminated articles and floor according to the environmental legislation. Retain contaminated washing water and dispose it.

#### 6.4 Reference to other sections

Wear personal protection equipment (refer to section 8). Disposal: see section 13 .

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

No hazardous reaction when handled and stored according to provisions. ( Health hazards : None ) . Avoid contact with skin, eyes and clothes.

Do not breathe vapour/aerosol. Provide fresh air.

Respiratory protection necessary at: generation/formation of aerosols , insufficient ventilation , insufficient exhaust .

##### Protective measures

###### Measures to prevent fire

No special fire protection measures are necessary.

###### Measures to prevent aerosol and dust generation

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

###### Specific requirements or handling rules

No special measures are necessary.

#### 7.2 Conditions for safe storage, including any incompatibilities

##### Packaging materials

Unsuitable container/equipment material: Zinc

##### Requirements for storage rooms and vessels

Floors should be impervious, resistant to liquids and easy to clean. Make sure spills can be contained, e.g. in sump pallets or kerbed areas. Shafts and sewers must be protected from entry of the product. Keep/Store only in original container. Protect containers against damage. Ensure adequate ventilation of the storage area.

##### Hints on joint storage

Possibility of hazardous reactions : Oxidising agent .

**Storage class (TRGS 510) :** 10

##### Further information on storage conditions

Keep/Store only in original container. Keep in a cool, well-ventilated place.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Eni metalStanz ST 80 HEP, Art.-No. 0970  
**Revision :** 26.06.2017  
**Print date :** 29.06.2017

**Version (Revision) :** 2.0.0 (1.2.0)

**Do not store at temperatures below :** 0 °C .  
**Recommended storage temperature :** 5 °C - 40 °C .  
**Protect against :** Protect against direct sunlight. Keep away from heat.  
**Storage stability :** 24 months . Observe technical data sheet.

## 7.3 Specific end use(s)

None

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limit values

Distillates (petroleum), hydrotreated light paraffinic ; CAS No. : 64742-55-8

Limit value type (country of origin) : TWA ( EC )

Limit value : 5 mg/m<sup>3</sup>

Version :

Limit value type (country of origin) : TLV/TWA ( EC )

Limit value : 5 mg/m<sup>3</sup>

Version :

### 8.2 Exposure controls

A substance-tailored exposure-driven testing according to REACH, annex XI, chapter 3 was not performed.

#### Appropriate engineering controls

See section 7. No additional measures necessary.

#### Personal protection equipment

Technical measures and the application of suitable work processes have priority over personal protection equipment.

#### Eye/face protection

Additional eye protection measures : Wear eye/face protection.

#### Skin protection

##### Hand protection

Tested protective gloves must be worn Breakthrough time (maximum wearing time) : 4 hours ( NBR (Nitrile rubber) , Thickness of the glove material : 0,4 mm ) . See information supplied by the manufacturer. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Unsuitable material : Butyl caoutchouc (butyl rubber) , NR (natural rubber, natural latex) , CR (polychloroprene, chloroprene rubber)

#### Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Fresh air masks are recommended, or combination filters A2-P2 for works of short duration.

#### General health and safety measures

Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing immediately. Wash hands before breaks and after work. Keep away from food, drink and animal feeding stuffs. Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

**Physical state :** liquid

**Colour :** brown

#### Odour

characteristic

#### Safety relevant basis data

**Melting point/melting range :**

not applicable

Literature value

**Decomposition temperature :**

not determined

**Flash point :**

200 °C

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Eni metalStanz ST 80 HEP, Art.-No. 0970  
**Revision :** 26.06.2017  
**Print date :** 29.06.2017

**Version (Revision) :** 2.0.0 (1.2.0)

<b>Stockpunkt - Fließpunkt - pour point :</b>		-9 °C	
<b>Lower explosion limit :</b>		not determined	
<b>Upper explosion limit :</b>		not determined	
<b>Danger of explosion:</b>		formation of explosive mixture possible	
<b>Density :</b>	( 20 °C )	0,95 g/cm <sup>3</sup>	DIN 51757
<b>Relative density :</b>	( 20 °C )	not determined	
<b>Solubility in / Miscibility with Water:</b>		Insoluble	
<b>pH :</b>	( 23 °C / 50 g/l )	not applicable	DIN 51 369
<b>pH-Wert, Konzentration unbestimmt oder bei Sättigungskonzentration :</b>	( 20 °C )		
<b>log P O/W :</b>		not determined	
<b>Viscosity kinematic:</b>	( 40 °C )	121 mm <sup>2</sup> /s	DIN 51562
<b>Odour threshold :</b>		not determined	
<b>Relative vapour density :</b>	( 20 °C )	not determined	
<b>Vapourisation rate :</b>		not determined	
<b>Oxidising liquids :</b>	Not oxidising.		

## 9.2 Other information

None

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is considered to be non-reactive under normal use conditions.

### 10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4 Conditions to avoid

In case of exceeding the storage temperature: Danger of bursting container.

### 10.5 Incompatible materials

Reaction with oxidizing agents possible. Acid

### 10.6 Hazardous decomposition products

Does not decompose when used for intended uses. Thermal decomposition can lead to the escape of irritating gases and vapours.  
Hazardous decomposition products : Carbon monoxide , Carbon dioxide. , aldehydes. , Ketone , Sulphur oxides , Nitrogen oxides (NOx) , Phosphorus oxides

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute effects

##### Acute oral toxicity

Parameter :	LD0 ( Di-tert-dodecyl polysulfide ; CAS No. : 68425-15-0 )
Exposure route :	Oral
Species :	Mouse
Effective dose :	= 12,5 ML/KG
Parameter :	LD50 ( Di-tert-dodecyl polysulfide ; CAS No. : 68425-15-0 )
Exposure route :	Oral
Species :	Mouse
Effective dose :	= 45000 mg/kg
Parameter :	LD50 ( Di-tert-dodecyl polysulfide ; CAS No. : 68425-15-0 )
Exposure route :	Oral
Species :	Rat
Effective dose :	19,5 g/kg
Parameter :	NOAEL ( Di-tert-dodecyl polysulfide ; CAS No. : 68425-15-0 )
Exposure route :	Oral

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Eni metalStanz ST 80 HEP, Art.-No. 0970  
**Revision :** 26.06.2017  
**Print date :** 29.06.2017

**Version (Revision) :** 2.0.0 (1.2.0)

Species : Rat  
Effective dose : = 1000 mg/kg  
Exposure time : Tage  
Parameter : LD50 ( Distillates (petroleum), hydrotreated light paraffinic ; CAS No. : 64742-55-8 )  
Exposure route : Oral  
Species : Rat  
Effective dose : > 2000 mg/kg

Based on available data, the classification criteria are not met.

### Acute dermal toxicity

Parameter : LD0 ( Di-tert-dodecyl polysulfide ; CAS No. : 68425-15-0 )  
Exposure route : Dermal  
Species : Rat  
Effective dose : = 2000 mg/kg  
Parameter : LD50 ( Distillates (petroleum), hydrotreated light paraffinic ; CAS No. : 64742-55-8 )  
Exposure route : Dermal  
Species : Rabbit  
Effective dose : > 2000 mg/kg

Based on available data, the classification criteria are not met.

### Acute inhalation toxicity

Parameter : LC50 ( Di-tert-dodecyl polysulfide ; CAS No. : 68425-15-0 )  
Exposure route : Inhalation  
Species : Rat  
Effective dose : > 15,5 mg/l  
Exposure time : 4 h  
Parameter : LC50 ( Distillates (petroleum), hydrotreated light paraffinic ; CAS No. : 64742-55-8 )  
Exposure route : Inhalation  
Species : Rat  
Effective dose : > 5000 mg/m<sup>3</sup>  
Exposure time : 4 h

Based on available data, the classification criteria are not met.

### Irritant and corrosive effects

#### Primary irritation to the skin

Based on available data, the classification criteria are not met.

#### Irritation to eyes

Based on available data, the classification criteria are not met.

#### Irritation to respiratory tract

Based on available data, the classification criteria are not met.

### Sensitisation

#### In case of skin contact

Based on available data, the classification criteria are not met.

#### In case of inhalation

Based on available data, the classification criteria are not met.

### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Eni metalStanz ST 80 HEP, Art.-No. 0970  
**Revision :** 26.06.2017  
**Print date :** 29.06.2017

**Version (Revision) :** 2.0.0 (1.2.0)

## 11.3 Symptoms related to the physical, chemical and toxicological characteristics

### In case of ingestion

No known symptoms to date.

### In case of skin contact

No known symptoms to date.

### In case of inhalation

No known symptoms to date.

### In case of eye contact

No known symptoms to date.

## SECTION 12: Ecological information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### 12.1 Toxicity

There are no data available on the mixture itself.

#### Aquatic toxicity

##### Bacteria toxicity

Parameter : Bacteria toxicity ( Di-tert-dodecyl polysulfide ; CAS No. : 68425-15-0 )  
Species : Pseudomonas putida  
Evaluation parameter : Bacteria toxicity  
Effective dose : 10000 mg/l

### 12.2 Persistence and degradability

There are no data available on the mixture itself.

#### Biodegradation

Parameter : Biodegradation ( Di-tert-dodecyl polysulfide ; CAS No. : 68425-15-0 )  
Inoculum : Biodegradation  
Evaluation parameter : Aerobic  
Effective dose : 0 %  
Exposure time : 28 Tage

### 12.3 Bioaccumulative potential

Parameter : Partition coefficient n-octanol /water (log P O/W) ( Di-tert-dodecyl polysulfide ; CAS No. : 68425-15-0 )  
Partition coefficient n-octanol /water (log P O/W)  
Partition coefficient n-octanol /water (log P O/W)  
Concentration : > 6,2

There are no data available on the mixture itself.

### 12.4 Mobility in soil

There are no data available on the mixture itself.

#### Adsorption/Desorption

Parameter : Mobility in soil ( Di-tert-dodecyl polysulfide ; CAS No. : 68425-15-0 )  
Inoculum : Mobility in soil  
Evaluation parameter : Mobility in soil  
Effective dose : 1,18 Pam<sup>3</sup>/mol

### 12.5 Results of PBT and vPvB assessment

There are no data available on the mixture itself.

### 12.6 Other adverse effects

There are no data available on the mixture itself.

### 12.7 Additional ecotoxicological information

None

## SECTION 13: Disposal considerations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Recycle according to official regulations.

### 13.1 Waste treatment methods

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Eni metalStanz ST 80 HEP, Art.-No. 0970  
**Revision :** 26.06.2017  
**Print date :** 29.06.2017

**Version (Revision) :** 2.0.0 (1.2.0)

### Product/Packaging disposal

The waste is to be kept separate from other types of waste until its recycling. Recycle according to official regulations. Waste for recycling is to be classified and labelled.

#### Waste codes/waste designations according to EWC/AVV

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Waste code product

List of proposed waste codes/waste designations in accordance with AAV : 130208

#### Waste code packaging

List of proposed waste codes/waste designations in accordance with AAV : 150110

#### Properties of waste which render it hazardous

Ecotoxic.

#### Waste treatment options

##### Appropriate disposal / Product

Evidence for disposal must be provided. Send to a physico-chemical treatment facility under observation of official regulations.

##### Appropriate disposal / Package

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Non-contaminated packages must be recycled or disposed of. Packing which cannot be properly cleaned must be disposed of. Handle contaminated packages in the same way as the substance itself. Evidence for disposal must be provided.

#### Other disposal recommendations

Dispose according to legislation. Do not allow to enter into surface water or drains.

## SECTION 14: Transport information

### 14.1 UN number

No dangerous good in sense of these transport regulations.

### 14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

### 14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

### 14.4 Packing group

No dangerous good in sense of these transport regulations.

### 14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

### 14.6 Special precautions for user

None

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of these transport regulations.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU legislation

REACH Regulation – the European Parliament and Council Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

CLP Regulation – the European Parliament and Council Regulation (EC) No 1272/2008 concerning reclassification, labelling and packaging of substances and mixtures

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP] . This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH : None

#### Other regulations (EU)

##### Regulation (EC) No. 1005/2009 on substances that lead to the depletion of the ozone layer

not relevant

#### National regulations



# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Eni metalStanz ST 80 HEP, Art.-No. 0970  
**Revision :** 26.06.2017  
**Print date :** 29.06.2017

**Version (Revision) :** 2.0.0 (1.2.0)

### Water hazard class (WGK)

Class : 2 (Hazardous to water) Classification according to VwVwS

## 15.2 Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

## SECTION 16: Other information

### 16.1 Indication of changes

01. Relevant identified uses · 02. Classification of the substance or mixture · 02. Label elements · 03. Hazardous ingredients · 03. Composition / Information on ingredients - Additional information · 05. Special hazards arising from the substance or mixture - Hazardous combustion products · 06. Methods and material for containment and cleaning up - For cleaning up · 07. Protective measures - Measures to prevent aerosol and dust generation · 07. Packaging materials · 07. Hints on joint storage - Storage class · 07. Further information on storage conditions - Storage stability · 08. Occupational exposure limit values · 08. Respiratory protection · 09. Physical state · 10. Hazardous decomposition products · 13. Waste code product · 13. Appropriate disposal / Product · 13. Properties of waste which render it hazardous · 15. Water hazard class (WGK)

### 16.2 Abbreviations and acronyms

None

### 16.3 Key literature references and sources for data

Data arise from reference works and literature.

### 16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Calculation method.

### 16.5 Relevant H- and EUH-phrases (Number and full text)

GHS Hazard statements of components

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

### 16.6 Training advice

None

### 16.7 Additional information

During mixing, observe all labels and safety data sheets of all the components. Please refer to our internet website for more information: See section 1.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.