



eni I-Sint tech R 5W-30

eni i-Sint tech R 5W-30 is a synthetic technology lubricant with "mid-SAPS" characteristics, specific for latest passenger cars and light vans with gasoline or diesel engines for which a lubricant meeting the ACEA C4 or the Renault RN 0720 specification is prescribed.

Characteristics (typical figures):

eni i-Sint tech R 5W-30		Unit	5W-30	Test method
Kin. Viscosity	at -30°C	mPa s	6100	
	at 40°C	mm ² /s	68	ASTM D 445
	at 100°C	mm ² /s	11,8	ASTM D 445
Viscosity index			171	ASTM D 2270
Density at 15°C		kg/m ³	852	ASTM D 4052
Flashpoint o. C.		°C	210	ASTM D 92
Pourpoint		°C	-33	ASTM D 97

Properties and Performance:

eni i-Sint tech R 5W-30 offers the following performances:

- Optimum cold start properties even at every low temperatures
- Excellent wear protection
- Low oil consumption
- Outstanding fuel economy and reduction of CO₂ emissions
- Very high compatibility with after-treatment devices for exhaust emissions meeting the requirements fixed by some car manufacturers

International specifications:

- ACEA C4

Approvals:

- MB 229.51, 226.51
- Renault RN 0720