MATERIAL SAFETY DATA SHEET according to 1907/2006/EC

Date of issue: 03.03.1999 Revised on: 11.02.2015



AUTOL SM 1:50 Page 1 of 5

Section 1. Identification of the substance/mixture and of the company/undertaking.

1.1 Product identifier: AUTOL SM 1 : 50

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Use of the substance/mixture: Two-stroke engine oil
Uses advised against: No uses known

1.3 Details of the supplier of the

safety data sheet:

Eni Schmiertechnik GmbH

Paradiesstr. 14, 97080 Würzburg

Tel. (+ 49) 931 - 900 98-0 Fax (+ 49) 931-98442 Technical Department, Tel. (+49) 931 900 98-145

Advising/Support: Technical Department, Tel. (
technik.wuerzburg@agip.de

http://www.enischmiertechnik-datenblaetter.de

Further information: Mixtures do not have to be registered according to REACH (Article 2.7 d). REACH

registration numbers of dangerous substances in this mixture (if available): see section

3.

Section 2. Hazards identification.

2.1 Classification of the substance

or mixture: The mixture is not classified as hazardous according to Directive 1999/45/EC.

GHS classification: This mixture is not classified as hazardous according to Regulation (EC) No. 1272/2008.

2.2 Label elements:

Special labelling of certain mixtures: EUH210 - Safety data sheet available on request

2.3 Other hazards: Product can build up a film on the water surface which can inhibit the oxygen exchange.

See also sections 11, 12 and 15.

Section 3. Composition/information on ingredients.

3.2 Mixtures:

Chemical characterization: Additive, mineral oil

Hazardous components:

EC no.	Chemical name	Quantity
CAS no.	Classification	
Index no.	GHS Classification	
REACH no.		
919-164-8	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics	
	(2 – 25%)	
	Xn – Harmful, R65-66	
	Acute Tox. 4, Asp. Tox 1; H332 H304	
01-2119473977-17		

Full text of R and H phrases: see section 16.

Further information: All concentrations are quoted as mass percentages for liquids and volume percentages

for gases. Other substances which are not classified as dangerous are contained up to

100%.

Full text of R and H phrases: see section 16.

Section 4. First aid measures.

4.1 Description of the first aid measures:

General information: In all cases of doubt, or when symptoms persist, seek medical advice. Never give

anything by mouth to an unconscious person or a person with cramps.

After inhalation: Remove casualty to fresh air and keep warm and at rest. In case of accident or

unwellness, seek medical advice immediately (show directions for use or safety data

sheet if possible).

After skin contact: After contact with skin, wash immediately with plenty of water and soap. Remove

contaminated clothing immediately and dispose of safely. In case of skin irritation, seek

medical treatment.

MATERIAL SAFETY DATA SHEET according to 1907/2006/EC

Date of issue: 03.03.1999 Revised on: 11.02.2015



AUTOL SM 1:50

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 After contact with eyes:

minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion: Do NOT induce vomiting. Call a physician immediately. Aspiration hazard.

4.2 Most important symptoms and effects, both acute and delayed:

No data available

4.3 Indication of any immediate medical attention and special

No data available. treatment needed:

Section 5. Fire fighting measures.

5.1 Extinguishing media:

Suitable extinguishing media: Carbon dioxide (CO₂), foam, dry extinguishing powder.

Use water spray jet to protect personnel and to cool endangered containers.

Unsuitable extinguishing media:

5.2 Special hazards arising from the

substance or mixture:

The formation of combustible vapours is possible at temperatures above: Flashpoint.

Hot product may produce flammable vapours.

Can be released in case of fire: Pyrolysis products, toxic; hydrocarbons, carbon dioxide, carbon monoxide, hydrogen

sulphide (H₂S), nitrogen oxides (NOx), phosphorus oxides, smoke.

5.3 Advice for fire fighters: In case of fire: Wear self-contained breathing apparatus. Full protective suit. Collect

contaminated fire extinguishing water separately. Do not allow entering drains or

surface water.

Additional information: B: burning liquid or melting substances

Section 6. Accidental release measures.

6.1 Personal precautions, protective

equipment and emergency

procedures:

Provide adequate ventilation as well as local exhaustion at critical locations. Keep away from sources of ignition. No smoking. Avoid contact with skin and eyes.

Conditions to avoid: Inhalation.

Do not put any product impregnated cleaning rags into your trouser pockets. High slip

hazard because of leaking or spilled product.

6.2 Environmental precautions: Prevent spread over a wide area (e. g. by containment or oil barriers). Do not empty

into drains. If product enters soil, it will be mobile and may contaminate groundwater.

6.3 Methods and material for

containment and cleaning up:

Absorb with liquid-binding material (e. g. sand, diatomaceous earth, acid or universal binding agents). Treat recovered material as prescribed in the section on waste

disposal.

6.4 Reference to other sections: See section 8 and 13.

Section 7. Handling and storage.

7.1 Precautions for safe handling:

Advice on safe handling: See section 6.1. Avoid contact with skin and eyes. Keep away from sources of

ignition. No smoking. Wash hands before breaks and after work. All work processes must always be designed so that the following is excluded: Generation/formation of

Advice on protection against fire

and explosion:

Take precautionary measures against static discharge.

Further information on handling: Do not put any product impregnated cleaning rags into your trouser pockets. The

formation of combustible vapours is possible at temperatures above: Flashpoint.

7.2 Conditions for safe storage, including any incompatibilities:

Requirements for storage rooms

and vessels: Keep/store only in original container.

Do not store together with: Spontaneous combustion. Advice on storage compatibility:

Further information on storage Protect from moisture. Keep in a cool place.

conditions: Keep only in the original container at temperatures not exceeding 50°C.

7.3 Specific end use(s): Observe technical data sheet.

MATERIAL SAFETY DATA SHEET according to 1907/2006/EC

Date of issue: 03.03.1999 Revised on: 11.02.2015



AUTOL SM 1:50 Page 3 of 5

Section 8. Exposure controls/personal protection.

8.1 Control parameters:

8.2 Exposure controls:

Appropriate engineering controls: Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures: Take off immediately all contaminated clothing. Wash hands before breaks and after

work. Contaminated materials should be removed from the workplace at the end of

each working day and be stored outside.

Eye protection: Tightly sealed safety glasses. German Industry Norms (DIN)/European Norms (EN):

DIN EN 166.

Hand protection: Examples of suitable protective gloves from the company KCL GmbH, Eichenzell with

the following specification (test according to EN 374):

In full contact/splash contact:

Camatril (item no. 731; material: nitrile, minimum coat thickness: 0,33 mm,

breakthrough time: 480 min.)

Dermatril (item no. 740; material: nitrile, minimum coat thickness: 0,11 mm,

breakthrough time: 30 min.)

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the resultant standard EN 374. The breakthrough times stated above are based on laboratory measurements of KCL to EN 374 and are only authoritative

for the recommended glove types. Protect skin by using skin protective cream.

Skin protection: The type of personal protection equipment has to be chosen based on the

concentration and amount of the dangerous substance at the workplace. For the protection against direct skin contact, body protective clothing is essential (in addition

to the usual working clothes).

Chemical resistant safety shoes, with lead protection cap. German Industry Norms

(DIN)/European Norms (EN): DIN EN 344.

Respiratory protection: With correct and proper use, and under normal conditions, breathing protection is not

required. Generation/formation of mist: Filtering device with filter or ventilator filtering

device of type: A-P2.

Environmental exposure controls: Technical measures to prevent exposure. Organisation measures to prevent

exposure.

Section 9. Physical and chemical properties.

9.1 Information on basic physical and chemical properties:

Physical state: Liquid

Colour: Yellow, brown Odour: Characteristic

Changes in the physical state:

Initial boiling point/boiling range: > 320°C

Flashpoint: > 100°C (DIN ISO 2592)

Lower explosion limits: 0,6 Vol.%
Upper explosion limits: 6,5 Vol.%

Ignition temperature: > 250°C (ASTM E 659)

Density at 15°C: 0,866 – 0,876 g/cm² (DIN 53217)

Solubility in other solvents: Insoluble in water
Kin. Viscosity at 100°C: 9,4 mm²/s (DIN 51562)
9.2 Other information: No data available

Section 10. Stability and reactivity.

10.1 Reactivity: See section 9

10.2 Chemical stability: If product is stored and handled as prescribed it is stable.

10.3 Possibility of hazardous reactions: The formation of combustible vapours is possible at temperatures above: Flashpoint.

10.4 Conditions to avoid: Oxidizing agents, strong.10.5 Incompatible materials: No data available.

MATERIAL SAFETY DATA SHEET according to 1907/2006/EC

Date of issue: 03.03.1999 Revised on: 11.02.2015



AUTOL SM 1:50 Page 4 of 5

10.6 Hazardous decomposition

products: See section 5.3.

Section 11. Toxicological information.

11.1 Information on toxicological effects:

Toxicocinetics, metabolism and

distribution:

There are no data available on the preparation/mixture itself.

Acute toxicity: Classification: None

The classification was carried out according to the calculation method of the regulation

(EC) 1272/2008 [CLP].

CAS no.	Chemical name						
	Exposure routes	Method	Dose	Species	Source		
	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2 – 25%)						
	inhalative vapour	ATE	11 mg/l				
_	inhalative aerosol	ATE	1,5 mg/l				

Irritation and corrosivity: Classification: None

The classification was carried out according to the calculation method of the regulation

(EC) 1272/2008 [CLP].

Sensitising effects: Classification: None

Frequently or prolonged contact with skin may cause dermal irritation.

Severe effects after repeated or

prolonged exposure:

Classification: None

The classification was carried out according to the calculation method of the regulation

(EC) 1272/2008 [CLP].

Carcinogenic/mutagenic/toxic

effects for reproduction:

The substance does not meet the criteria for classification as CMR category 1A or

1B according to CLP.

Specific effects in experiment on an

animal:

There are no data available on the preparation/mixture itself.

Additional information on tests: Frequently or prolonged contact with skin may cause dermal irritation.

Section 12. Ecological information.

12.1 Toxicity: There are no data available on the preparation/mixture itself.

Classification: None

The classification was carried out according to the calculation method of the regulation

(EC) 1272/2008 [CLP].

12.2 Persistence and degradability: Not easily biodegradable (according to OECD criteria). Product is not easily

biodegradable (data apply to the main component).

12.3 Bioaccumulative potential: There are no data available on the preparation/mixture itself.

12. 4 Mobility in soil:

12.5 Results of PBE and vPvB assessment:

There are no data available on the preparation/mixture itself.

The components in this formulation do not meet the criteria for classification as PBT or

vPvB.

12.6 Other adverse effects: Effects in sewage plants: Mechanical separation in a suitable sewage plant is

possible.

Section 13. Disposal considerations.

13.1 Waste treatment methods:

Advice on disposal: Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

Observe mixture permissions according to "Altölverordnung (Waste oil Directive)". Waste disposal according to EC Directives 75/442/EEC and 91/689/EEC on waste and hazardous waste in their latest versions. According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every

industry and process.

Waste disposal number of waste from residues/unused products:

13 02 08 – oil wastes and wastes of liquid fuels (except edible oils, and those in

chapters 05, 12 and 19); waste engine, gear and lubricating oils; other engine, gear

and lubricating oils

Classified as hazardous waste.

MATERIAL SAFETY DATA SHEET according to 1907/2006/EC





AUTOL SM 1:50

Waste disposal number of used

product:

13 02 08 - oil wastes and wastes of liquid fuels (except edible oils, and those in

chapters 05, 12 and 19); waste engine, gear and lubricating oils; other engine, gear

and lubricating oils

Classified as hazardous waste.

Waste disposal number contaminated packaging:

13 02 08 - oil wastes and wastes of liquid fuels (except edible oils, and those in chapters 05, 12 and 19); waste engine, gear and lubricating oils; other engine, gear

and lubricating oils

Classified as hazardous waste.

Contaminated packaging:

Dispose of waste according to applicable legislation. Non contaminated packages may

be recycled. Packing which cannot be properly cleaned must be disposed of.

Section 14. Transport information.

Other applicable information:

No dangerous good in sense of these transport regulations.

Section 15. Regulatory information.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

National regulatory information:

Water hazardous class:

2 - water contaminating

15.2 Chemical safety assessment:

Chemical safety assessments for substances in this mixture were not carried out.

Section 16. Other information.

The information contained in this safety data sheet is based on our current information level. It does not give assurance for certain product properties and does not establish a contractual relationship. This information relates only to the specific material and may not be valid if the material is used in combination with any other material or in any process.

Full text of R-phrases referred to under Sections 2 und 3: R65 Harmful: may cause lung damage if swallowed

R66 Repeated exposure may cause skin dryness or cracking

Full text of H statements referred to under Sections 2 and 3: May be fatal if swallowed and enters airways

H332 Harmful if inhaled

Changes: 1 - 16